

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
1 April 2004 (01.04.2004)

PCT

(10) International Publication Number  
**WO 2004/026888 A2**

(51) International Patent Classification<sup>7</sup>: **C07H**  
(21) International Application Number:  
PCT/US2003/029577  
(22) International Filing Date:  
19 September 2003 (19.09.2003)  
(25) Filing Language: English  
(26) Publication Language: English  
(30) Priority Data:  
60/412,479 19 September 2002 (19.09.2002) US

(71) Applicants (*for all designated States except US*): **COLEY PHARMACEUTICAL GMBH** [DE/DE]; Elisabeth-Selbert-Strasse 9, 40764 Langenfeld (DE). **UNIVERSITY OF SASKATCHEWAN** [CA/CA]; Kirk Hall, 117 Science Place, Saskatoon, Saskatchewan S7N 5C8 (CA). **QIAGEN GMBH** [DE/DE]; Max-Volmer-Strasse 4, 40724 Hilden (DE).


(72) Inventors; and  
(75) Inventors/Applicants (*for US only*): **LIPFORD, Grayson, B.** [US/US]; 38 Bates Road, Watertown, MA 02472 (US). **MOOKHERJEE, Neeloffer** [IN/CA]; Apt 408, 2233 Allison Road,, Vancouver, BC V6T 1T7 (CA). **BABIUK, Lorne** [CA/CA]; 245 East Place, Saskatoon, Saskatchewan S7J 2Y1 (CA). **BROWNLIE, Robert** [CA/CA]; 123 O'Brien Crescent, Saskatoon, Saskatchewan S7K 5K3 (CA). **GRIEBEL, Phillip** [CA/CA]; Box 36, RR5, Saskatoon, Saskatchewan S7K 3J8 (CA). **MUTWIRI, George** [CA/CA]; 569 Nordstrum Road, Saskatoon, Saskatchewan S7K 7X6 (CA). **HECKER, Rolf** [DE/DE]; Benrodestr. 60, 40597 Düsseldorf (DE).

(74) Agent: **STEELE, Alan, W.**; Wolf, Greenfield & Sacks, P.C., 600 Atlantic Avenue, Boston, MA 02210 (US).

(81) Designated States (*national*): AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX,

[Continued on next page]

(54) Title: TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES



(57) Abstract: Novel amino acid and nucleotide sequences for rat, pig (porcine), cow (bovine), horse (equine), and sheep (ovine) Toll-like receptor 9 (TLR9) are provided. Also provided are amino acid and nucleotide sequences for dog (canine), cat (feline), mouse (murine), and human TLR9. Comparison of these sequences, especially in combination with functional assessment for species-specific CpG motif preferences, permits identification of specific regions and amino acid residues of interest in TLR9 ligand interaction. Novel chimeric TLR9 receptor molecules, cells expressing these molecules, and methods for their use in screening assays for TLR9 ligands are also provided.



MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

**Published:**

— *without international search report and to be republished upon receipt of that report*

**(84) Designated States (regional):** ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO,

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

## TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES

### Background of the Invention

Synthetic oligodeoxynucleotides (ODN) and DNA containing immunostimulatory CpG motifs (CpG DNA) function as potent adjuvants and activators of the innate immune system. Heeg K et al. (2000) *Int Arch Allergy Immunol* 121:87-97; Krieg AM (2001) *Vaccine* 19:618-22. A wide variety of CpG-containing sequences have been screened for biological activity and it is reported that optimal CpG DNA sequences can vary among species. Rankin R et al. (2001) *Antisense Nucleic Acid Drug Dev* 11:333-40.

Toll-like receptor 9 (TLR9) has recently been identified as a receptor for CpG ODN. Hemmi H et al. (2000) *Nature* 408:740-5. The molecular mechanism by which TLR9 recognizes CpG DNA is not understood.

### Summary of the Invention

Toll-like receptor 9 (TLR9) is known to be involved in innate immunity and to signal in response to CpG DNA. To date, the amino acid sequences only of human and murine TLR9 have been reported, and, interestingly, these two species are known to prefer different CpG motifs. The structural basis for this species-specific CpG motif preference has not yet been fully elucidated. The instant invention provides, in part, novel amino acid and nucleotide sequences of rat, pig, cow, and horse TLR9. These novel TLR9 sequences are useful for elucidating certain key structural features of TLR9. Specifically, comparison of sequences of murine, human, and these novel TLR9 sequences permits identification of areas of highly conserved sequence, areas of group conservation, and areas of hypervariability. In addition, such comparisons permit an assessment of evolutionary relatedness among TLR9 molecules of the various species, as well as an assessment of inter-species homologies. Importantly, such comparisons permit a rational basis for identifying amino acids in TLR9 that may be involved in the CpG binding site, as well as amino acids involved in conferring species specificity for particular CpG motifs. Such information may be used to design and construct novel TLR9 molecules which incorporate specific point or regional mutations and which possess desired ligand binding characteristics. Such information may also be useful in designing and identifying novel ligands for TLR9 of a given species.

- 2 -

In one aspect, the invention provides isolated polypeptides having amino acid sequences for rat, pig (porcine), cow (bovine), horse (equine), and sheep (ovine) TLR9 polypeptides. These amino acid sequences correspond to SEQ ID NOs 1, 5, 9, 13, and 17, respectively. Each of these sequences is believed to include at least a majority of an  
5 extracellular domain, as well as a transmembrane region and at least part of a TLR/IL-1 receptor (TIR) domain. To the extent any such sequence may lack an amino-terminal and/or carboxy-terminal sequence, such sequence is ascertainable, without undue experimentation, using conventional molecular biology techniques and the sequence information provided herein.

10 In another aspect the invention provides isolated polypeptides having amino acid sequences for essentially the whole extracellular domain, optionally including a signal peptide, of each of rat, porcine, bovine, equine, and ovine TLR9. These amino acid sequences correspond to SEQ ID NOs 2, 6, 10, 14, and 18, respectively. Such extracellular domains are believed to include sequence specifically involved in binding to TLR9 ligand,  
15 such as CpG DNA. In addition, such extracellular domains are believed to include sequence that confers species specificity for particular CpG motifs.

Isolated nucleic acid molecules encoding the polypeptides just described above are also provided according to further aspects of the invention. Such nucleic acid molecules include, but are not limited to, nucleic acid molecules having sequences provided by SEQ ID  
20 NOs 3, 7, 11, 15, 19; and 4, 8, 12, 16, and 20, respectively. Isolated nucleic acid molecules encoding the TLR9 polypeptides of SEQ ID NOs 1, 5, 9, 13, 17; and 2, 6, 10, 14, and 18 also include nucleic acid molecules that differ in sequence from SEQ ID NOs 3, 7, 11, 15, 19; and 4, 8, 12, 16, and 20, respectively, due to degeneracy of the genetic code. Such nucleic acid molecules will hybridize, under stringent conditions, with suitably selected nucleic acid  
25 molecules having sequences selected from SEQ ID NOs 3, 4, 7, 8, 11, 12, 15, 16, 19, and 20.

In another aspect the invention provides a vector which includes an isolated nucleic acid molecule of the invention. In one embodiment the vector is an expression vector and the isolated nucleic acid molecule of the invention is operably linked to a regulatory sequence in the vector. When present within a cell, an expression vector according to this aspect of the  
30 invention causes the cell to express a polypeptide of the invention.

The invention according to another aspect provides a cell in which a vector of the invention is present. In one embodiment the cell containing the vector expresses a



- 3 -

polypeptide of the invention. In certain embodiments the cell also contains a reporter construct that transduces a TLR9-mediated signal in response to contact of the polypeptide of the invention or a TLR9 with a suitable TLR9 ligand. The cell containing the vector, and optionally containing the reporter construct, can be used in screening methods also provided  
5 by the invention.

In yet another aspect the invention provides an antibody or antibody fragment that binds specifically to an isolated polypeptide of the invention. In certain embodiments the antibody or antibody fragment binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide. More specifically, the antibody or antibody fragment binds uniquely to  
10 one of the isolated polypeptides of the invention. In one embodiment the antibody or antibody fragment that binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide also binds to either mouse or human TLR9. In another embodiment the antibody or antibody fragment that binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide does not also bind to either mouse or human TLR9. In some embodiments  
15 the antibody or antibody fragment binds selectively to a chimeric TLR9 polypeptide of the invention. In certain embodiments the antibody or antibody fragment of the invention is a monoclonal antibody or fragment of a monoclonal antibody.

In one aspect the invention provides a method for identifying key amino acids in a TLR9 of a first species which confer specificity for CpG DNA optimized for TLR9 of the  
20 first species. The method involves aligning protein sequences of TLR9 of a first species, TLR9 of a second species, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for TLR9 of the first species rather than when contacted with a CpG DNA optimized for TLR9 of the second species; generating an initial set of candidate amino acids in the TLR9 of the  
25 first species by excluding each amino acid in the TLR9 of the first species which (a) is identical with the TLR9 of the second species or (b) differs from the TLR9 of the second species only by conservative amino acid substitution; generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in the TLR9 of the first species which (a) is identical with the TLR9 of the third species or (b)  
30 differs from the TLR9 of the third species only by conservative amino acid substitution; and identifying as key amino acids in the TLR9 of the first species each amino acid in the refined set of candidate amino acids.

- 4 -

In another aspect the invention provides a method for identifying key amino acids in human TLR9 which confer specificity for CpG DNA optimized for human TLR9. The method according to this aspect of the invention involves aligning protein sequences of human TLR9, murine TLR9, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for human TLR9 rather than when contacted with a CpG DNA optimized for murine TLR9; generating an initial set of candidate amino acids in human TLR9 by excluding each amino acid in human TLR9 which (a) is identical with murine TLR9 or (b) differs from murine TLR9 only by conservative amino acid substitution; generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in human TLR9 which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and identifying as key amino acids in human TLR9 each amino acid in the refined set of candidate amino acids. In one embodiment the method according to this aspect of the invention is performed iteratively with a plurality of TLR9s derived from different species other than human and mouse, wherein for each TLR9 the refined set of candidate amino acids is assigned a weight corresponding to a ratio equal to (responsiveness to human-preferred CpG DNA)/(responsiveness to murine-preferred CpG DNA).

In another aspect the invention also provides an isolated polypeptide having an amino acid sequence identical to SEQ ID NO:30 (extracellular domain (ECD) of murine TLR9) except for substitution of at least one key amino acid identified according to the method above. The polypeptide according to this aspect of the invention is a chimeric TLR9 polypeptide. Preferably the polypeptide according to this aspect of the invention binds to CpG DNA optimized for human TLR9 better than does the isolated polypeptide having an amino acid sequence identical to SEQ ID NO:30 (ECD of murine TLR9). In one embodiment the polypeptide includes only one substituted amino acid. The isolated polypeptide according to this aspect of the invention may further include sequence involved in TLR/IL-1R signal transduction, e.g., intracellular domain of TLR9 as provided in SEQ ID NOs 29 and 33. For example, in one embodiment a polypeptide according to this aspect of the invention is an isolated polypeptide having an amino acid sequence identical to SEQ ID NO:29 (full length murine TLR9) except for substitution of at least one key amino acid identified according to the method above.

- 5 -

In another aspect the invention provides an isolated nucleic acid molecule including a nucleic acid sequence encoding a chimeric TLR9 polypeptide just described. In one embodiment the isolated nucleic acid molecule has a nucleic acid sequence encoding a chimeric TLR9 polypeptide just described.

5 In yet another aspect, the invention provides a screening method to identify a TLR9 ligand. The method involves contacting a polypeptide (including a chimeric TLR9 polypeptide) of the invention with a candidate TLR9 ligand; measuring a signal in response to the contacting; and identifying the candidate TLR9 ligand as a TLR9 ligand when the signal in response to the contacting is consistent with TLR9 signaling. In one embodiment  
10 the candidate TLR9 ligand is an immunostimulatory nucleic acid. In one embodiment the candidate TLR9 ligand is a CpG DNA.

The invention also provides, in yet a further aspect, a screening method to identify species-specific CpG-motif preference of an isolated polypeptide of the invention. The method according to this aspect of the invention involves contacting an isolated polypeptide  
15 of the invention with a CpG DNA including a hexamer sequence selected from the group consisting of GACGTT, AACGTT, CACGTT, TACGTT, GGCGTT, GCCGTT, GTCGTT, GATGTT, GAAGTT, GAGGTT, GACATT, GACCTT, GACTTT, GACGCT, GACGAT, GACGGT, GACGTC, GACGTA, and GACGTG; measuring a signal in response to the contacting; and identifying a species-specific CpG-motif preference when the signal in  
20 response to the contacting is consistent with TLR9 signaling. In one embodiment the CpG DNA is an oligodeoxynucleotide having a sequence selected from the group consisting of

	TCCATGACGTTTTTGATGTT	(SEQ ID NO:39),
	TCCATAACGTTTTTGATGTT	(SEQ ID NO:40),
	TCCATCACGTTTTTGATGTT	(SEQ ID NO:41),
25	TCCATTACGTTTTTGATGTT	(SEQ ID NO:42),
	TCCATGGCGTTTTTGATGTT	(SEQ ID NO:43),
	TCCATGCCGTTTTTGATGTT	(SEQ ID NO:44),
	TCCATGTCGTTTTTGATGTT	(SEQ ID NO:45),
	TCCATGATGTTTTTGATGTT	(SEQ ID NO:46),
30	TCCATGAAGTTTTTGATGTT	(SEQ ID NO:47),
	TCCATGAGGTTTTTGATGTT	(SEQ ID NO:48),
	TCCATGACATTTTTTGATGTT	(SEQ ID NO:49),
	TCCATGACCTTTTTTGATGTT	(SEQ ID NO:50),
	TCCATGACTTTTTTGATGTT	(SEQ ID NO:51),
35	TCCATGACGCTTTTTTGATGTT	(SEQ ID NO:52),
	TCCATGACGATTTTTTGATGTT	(SEQ ID NO:53),
	TCCATGACGGTTTTTGATGTT	(SEQ ID NO:54),

- 6 -

TCCATGACGTCTTTGATGTT (SEQ ID NO:55),  
 TCCATGACGTATTTGATGTT (SEQ ID NO:56), and  
 TCCATGACGTGTTTGATGTT (SEQ ID NO:57).

In certain embodiments of the screening methods of the invention, the signal includes  
 5 expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway. In one  
 embodiment the reporter gene is operatively linked to a promoter sensitive to NF- $\kappa$ B. In one  
 embodiment the signal in response to contacting is binding of the candidate TLR9 ligand or  
 CpG DNA to the polypeptide of the invention.

In one embodiment the screening method is performed on a plurality of test  
 10 compounds. In one embodiment the response mediated by the TLR9 signal transduction  
 pathway is measured quantitatively and the response mediated by the TLR9 signal  
 transduction pathway associated with each of the plurality of test compounds is compared  
 with a response arising as a result of an interaction between the functional TLR9 and a  
 reference immunostimulatory compound.

### Brief Description of the Figures

Figure 1 depicts a Clustal W multiple sequence alignment of deduced amino acid  
 sequences for cat (feline), dog (canine), cow (bovine), mouse (murine), sheep (ovine), pig  
 (porcine), horse (equine), human, and rat TLR9 polypeptides. The deduced amino acid  
 20 sequences for feline, canine, bovine, murine, ovine, porcine, equine, human, and rat TLR9  
 polypeptides shown in the figure correspond to SEQ ID NOs 25, 21, 9, 29, 17, 5, 13, 33, and  
 1, respectively. Lines labeled "multiple" refer to the multiple sequence alignment of all six  
 sequences shown. Lines labeled "mo/hu" refer to a paired sequence alignment of mouse and  
 human TLR9 sequences alone.

25 Figure 2 is a cladogram depicting an evolutionary relatedness tree for rat, murine,  
 porcine, bovine, equine, and human TLR9 polypeptides in Figure 1.

Figure 3 is a graph depicting species specificity of TLR9 signaling with selected  
 oligonucleotides having strong specificity for human (2006), mouse (5890), or neither (1982).

### Detailed Description of the Invention

30 The present invention provides novel amino acid and nucleotide sequences for TLR9  
 derived from rat, pig, cow, horse, and sheep. These sequences can be used to identify key  
 features of the primary sequences of these and related TLR molecules, including previously

- 7 -

known primary sequences of human and mouse (murine) TLR9. Such key features include binding site information and species specificity toward particular CpG motifs. Native and novel chimeric TLR9 polypeptides designed with the aid of this information can be expressed in vitro or in vivo and used in screening assays to identify and to design novel TLR9 ligands.

5 Additionally, the native and novel chimeric TLR9 polypeptides designed with the aid of this information can be expressed in vitro or in vivo and used in screening assays to compare various TLR9 ligands, including CpG DNA.

In one aspect the invention provides isolated TLR9 polypeptides, and isolated nucleic acid molecules encoding them, from rat, pig, cow, horse, and sheep. The term "isolated" as  
10 used herein with reference to a nucleic acid molecule or polypeptide means substantially free of or separated from components with which it is normally associated in nature, e.g., other nucleic acids, proteins, lipids, carbohydrates or *in vivo* systems to an extent practical and appropriate for its intended use. In particular, the nucleic acids or polypeptides are sufficiently pure and are sufficiently free from other biological constituents of host cells so as  
15 to be useful in, for example, producing pharmaceutical preparations. Because an isolated nucleic acid or polypeptide of the invention may be admixed with a pharmaceutically acceptable carrier in a pharmaceutical preparation, the nucleic acid or polypeptide may represent only a small percentage by weight of such a preparation. The nucleic acid or polypeptide is nonetheless substantially pure in that it has been substantially separated from  
20 the substances with which it may be associated in living systems.

An amino acid sequence of rat TLR9 is provided as SEQ ID NO:1. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:1 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of rat TLR9 (See  
25 Figure 1). Amino acids numbered 1-821 of SEQ ID NO:1 are presumptively extracellular domain and correspond to SEQ ID NO:2. SEQ ID NO:3 is a nucleotide sequence of rat TLR9 cDNA having an open reading frame corresponding to nucleotides 1-3096. SEQ ID NO:4 is a nucleotide sequence of rat cDNA encoding amino acids 1-821 of SEQ ID NO:1.

An amino acid sequence of porcine TLR9 is provided as SEQ ID NO:5. Based on  
30 comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:5 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of porcine TLR9



- 8 -

(See Figure 1). Amino acids numbered 1-819 of SEQ ID NO:5 are presumptively extracellular domain and correspond to SEQ ID NO:6. SEQ ID NO:7 is a nucleotide sequence of porcine TLR9 cDNA having an open reading frame corresponding to nucleotides 77-3166. SEQ ID NO:8 is a nucleotide sequence of porcine cDNA encoding amino acids 1-819 of SEQ ID NO:5.

An amino acid sequence of bovine TLR9 is provided as SEQ ID NO:9. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:9 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of bovine TLR9 (See Figure 1). Amino acids numbered 1-818 of SEQ ID NO:9 are presumptively extracellular domain and correspond to SEQ ID NO:10. SEQ ID NO:11 is a nucleotide sequence of bovine TLR9 cDNA having an open reading frame corresponding to nucleotides 84-3170. SEQ ID NO:12 is a nucleotide sequence of bovine cDNA encoding amino acids 1-818 of SEQ ID NO:9.

An amino acid sequence of equine TLR9 is provided as SEQ ID NO:13. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:13 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of equine TLR9 (See Figure 1). Amino acids numbered 1-820 of SEQ ID NO:13 are presumptively extracellular domain and correspond to SEQ ID NO:14. SEQ ID NO:15 is a nucleotide sequence of equine TLR9 cDNA having an open reading frame corresponding to nucleotides 115-3207. SEQ ID NO:16 is a nucleotide sequence of equine cDNA encoding amino acids 1-820 of SEQ ID NO:13.

An amino acid sequence of ovine TLR9 is provided as SEQ ID NO:17. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:17 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of ovine TLR9 (See Figure 1). Amino acids numbered 1-818 of SEQ ID NO:17 are presumptively extracellular domain and correspond to SEQ ID NO:18. SEQ ID NO:19 is a nucleotide sequence of ovine TLR9 cDNA having an open reading frame corresponding to nucleotides 92-3178. SEQ ID NO:20 is a nucleotide sequence of ovine cDNA encoding amino acids 1-818 of SEQ ID NO:17.



- 9 -

## SEQ ID NO:1 (Rat TLR9)

MVLCRRTLHPLSLLVQAAVLAEALALGTLPAFLPCELKPHGLVDCNWLFLKSVPHFSAAEPRSNITSLSLIANRI  
HHLHNLDVHLPNVRQLNLKWNCPPLGLSPLHFSCRMTIEPKTFLAMRMLEELNLSYNGITTVPRLPSSLTNLSL  
5 SHTNILVLDASSLAGLHSLRVLFMDGNCYYKNPCNGAVNVTPDAFLGLSNLTHLSLKYNLNLTEVPRQLPPSLEYL  
LLSYNLIVKLGAEDLANLTSLRMLDVGGNCRRCDHAPDLCTECRQKSLDLHPQTFHHLHSHLEGLVLKDSLSLHSLN  
SKWFQGLANLSVLDLSENFLEYESINKTSAFQNLTRLRKLDLSFNYCKKVSFARLHLASSFKSLVSLQELNMNGIF  
FRLLNKNTLRWLAGLPKLHTLHLQMNFINQAQLSVFSTFRALRFVDLSNNRISGPPTLSRVAPEKADEAEKGV  
10 PASLTPALPSTPVSKNFMVRCKNLRFTMDLSRNNQVTIKPEMFVNLSHLQCLSLSHNCIAQAVNGSQFLPLTNLK  
VLDLSYNKLDLYHSKSFSELPQLQALDLSYNSQPFMSMQGIGHNFSFLANLSRLQNLSLAHNDIHSRVSSRLYSTS  
VEYLDVSGNGVGRMWDEEDLYLYFFQDLRSLIHLDLSONKLHILRPQNLNLYLPKSLTKLSFRDNHLSFFNWSSLA  
FLPNLRDLDLAGNLLKALTNGTLPNGTLLQKLDVSSNSIVFVVPFAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
MNLTVLDVSSNPLHCACGAPFVDLLLEVQTKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFGLSLL  
15 AVAVGTVLPLQLHLCGWDVWYCFHLCLAWPLLTRGRRSAQALPYDAFVFDKAQSAVADWVYNELRVRLEERRG  
RRALRLCLEDRDWLPGQTLFENLWASIYGSRKTLFVLAHTDKVSGLLRTSFLLAQQRLLDRKDVVVLVILRPDA  
HRSRYVRLRQRLCRQSVLFWPHQPNGQGSFWAQLSTALTRDNHNFYNRNFCRGPTAE

## SEQ ID NO:2 (Rat TLR9)

MVLCRRTLHPLSLLVQAAVLAEALALGTLPAFLPCELKPHGLVDCNWLFLKSVPHFSAAEPRSNITSLSLIANRI  
20 HHLHNLDVHLPNVRQLNLKWNCPPLGLSPLHFSCRMTIEPKTFLAMRMLEELNLSYNGITTVPRLPSSLTNLSL  
SHTNILVLDASSLAGLHSLRVLFMDGNCYYKNPCNGAVNVTPDAFLGLSNLTHLSLKYNLNLTEVPRQLPPSLEYL  
LLSYNLIVKLGAEDLANLTSLRMLDVGGNCRRCDHAPDLCTECRQKSLDLHPQTFHHLHSHLEGLVLKDSLSLHSLN  
SKWFQGLANLSVLDLSENFLEYESINKTSAFQNLTRLRKLDLSFNYCKKVSFARLHLASSFKSLVSLQELNMNGIF  
FRLLNKNTLRWLAGLPKLHTLHLQMNFINQAQLSVFSTFRALRFVDLSNNRISGPPTLSRVAPEKADEAEKGV  
25 PASLTPALPSTPVSKNFMVRCKNLRFTMDLSRNNQVTIKPEMFVNLSHLQCLSLSHNCIAQAVNGSQFLPLTNLK  
VLDLSYNKLDLYHSKSFSELPQLQALDLSYNSQPFMSMQGIGHNFSFLANLSRLQNLSLAHNDIHSRVSSRLYSTS  
VEYLDVSGNGVGRMWDEEDLYLYFFQDLRSLIHLDLSONKLHILRPQNLNLYLPKSLTKLSFRDNHLSFFNWSSLA  
FLPNLRDLDLAGNLLKALTNGTLPNGTLLQKLDVSSNSIVFVVPFAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
MNLTVLDVSSNPLHCACGAPFVDLLLEVQTKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFG  
30

## SEQ ID NO:3 (Rat TLR9)

atgggttctctgtcgcaggaccctgcaccccttgtctctcctgggtacaggccgcagtgctggctgaggctctggcc  
ctgggtaccctgcctgccttcctaccctgtgaactgaagcctcatggcctggtagactgcaactggctcttcctg  
aagtctgtgcctcacttctctgcgcgagaaccccggtccaacatcaccagcctttccttgatcgccaaccgcac  
35 caccacctgcacaacctcgactttgtccacctgcccacgtgcgacagctgaacctcaagtggaaactgtccgccc  
cctggcctcagcccttgcaacttctcctgcccgcacatgaccattgagcccaaaccttcctggctatgcgcacgtg  
gaagagctgaacctgagctataacgggtatcaccactgtgccccgcctgcccagctccctgacgaatctgagccta  
agccacaccaacatcctgggtactcgatgccagcagcctcgctggcctgcacagcctgagagttctcttcacggac  
gggaactgctactacaagaacccctgcaacggggcggtgaacgtgaccccgagcgccttcctgggcttgagcaac  
40 ctcacccacttgtcccttaagtataacaacctcacagaggtgccccgccaactgccccccagcctggagtacctc  
ctgctgtcctataacctcatcgtcaagctggggggccgaagacctagccaacctgacctcccttcgaatgcttgat  
gtgggtgggaattgcccgtcgctgtgatcacgccccgacctctgtacagaatgccggcagaagtcctctgatctg  
cacctcagactttccatcacctgagccaccttgaaggcctgggtgctgaaggacagttctctccactcgctgaac  
tccaagtgggtccagggtctggcgaacctctcggtgctggacctaaagcgagaactttctctacgagagcatcaac  
45 aaaaccagcgcctttcagaacctgaccgctctgcgcaagctcgacctgtccttcaattactgcaagaaggatcg  
ttcgcccgctccacctggcaagttccttcaagagcctgggtgctcgctgcaggagctgaacatgaacggcatcttc  
ttccgcttactcaacaagaacacgctcaggtggctggctggctgctgcccgaagctccacacgctgcaccttcaaatg  
aatttcatcaaccaggcgcagctcagcgtcttagtaccttccgagcccttcgctttgtggacctgtccaataat  
cgcatcagcgggcctccaacgctgtccagagtcgcccccgaaaaggcagacgagggcggaagggttccatgg  
50 cctgcaagtctcaccacagctctcccgagcactcccgctctcaagaacttcatggtcaggtgtaagaacctcaga  
ttcaccatggacctgtctcggaacaaccaggtgactatcaagccagagatgttcgtcaacctctcccatctccag  
tgtctgagcctgagccacaactgcatcgcgagcgtgtcaatggctctcagttcctgcccgtgaccaacctgaag  
gtgctggacctgtcctataacaagctggacctgtaccattcgaaatcggttcagtgagctcccacagttgcaggcc

- 10 -

ctggacctgagctacaacagccagccattcagcatgcaggggataggccacaacttcagttttctggccaatctg  
tccagggttacagaaccttagcctggcacacaatgacattcacagccgcgtgtcctcacgcctctacagcacctca  
gtggagtatctggacttcagcggcaacgggtgtgggcccgcgtgtgggacgaggaggacctttacctctatcttctc  
caagacctgagaagcctgattcatctggacctgtctcagaataagctgcacatcctccggccccagaacctcaac  
5 tacctccccaagagcctgacgaagctgagtttccgtgacaatcacctctctttctttaactggagcagtctggcc  
ttcctgccccaatctgagagacctggacctggcaggcaatctactaaaggccctgaccaacggcacctgccta  
ggcacgctcctccagaaactggatgtcagtagcaacagtatcgtctttgtgggtcccagccttctttgctctggcg  
gtagagctaaaagaggtcaacctcagccataacatcctcaagactgtggatcgctcctgggtttgggcccattgtg  
atgaacctgacgggttctagacgtgagcagcaacctctgcattgtgcctgcggtgcaccctttgtagacttactg  
10 ctggaagtgcagaccaaggtgcctggcctggctaacgggtgtgaagtgtggcagtcctccgcccagctgcagggccgc  
agcatctttgcgcaagacctgcggctgtgcctggatgacgtcctttctcgggactgctttggcctttcactcctg  
gctgtggcgcgtgggcacgggtgttgcctttactgcagcatctctgcggctgggacgtctgggtactgtttccatctg  
tgcctggcatggctacctttgctgacctgtggcggcgcagcgcaccaagctctcccttatgatgccttcgtgggtg  
ttcgataaggcgcagagcgcgggtgtgctgactgggtgtataacgagcttcgagtgccgctagaggagcggcgcgggt  
15 cgcgagccctacgcttgtgtctggaggaccgagattggctgcctggccagacactcttcgagaacctctgggccc  
tccatctatggcagccgcaagactctgtttgtgctggcccacacggacaaggtcagtgccctcctgcgcaccagc  
ttcctgctggctcagcagcgcctgctggaggaccgcaaggacgtggtggtgttggtgatcctgcgcctctgatgcc  
caccgctcccgcctacgtgcgactgcgcccagcgcctctgccgcccagagtgtgctcttctggccccatcagcccaac  
gggcagggcagcttctgggcccagctgagtacagccctgactagggacaaccaccacttctataaccggaacttc  
20 tgcgggggacctacagcagaatag

## SEQ ID NO:4 (Rat TLR9)

atggttctctgtcgcaggacctgcaccccttgtctctcctgggtacaggccgcagtgctggctgaggctctggcc  
ctgggtaccctgcctgccttctaccctgtgaactgaagcctcatggcctggtagactgcaactggctcttctctg  
25 aagtctgtgcctcacttctctgcgcgagaaccccggttccaacatcaccagcctttccttgatcgccaaccgcac  
caccacctgcacaacctcgactttgtccacctgccccacgtgcgacagctgaacctcaagtggaaactgtccgccc  
cctggcctcagcccccttgacttctcctgccgcctgaccttgagcccaaaccttctcctggctatgcgcctgctg  
gaagagctgaacctgagctataacgggtatcaccactgtgccccgcctgccagctccttgacgaatctgagccta  
agccacaccaacatcctgggtactcgatgccagcagcctcgctggcctgcacagcctgcgagttctcttcatggac  
30 gggaactgctactacaagaacccctgcaacggggcggtgaacgtgaccccgagcgccttctcctgggcttgagcaac  
ctcaccacttgtcccttaagtataacaacctcacagaggtgccccgccaactgccccccagcctggagtagctc  
ctgctgtcctataacctcatcgtcaagctggggggccgaagacctagccaacctgacctcccttcgaatgcttgat  
gtgggtgggaattgccgtcgctgtgatcacgcccccgacctctgtacagaatgccggcagaagtcccttgatctg  
caccctcagactttccatcacctgagccaccttgaggcctgggtgctgaaggacagttctctccactcgctgaac  
35 tccaagtgggtccagggtctggcgaacctctcggtgctggacctaaagcgagaactttctctacgagagcatcaac  
aaaaccagcgcctttcagaacctgacctgtctgcgcaagctcgacctgtccttcaattactgcaagaaggatctg  
ttcgcggcctccacctggcaagttccttcaagagcctgggtgtcgctgcaggagctgaacatgaacggcatcttc  
ttccgcttactcaacaagaacacgctcaggtggctgggtgtgcccagctccacacgctgcaccttcaaatg  
aatttcatcaaccaggcgcagctcagcgtcttttagtaccttccgagcccttcgctttgtggacctgtccaataat  
40 cgcctcagcgggctccaacgctgtccagagtcgcccccgaaaaggcagacgaggcggagaaggggggttccatgg  
cctgcaagtctcaccacagctctcccgagcactcccgctctcaaagaacttcatgggtcaggtgtaagaacctcaga  
ttcaccatggacctgtctcggaacaaccaggtgactatcaagccagagatgttcgtcaacctctcccatctccag  
tgtctgagcctgagccacaactgcctcgcgaggctgtcaatggctctcagttcctgccgctgaccaacctgaag  
gtgctggacctgtcctataacaagctggacctgtaccattcgaaatcggttcagtgagctcccacagttgcaggcc  
45 ctggacctgagctacaacagccagccattcagcatgcaggggataggccacaacttcagttttctggccaatctg  
tccagggttacagaaccttagcctggcacacaatgacattcacagccgcgtgtcctcacgcctctacagcacctca  
gtggagtatctggacttcagcggcaacgggtgtgggcccgcgtgtgggacgaggaggacctttacctctatcttctc  
caagacctgagaagcctgattcatctggacctgtctcagaataagctgcacatcctccggccccagaacctcaac  
tacctccccaagagcctgacgaagctgagtttccgtgacaatcacctctctttctttaactggagcagtctggcc  
50 ttctgccccaatctgcgagacctggacctggcaggcaatctactaaaggccctgaccaacggcacctgccta  
ggcacgctcctccagaaactggatgtcagtagcaacagtatcgtctttgtgggtcccagccttctttgctctggcg  
gtagagctaaaagaggtcaacctcagccataacatcctcaagactgtggatcgctcctgggtttgggcccattgtg  
atgaacctgacgggttctagacgtgagcagcaacctctgcattgtgcctgcggtgcaccctttgtagacttactg  
ctggaagtgcagaccaaggtgcctggcctggctaacgggtgtgaagtgtggcagtcctccgcccagctgcagggccgc  
55 agcatctttgcgcaagacctgcggctgtgcctggatgacgtcctttctcgggactgctttggc

## SEQ ID NO:5 (Porcine TLR9)

MGPRCTLHPLSLLVQVTALAAALAQGRLLPAFLPCELQPHGLVNCNWLFLKSVPHFSAAPRANVTSLSLLSNRIH  
HLHDSDFVHLSSLRTLNLKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNSITTVPALPDSLVSLSLS  
RTNILVLDPTHLTGLHALRYLYMDGNCYYKNPCQGALEVVPGALLGLGNLTHLSLKYNNTLEVPRSLPPSLETLL  
5 LSYNHIVTLTPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKDHPLHSDTFSHLSRLEGLVLKDSLSYNLDT  
RWFRGLDRLQVLDLSENFLYDCITKTTFQGLARLRLSLNLSFNYHKKVSFAHLHLAPSFGLHLSLKELDMHGIF  
RSLSETTLQPLVQLPMLQTLRLQMNFINQAQLSIFGAFPGLLYVDLSDNRISGAARPVAITREVDGRERVWLPSR  
NLAPRPLDTLRSEDFMPNCKAFSFTLDLSRNNLVTIQSEMFARLSRLECLRLSHNSISQAVNGSQFVPLTSLRVL  
DLSHNKLDLYHGRSFTELPRLEALDLSYNSQPFTMQGVGHNLFSVAQLPALRYLSLAHNDIHSRVSQQLCSASLC  
10 ALDFSGNDLSRMWAEGDLYLRFFQGLRSLVWLDLSQNLHHTLLPRALDNLPKSLKHLHLRDNNAFFNWSSLTLL  
PKLETLDLAGNQLKALSNGSLPSGTQLRRLDLSGNSIGFVNPGFFALAKQLEELNLSANALKTVEPSWFGSMVGN  
LKVLDVSPANPLHCACGATFVGFLLEVQAAVPGLPSRVKCGSPGQLQGHSIFAQDLRLCLDETLSWNCFGISLLAM  
ALGLVVPMLHHLCGWDLWYCFHLCLAWLPHRGQRRGADALFYDAFVVFDDKAQSAVADWVYNELRVQLEERRGRRRA  
LRLCLEERDWLPGKTLFENLWASVYSSRKTFLVLAHTDRVSGLLRASFLLAQQRLLDRKDVVVLVILRPDAYRS  
15 RYVRLRQRLCRQSVLLWPHQPRGQGSFWAQLGTALTRDNHHFYNRNFCRGPTTAE

## SEQ ID NO:6 (Porcine TLR9)

MGPRCTLHPLSLLVQVTALAAALAQGRLLPAFLPCELQPHGLVNCNWLFLKSVPHFSAAPRANVTSLSLLSNRIH  
HLHDSDFVHLSSLRTLNLKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNSITTVPALPDSLVSLSLS  
20 RTNILVLDPTHLTGLHALRYLYMDGNCYYKNPCQGALEVVPGALLGLGNLTHLSLKYNNTLEVPRSLPPSLETLL  
LSYNHIVTLTPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKDHPLHSDTFSHLSRLEGLVLKDSLSYNLDT  
RWFRGLDRLQVLDLSENFLYDCITKTTFQGLARLRLSLNLSFNYHKKVSFAHLHLAPSFGLHLSLKELDMHGIF  
RSLSETTLQPLVQLPMLQTLRLQMNFINQAQLSIFGAFPGLLYVDLSDNRISGAARPVAITREVDGRERVWLPSR  
NLAPRPLDTLRSEDFMPNCKAFSFTLDLSRNNLVTIQSEMFARLSRLECLRLSHNSISQAVNGSQFVPLTSLRVL  
25 DLSHNKLDLYHGRSFTELPRLEALDLSYNSQPFTMQGVGHNLFSVAQLPALRYLSLAHNDIHSRVSQQLCSASLC  
ALDFSGNDLSRMWAEGDLYLRFFQGLRSLVWLDLSQNLHHTLLPRALDNLPKSLKHLHLRDNNAFFNWSSLTLL  
PKLETLDLAGNQLKALSNGSLPSGTQLRRLDLSGNSIGFVNPGFFALAKQLEELNLSANALKTVEPSWFGSMVGN  
LKVLDVSPANPLHCACGATFVGFLLEVQAAVPGLPSRVKCGSPGQLQGHSIFAQDLRLCLDETLSWNCFG

## 30 SEQ ID NO:7 (Porcine TLR9)

gagcacgaacatccttcactgtagctgctgcccggctctgccagccagaccctttggagaagacccccactccctgt  
catgggcccccgctgcaccctgcaccccccttctctcctggtgcaggtgacagcgctggctgcggctctggccca  
gggcaggctgcctgccttcctgccctgtgagctccagcccccacggcctggtgaactgcaactggctcttcctgaa  
gtccgtgccccacttctcggcggcagcgccccgggccaacgtcaccagcctctccttactctccaaccgcatcca  
35 ccacctgcacgactccgacttcgtccacctgtccagcctacgaactctcaacctcaagtggaaactgcccgcggc  
tggcctcagcccatgcacttccccctgccacatgaccatcgagcccaacaccttcctggcctgcccaccctgga  
ggagctgaacctgagctacaacagcatcacgaccgtgcctgccctgcccgactccctcgtgtccctgtcgtgag  
ccgcaccaacatcctggtgctagaccccccacacctcactggcctacatgccctgcgctacctgtacatggatgg  
caactgctactacaagaacccctgccagggggcgctggaggtggtgccgggtgccctcctcggcctgggcaacct  
40 cacacatctctcactcaagtacaacaatctcacggaggtgccccgcagcctgccccccagcctggagacctgct  
gttgctcctacaaccacattgtcaccctgacgcctgaggacctggccaatctgactgccctgcgctgcttgatgt  
gggggggaactgccgcccgtgtgacctgcccgaacccctgcagggagtgcccaaaggaccaccccaagctgca  
ctctgacaccttcagccacctgagccgcctcgaaggcctggtgttgaaagacagttctctctacaacctggacac  
caggtggttcagaggcctggacaggctccaagtgtgacctgagtgagaacttcctctacgactgcacaccaa  
45 gaccacggccttcagggcctggcccgactgcgcagcctcaacctgtccttcaattaccacaagaaggtgtcctt  
tgcccacctgcacctggcaccctcctttgggcacctccggtccctgaaggagctggacatgcatggcatcttctt  
ccgctcgtcagtgagaccacgctccaacctctggtccaactgcctatgctccagacctgcgctgcagatgaa  
cttcattaaccaggcccagctcagcatctttggggccttcctggcctgctgtacgtggacctatcggacaaccg  
catcagcggagctgcaaggccagtgccattactaggaggtggatggtaggagaggggtctggctgccttcag  
50 gaacctcgctccacgtccactggacactctccgctcagaggacttcagccaaactgcaaggccttcagcttcac  
cttggaacctgtctcggaacaacctggtgacaatccagtcggagatgtttgctcgcctctcacgcctcgagtgct  
gcgctgagccacaacagcatctcccaggcgggtcaatggctctcagtttgctgcgctgaccagcctgcgggtgct  
ggacctgtcccaacaagctggacctgtatcacgggcgctcgttcacggagctgccgcgctggaagcactgga  
cctcagctacaatagccagccctttaccatgcagggtgtggggccacaacctcagcttcgtggcccagctgccgc



- 12 -

cctgcgctacctcagcctggcgacacatccatagccgagtggtcccagcagctctgtagcgcctcactgtg  
cgccctggacttttagcggcaacgatctgagccggatgtgggctgagggagacctctatctccgcttcttccaagg  
cctaagaagcctagtctggctggacctgtcccagaaccacctgcacaccctcctgccacgtgccctggacaacct  
cccaaaaagcctgaagcatctgcatctccgtgacaataacctggccttcttcaactggagcagcctgacctcct  
5 gcccaagctggaaaccctggacttggctggaaaccagctgaaggccctaagcaatggcagcctgccatctggcac  
ccagctgcggaggctggacctcagtggcaacagcatcggcttctgtgaaccctggcttcttggccctggccaagca  
gttagaagagctcaacctcagcgccaatgccctcaagacagtgaggccctcctgggttggctcgatgggtgggcaa  
cctgaaagtcctagacgtgagcgccaacctctgcactgtgcctgtggggcgaccttcgtgggcttctgtctgga  
ggtagaggctgccgtgcctgggctgccagccgcgtcaagtgtggcagtcgggggagctccagggccatagcat  
10 ctttgcgcaagacctgcgcctctgcctggatgagaccctctcgtggaactgttttggcatctcgctgctggccat  
ggccctgggctgggttctgcccctgctgcaccacctctgcggctgggacctctggtactgcttccacctgtgcct  
ggcctggctgccccaccgagggcgagcgggcgggcgagacgacctgttctatgatgccttcgtgggtctttgacaa  
agctcagagtgtgtggccgactgggtgtacaacgagctgcgggtgcagctggaggagcgccgtgggcgccgcgc  
actgcgcctgtgcctggaggagcgagactgggttacctggcaagacgctcttcgagaacctgtgggcctcagtcta  
15 cagcagccgcaagacctgtttgtgctggcccacacggacctgtcagcggcctcttgctgcccagtttctgtct  
ggcccagcagcgctgctggaggaccgcaaggacgttgtagtgtgtgatcctgcgccccgatgcctaccgctc  
ccgctacgtgcggctgcgccagcgctctgcgcgcagagtgtcctcctctggccccaccagccccgtgggaggg  
cagcttctgggcccagctgggacagccctgaccagggacaaccaccacttctataaccggaacttctgccgggg  
ccccacgacagccgaatagcactgagtgcagccagttgccccagccccctggatttgctctctgctgggg  
20 tgccccaacctgctttgctcagccacacctgctctgctcctgttccccacccccccccagcctggcatgt  
aacatgtgccaataaatgctaccggagggccaagaaaaaaaaaaaaaaaaaaaaa

## SEQ ID NO:8 (Porcine TLR9)

atgggcccccgctgcacctgcaccccccttctctcctgggtgcaggtgacagcgctggctgcggctctggcccag  
25 ggcaggctgcctgccttctgcctgtgagctccagccccacggcctgggtgaactgcaactggctcttctgaag  
tcgctgccccacttctcggcgagcgccccgggccaacgtcaccagcctctccttacttccaaccgcatccac  
cacctgcacgactccgacttcgtccacctgtccagcctacgaactctcaacctcaagtggaaactgcccgcggct  
ggcctcagccccatgcacttccccctgccacatgaccatcgagcccaacaccttctggccgtgccaccctggag  
gagctgaacctgagctacaacagcatcacgaccgtgcctgcctgcccagactccctcgtgtccctgtcgctgagc  
30 cgcaccaacatcctgggtgctagacccccaccacctcactggcctacatgccttgctacactgtacatggatggc  
aactgctactacaagaacctgcccagggggcgctggagggtgggtgccgggtgcctcctcggcctgggcaacctc  
acacatctctcactcaagtacaacaatctcacggaggtgccccgcagcctgccccccagcctggagacctgctg  
ttgtcctacaaccacattgtcaccctgacgcctgaggacctggccaatctgactgcctgcgcgtgcttgatgtg  
ggggggaactgccgctgtgacctgcccgaacctgagggagtgcccaaaggaccacccaagctgcac  
35 tctgacaccttcagccacctgagccgcctcgaaggcctgggtgtgaaagacagttctctctacaacctggacacc  
agggtgggtccgaggcctggacaggctccaagtgtggacctgagtgagaacttctctacgactgcatcaccaag  
accacggccttccagggcctggcccgactgcgcagcctcaacctgtccttcaattaccacaagaagggtgtcctt  
gcccacctgcacctggcaccctccttggggcacctccggctcctgaaggagctggacatgcatggcatcttcttc  
cgctcgctcagtgagaccacgctccaacctctgggtccaactgcctatgctccagacctgcgcctgcagatgaac  
40 ttcattaaccaggcccagctcagcatcttggggccttccctggcctgctgtacgtggacctatcggaacaccgc  
atcagcggagctgcaaggccagtgggcattactaggagggtggatggtagggagaggggtctggctgccttccagg  
aacctcgctccacgtccactggacactctccgctcagaggacttcatgccaactgcaaggccttcagcttcacc  
ttggacctgtctcggaacaacctgggtgacaatccagtgcggagatgtttgctgcctctcacgcctcgagtgcctg  
cgctgagccacaacagcatctcccaggcggtcaatggctctcagtttgtgccgctgaccagcctgcgggtgctg  
45 gacctgtcccacaacaagctggacctgtatcacgggcgtcggttcacggagctgccgcgcctggaagcactggac  
ctcagctacaatagccagcccttaccatgcagggtgtgggcccacaacctcagcttcgtggcccagctgcccgcc  
ctgcgctacctcagcctggcgacacatgacatccatagccgagtggtcccagcagctctgtagcgcctcactgtgc  
ggcctggacttttagcggcaacgatctgagccggatgtgggctgagggagacctctatctccgcttcttccaaggc  
ctaagaagcctagtctggctggacctgtcccagaaccacctgcacaccctcctgccacgtgccctggacaacctc  
50 ccaaaaagcctgaagcatctgcatctccgtgacaataacctggccttcttcaactggagcagcctgacctcctg  
cccaagctggaaaccctggacttggctggaaaccagctgaaggccctaagcaatggcagcctgccatctggcacc  
cagctgcggaggctggacctcagtggcaacagcatcggcttctgtgaaccctggcttcttggccctggccaagcag  
ttagaagagctcaacctcagcgccaatgccctcaagacagtgaggccctcctgggttggctcgatgggtgggcaa  
ctgaaagtcctagacgtgagcgccaacctctgcactgtgcctgtggggcgaccttcgtgggcttctgtctggag  
55 gtacaggctgccgtgcctgggctgccagccgcgtcaagtgtggcagtcgggggagctccagggccatagcatc  
tttgcgcaagacctgcgcctctgcctggatgagaccctctcgtggaactgttttggc

## SEQ ID NO:9 (Bovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAEGTLPAFLPCELQPHGQVDCNWLFLKSVPHFSA  
GAPRANVTSLSLISNRIH  
5 HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLSL  
HTSILVLGPTHFTGLHALRFLYMDGNCYYMNP  
CPRALEVAPGALLGLGNLTHLSLKYNL  
TEVPRRLPPSLDTLL  
LSYNHIVTLAPEDLANLTALRVLDVGGNCR  
RCDHARNPCRECPKNFPKLHPDTFSHL  
SRLEGLVLKDSSLYKLEK  
DWFRGLGRLQVLDLSENFLYDYITKTTIF  
NDLTQLRRLNLSFNYHKKVSFAHLHLASS  
FGSLVSLEKLDMHGIF  
RSLTNITLQSLTRLPKLQSLHLQLNFINQA  
QLSIFGAFPSLLFVDLSDNRISGAATPAA  
ALGEVDSRVEVWRLPR  
10 GLAPGPLDAVSSKDFMPSCNLTDLNFTL  
DLNLTQQLRRLNLSFNYHKKVSFAHLHLASS  
FGSLVSLEKLDMHGIF  
RSLTNITLQSLTRLPKLQSLHLQLNFINQA  
QLSIFGAFPSLLFVDLSDNRISGAATPAA  
ALGEVDSRVEVWRLPR  
LSHNKLDLYHGRSFTL  
PQLEALDLSYNSQPF  
SMQGVGHNL  
SFVAQLPSLRYLSLAHNGIHSRVSQKLSSASLRA  
LDFSGNSLSQMWAEGLYLCFFKGLRNLVQ  
LDLSENHLHTLLPRHLDNLPKSLRQLRLR  
DNNLAFFNWSSLT  
VLP  
RLEALDLAGNQLKALSNGSLPPGIRLQKLD  
VSSNSIGFVIPGFFV  
RATRLIELNLSANAL  
KTVDPSWFGSLAGTL  
KILDVSANPLHCACGA  
AFVDFLLERQEA  
VPGLSRRVTCGSPG  
QLQGRSIFTQDLRL  
CLDETSLDCFGSL  
LMVA  
15 LGLAVPMLHHL  
CGWDLWYCFHL  
CLAHLPRRRRQ  
RGEDTLLYDA  
VVVFDKVQSA  
VADWVYNELRV  
QLEERRGRAL  
RLCLEERDWLPGKTL  
FENLWASVYSSR  
KTMFVLDHTDR  
VSGLLRASFL  
LAQQRLL  
EDRKDVVVLVIL  
RPAAYRSR  
YVRLRQRLCRQSVLL  
WPHQPSGQGSF  
WANLGIALTRD  
NRHFYNRNF  
CRGPTTAE

## SEQ ID NO:10 (Bovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAEGTLPAFLPCELQPHGQVDCNWLFLKSVPHFSA  
GAPRANVTSLSLISNRIH  
20 HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLSL  
HTSILVLGPTHFTGLHALRFLYMDGNCYYMNP  
CPRALEVAPGALLGLGNLTHLSLKYNL  
TEVPRRLPPSLDTLL  
LSYNHIVTLAPEDLANLTALRVLDVGGNCR  
RCDHARNPCRECPKNFPKLHPDTFSHL  
SRLEGLVLKDSSLYKLEK  
DWFRGLGRLQVLDLSENFLYDYITKTTIF  
NDLTQLRRLNLSFNYHKKVSFAHLHLASS  
FGSLVSLEKLDMHGIF  
RSLTNITLQSLTRLPKLQSLHLQLNFINQA  
QLSIFGAFPSLLFVDLSDNRISGAATPAA  
ALGEVDSRVEVWRLPR  
25 GLAPGPLDAVSSKDFMPSCNLTDLNFTL  
DLNLTQQLRRLNLSFNYHKKVSFAHLHLASS  
FGSLVSLEKLDMHGIF  
RSLTNITLQSLTRLPKLQSLHLQLNFINQA  
QLSIFGAFPSLLFVDLSDNRISGAATPAA  
ALGEVDSRVEVWRLPR  
LSHNKLDLYHGRSFTL  
PQLEALDLSYNSQPF  
SMQGVGHNL  
SFVAQLPSLRYLSLAHNGIHSRVSQKLSSASLRA  
LDFSGNSLSQMWAEGLYLCFFKGLRNLVQ  
LDLSENHLHTLLPRHLDNLPKSLRQLRLR  
DNNLAFFNWSSLT  
VLP  
RLEALDLAGNQLKALSNGSLPPGIRLQKLD  
VSSNSIGFVIPGFFV  
RATRLIELNLSANAL  
KTVDPSWFGSLAGTL  
KILDVSANPLHCACGA  
AFVDFLLERQEA  
VPGLSRRVTCGSPG  
QLQGRSIFTQDLRL  
CLDETSLDCFG  
30

## SEQ ID NO:11 (Bovine TLR9)

gggaagtgggcgccaagcatccttccctgcagctgcctcccaacctgcccgcagaccctctggagaagccgcat  
tccctgtcatgggcccctactgtgccccgcaccccccttctctcctgggtgcaggcgccgactggcagcggccc  
tggccgagggcaccctgcctgccttccctgcctgtgagctccagcccatgggtcaggtggactgcaactggctgt  
35 tcctgaagtctgtgccgcacttttcggctggagcccccgggccaatgtcaccagcctctccttaatctccaacc  
gcatccaccacttgcattgactctgacttcgtccacctgtccaacctgcgggtcctcaacctcaagtggaaactgcc  
cgccggccggcctcagcccatgcacttccccctgcctgtatgaccatcgagcccaacaccttccctggctgtgcca  
ccctggaggagctgaacctgagctacaacggcatcacgacctgcctgcctgcccagttccctcgtgtccctgt  
cgctgagccacaccagcatcctgggtgctaggccccaccacttcacggcctgcacgccctgcgcttctgtaca  
40 tggacggcaactgctactacatgaaccctgcccgcgggcccctggaggtggccccaggcgccctcctcggcctgg  
gcaacctcacgcacctgtcgctcaagtacaacaacctcacggaggtgccccgcgctgccccccagcctggaca  
ccctgctgctgtcctacaaccacattgtcaccctggcaccggaggacctggccaacctgactgccctgcgctgc  
ttgacgtgggtgggaactgccgcccgtgcgacctgcccgcacccctgcagggagtgcccagaacttcccca  
agctgcaccctgacaccttcagtcacctgagccgcctcgaaggcctgggtgttgaggacagttctctctacaaac  
45 tagagaaagattggttccgcggcctgggcaggctccaagtgtcgacctgagtgagaacttctctatgactaca  
tcaccaagaccaccatcttcaacgacctgaccagctgcgcagactcaacctgtccttcaattaccacaagaagg  
tgtccttcgcccacctgcacctagcgtcctccttggggagtctgggtgtccctggagaagctggacatgcacggca  
tcttcttccgctccctaccaacatcacgctccagtcgctgaccggctgcccagctccagagtctgcatctgc  
agctgaacttcatcaaccaggcccagctcagcatcttggggccttcccagacctgctcttcgtggacctgtcgg  
50 acaaccgcatcagcggagccgcgacgccagcggccgcccctgggggaggtggacagcaggggtggaagtctggcgat  
tgcccaggggcccctcgctccaggcccgtggacgccgtcagctcaaaggacttcatgccaagctgcaacctcaact  
tcaccttgacctgtcacggaacaacctgggtgacaatccagcaagagatgtttaccgcctctcccgccctccagt  
gcctgcgctgagccacaacagcatctcgcaggcgggttaatggctcccagttcgtgccgctgaccagcctgcgag

- 14 -

tgctcgacctgtcccacaacaagctggacctgtaccatgggcgctcattcacggagctgccgcagctggaggcac  
tggacctcagctacaacagccagcccttcagcatgcagggcgctggggccacaacctcagcttcgtggcccagctgc  
cctccctgcgctacctcagccttgccgcacaatggcatccacagccgcgtgtcacagaagctcagcagcgcctcgt  
tgcgcgccctggacttcagcggcaactccctgagccagatgtggggccgagggagacctctatctctgctttttca  
5 aaggcttgaggaacctgggtccagctggacctgtccgagaacctctgcacacctcctgcctcgtcacctggaca  
acctgcccagagcctgcggcagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgaccg  
tctgcccccggtggaagccctggatctggcaggaaaccagctgaaggccctgagcaacggcagcctgccgcctg  
gcatccggctccagaagctggacgtgagcagcaacagcatcggcttcgtgatccccggcttcttcgtccgcgcga  
ctcggctgatagagcttaacctcagcgccaatgccctgaagacagtggatccctcctgggttcgggtccttagcag  
10 ggacctgaaaatcctagacgtgagcgccaacccgctccactgcgcctgcggggcgccctttgtggacttctgc  
tggagagacaggaggccgtgcccggtgtccaggcgctcacatgtggcagtcggggccagctccaggggccgca  
gcatcttcacacaggacctgcgcctctgcctggatgagacctctccttggactgctttggcctctcactgctaa  
tgggtggcgctgggctggcagtgcccatgctgcaccacctctgtggctgggacctctgggtactgcttccacctgt  
gtctggcccatttgccccgacggcgggcgagcggggcgaggacacctgctctatgatgccgtcgtgggtcttcg  
15 acaaggtgcagagtgcagtggtgattgggtgtacaacgagctccgcgtgcagctggaggagcgccggggcgcc  
ggcgctccgcctctgcctggaggagcgagactggctccctggtaagacgctcttcgagaacctgtgggctcgg  
tctacagcagccgcaagacctgttcgtgctggaccacacggaccgggtcagcggcctcctgcgcgccagcttcc  
tgctggcccagcagcgctgttgaggaccgcaaggacgtcgtagtgttggtgatcctgcgccccgcccgtatc  
gggtcccgctacgtgcggctgcgccagcgctctgccgccagagcgtcctcctctggccccaccagcccagtggcc  
20 agggtagtttctggggccaacctgggcatagccctgaccagggacaacctcacttctataaccggaacttctgcc  
ggggccccacgacagccgaatagcacagagtgactgcccag

## SEQ ID NO:12 (Bovine TLR9)

atggggccctactgtgccccgcacccctttctctcctgggtgcaggcgggcgccactggcagcggccctggccgag  
25 ggcacctgcctgccttctgcctgtgagctccagcccatgggtcaggtggactgcaactggctgttccctgaag  
tctgtgccgcacttttcggctggagcccccgggccaatgtcaccagcctctccttaatctccaaccgcacccac  
cacttgcatgactctgacttcgtccacctgtccaacctgcgggtcctcaacctcaagtggaaactgcccgcggcc  
ggcctcagcccatgcacttccctgcctgtatgaccatcgagcccaacaccttctggctgtgcccacctggag  
gagctgaacctgagctacaacggcatcacgaccgtgcctgccctgccagttccctcgtgtccctgtcgctgagc  
30 cacaccagcatcctgggtgctaggccccaccacttcaccggcctgcacgccctgcgctttctgtacatggacggc  
aactgctactacatgaacctctgccccggggccccctggagggtggccccaggcgccctcctcggcctgggcaacctc  
acgcacctgtcgctcaagtacaacaacctcacggaggtgccccgcccgtgccccccagcctggacacctgctg  
ctgtcctacaaccacattgtcacctggcaccgaggacctggccaacctgactgccctgcgcgtgcttgacgtg  
35 ggtgggaactgcgcgcgtgcgaccatgcccgcgaacctgacgggagtgcccaaagaacttccccagctgcac  
cctgacaccttcagtcacctgagccgcctcgaaggcctgggtgttgaggacagttctctctacaaactagagaaa  
gattgggttcgcggcctgggcaggctccaagtgtcgacctgagtgagaacttctctatgactacatcaccaag  
accaccatcttcaacgacctgaccagctgcgcagactcaacctgtccttcaattaccacaagaagggtgtccttc  
gccacctgcacctagcgtcctcctttgggagtctgggtgtccctggagaagctggacatgcacggcatcttcttc  
cgctccctcaccaacatcacgctccagtcgctgaccggctgccaagctccagagctgcacatctgcagctgaac  
40 ttcacacaccaggcccagctcagcatctttggggccttcccagacctgtcttctgtggacctgtcggacaaccgc  
atcagcggagccgcgacgccagcggccgccccctgggggaggtggacagcagggtggaagtctggcgattgccagg  
ggcctcgtccaggcccgctggacgcccgtcagctcaaaggacttcagccaagctgcaacctcaacttcacctg  
gacctgtcacggaacaacctgggtgacaatccagcaagagatgtttaccgccttcccgcctccagtgcctgcgc  
ctgagccacaacagcatctcgcaggcggttaattggctcccagttcgtgcgcgtgaccagcctgcgagtgctcgac  
45 ctgtcccacaacaagctggacctgtaccatgggcgctcattcacggagctgcgcagctggaggcactggacctc  
agctacaacagccagcccttcagcatgcagggcgctggggccacaacctcagcttcgtggcccagctgccctccctg  
cgctacctcagccttgccgcacaatggcatccacagccgcgtgtcacagaagctcagcagcgccctcgttgccgcgc  
ctggacttcagcggcaactccctgagccagatgtggggccgagggagacctctatctctgctttttcaaaggcttg  
aggaacctgggtccagctggacctgtccgagaacctctgcacacctcctgcctcgtcacctggacaacctgccc  
50 aagagcctgcggcagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgaccgtcctgccc  
cggctggaagccctggatctggcaggaaaccagctgaaggccctgagcaacggcagcctgccgcctggcatccgg  
ctccagaagctggacgtgagcagcaacagcatcggcttcgtgatccccggcttcttcgtccgcgcgactcggctg  
atagagcttaacctcagcgccaatgccctgaagacagtggatccctcctgggttcgggtccttagcagggacctg  
aaaatcctagacgtgagcgccaacccgctccactgcgcctgcggggcgccctttgtggacttctgctggagaga  
55 caggaggccgtgcccggtgtccaggcgctcacatgtggcagtcggggccagctccaggggccgacatcttc  
acacaggacctgcgcctctgcctggatgagacctctccttggactgctttggc



## SEQ ID NO:13 (Equine TLR9)

MGPCHGALQPLSLLVQAAMLAVALAQGTLPFPCELPQPHGLVNCNWLFLKSVPHFSAAPRDNVTSLSLLSNRI  
 HHLHDSDFQAQLSNLQKLNKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLIL  
 5 SRTNQLQDPTSLTGLHALRFLYMDGNCYYKNPCGRALEVAPGALLGLGNLTHLSLKYNNTTVPRSLPPSLEYL  
 LLSYNHIVTLAPEDLANLTALRVLDVGGNCRCDHARNPCVECPHKFPQLHSDTFSHLSRLEGLVLKDSLSLYQLN  
 PRWFRGLGNLTVLDLSENFYDCITKTKAFQGLAQLRRLNLSFNYHKKVSFAHLTLAPSFGLSLLSQELDMHGIF  
 FRSLSQKTLQPLARLPMLQRLYLQMNFINQAQLGIFKDFPGLRYIDLSDNRISGAVEPVATTGEVDGGKKVWLTS  
 RDLTPGPLDTPSSEDFMPSCKNLSFTLDLSRNNLVTVPQPEMFAQLSRLQCLRLSHNSISQAVNGSQFVPLTSLQV  
 10 LDLSHNKL DLYHGRSFTLPRLEALDLSYNSQPFMRGVGHNL SFAQLPTLRYLSLAHNGIHSRVSQQLCSTSL  
 WALDFSGNSLSQMWAEGDLYLRFFQGLRSLIRLDLSQNRHLTLPLCTLGNLPKSLQLLRNRNNYLAFFNWSSLTL  
 LPNLETLDLAGNQLKALSNGSLPSGTQLQRLDVSRSNIIFVVPGFALATRLRELNLSANALRTEEPSWFGFLAG  
 SLEVL DVSANPLHCACGA AFVDFLLQVQA AVPGLP SRVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFGSLLV  
 VALGLAMPMLHHL CGWDLWYCFHLGLAWLPRRGWQRGADALS YDAFVVF DKAQSAVADWVYNELRVRLEERRGR  
 15 ALRLCLEERDWLPGKTLFENLWASVYSSRKMLFVLAHTDQVSGLLRASFLLAQQRLLDRKDVVVLVILSPDARR  
 SRYVRLRQRLCRQSVLFWPHQPSGQRSFWAQLGMALTRDNRHFYNQNFRCRGPMAE

## SEQ ID NO:14 (Equine TLR9)

MGPCHGALQPLSLLVQAAMLAVALAQGTLPFPCELPQPHGLVNCNWLFLKSVPHFSAAPRDNVTSLSLLSNRI  
 20 HHLHDSDFQAQLSNLQKLNKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLIL  
 SRTNQLQDPTSLTGLHALRFLYMDGNCYYKNPCGRALEVAPGALLGLGNLTHLSLKYNNTTVPRSLPPSLEYL  
 LLSYNHIVTLAPEDLANLTALRVLDVGGNCRCDHARNPCVECPHKFPQLHSDTFSHLSRLEGLVLKDSLSLYQLN  
 PRWFRGLGNLTVLDLSENFYDCITKTKAFQGLAQLRRLNLSFNYHKKVSFAHLTLAPSFGLSLLSQELDMHGIF  
 FRSLSQKTLQPLARLPMLQRLYLQMNFINQAQLGIFKDFPGLRYIDLSDNRISGAVEPVATTGEVDGGKKVWLTS  
 25 RDLTPGPLDTPSSEDFMPSCKNLSFTLDLSRNNLVTVPQPEMFAQLSRLQCLRLSHNSISQAVNGSQFVPLTSLQV  
 LDLSHNKL DLYHGRSFTLPRLEALDLSYNSQPFMRGVGHNL SFAQLPTLRYLSLAHNGIHSRVSQQLCSTSL  
 WALDFSGNSLSQMWAEGDLYLRFFQGLRSLIRLDLSQNRHLTLPLCTLGNLPKSLQLLRNRNNYLAFFNWSSLTL  
 LPNLETLDLAGNQLKALSNGSLPSGTQLQRLDVSRSNIIFVVPGFALATRLRELNLSANALRTEEPSWFGFLAG  
 SLEVL DVSANPLHCACGA AFVDFLLQVQA AVPGLP SRVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFG  
 30

## SEQ ID NO:15 (Equine TLR9)

ctctgttctctgagctgttgccgcgtgaaggactgagcagcacaagcatcctcctctgcagctgctgcccagtg  
 tgccagctggaccctctggatcatctcccactccctgtcatgggccccttgccatggtgcccctgcagcccctgtct  
 ctccctggtgcaggcggccatgctggccgtggctctggcccaaggcaccctgcctcccttccctgccctgtgagctc  
 35 cagccccacggcctggtgaactgcaactggctgttccctgaagtccgtgccccacttctcagcagcagcaccgccg  
 gacaatgtcaccagcctttccctgctctccaaccgcatccaccacctccacgactccgactttgcccactgtcc  
 aacctgcagaaactcaacctcaaattggaactgcccgcagccggcctcagccccatgcacttcccctgccacatg  
 accatcgagcccaacactttccctggctgtaccacccctggaggagctgaacctgagctacaacggcatcacgact  
 gtgctgcccctgccagctccctcgtgtccctgatcctgagccgcaccaacatcctgcagctagacccaccagc  
 40 ctacgggctgcatgccctgcgcttccctatacatggatggcaactgctactacaagaacccctgcgggcccggcc  
 ctggagggtggccccaggcgcctccttggcctgggcaacctcaccacctgtcactcaagtacaacaacctcaca  
 acggtgccccgcagcctgccccctagcctggagtacctgctgtgttgcctacaaccacattgtcaccctggcacct  
 gaggacctggccaatctgactgccctgctgtgctcgatgtgggtggaaactgccgcccgtgtgacctgcacgc  
 aacctgctggtgagtgccacataaattccccagctgcactccgacaccttcagccacctaagccgcctagaa  
 45 ggccctcgtgttgaggatagttctctctaccagctgaacccagatgggtccgtggcctgggcaacctcacagt  
 ctgcacctgagtgagaacttccctctacgactgcacacaaaaccaaggcattccaggccctggcccagctgcga  
 agactcaacttgtccttcaattaccataagaagggtgtccttcgcccacctgacgctggcaccctccttcgggagc  
 ctgctctccctgcaggaactggacatgcacatccttcttccgctcactcagccagaagacgctccagccactg  
 gcccgcctgcccctgctccagcgtctgtatctgcagatgaacttcatcaaccaggcccagctcggcatcttcaag  
 50 gacttccctggtctgcgctacatagacctgtcagacaaccgcatcagtgaggctgtggagccggtggccaccaca  
 ggggagggtggatgggtgggaagaaggctctggctgacatccagggacctcactccaggcccactggacacccccagc  
 tctgaggacttcatgccaagctgcaagaacctcagcttcaccttgagctgtcacggaacaacctggtaacagtc  
 cagccagagatgtttgcccagctctcgcgccctccagtgccctgcgcccctgagccacaacagcatctcgaggcggtc

- 16 -

aatggctcacagttcgtgccactgaccagcctgcaggtgctggacctgtcccataacaaactggacctgtacat  
gggcgctcgtttacggagctgccgcgactggaggccctggacctcagctacaacagccagcccttcagcatgcgg  
ggtgtggggccacaacctcagctttgtggcccagctgccaccctgcgctacctcagcctggcacacaatggcatc  
cacagccgtgtgtcccagcagctctgcagcacctcgtgtggggccctggacttcagcggcaattccctgagccag  
5 atgtgggctgagggagacctctatctccgcttcttccaaggcctgagaagcctaataccggctagacctgtcccag  
aatcgtctgcataccctcctgccatgcaccctgggcaacctccccaagagcttgcagctgctgcgtctccgtaac  
aattacctggccttcttcaattggagcagcctgacctcctgcccaacctggaaacctggacctggctggaaac  
cagctgaaggctctgagcaatggcagcctgccttctggcaccagctccagaggctggacgtcagcaggaacagc  
atcatcttcgtgggtccctggcttctttgctctggccacgaggctgcgagagctcaacctcagtgccaacgcctc  
10 aggacagaggagccctcctgggtttgggttcttagcaggctcccttgaagtccctagatgtgagcgccaacctctg  
cactgcgcctgtggggcagccttctgtgacttctgctgcaggttcaggctgccgtgctggctgtgccagccgc  
gtcaagtgtggcagtcggggccagctccaggggccgcagcatcttcgcacaagacctgcgcctctgctggacaag  
tccctctcctgggactgttttgggtctctcattgctgggtgtggccctgggctggccatgcctatgttgcaccac  
ctctgcggctgggacctctggtactgcttccacctgggctggcctggctgccccggcgggggtggcagcggggc  
15 gcggatgccctgagctatgatgccttctgtggtcttcgacaaggcacagagcgcagtgggcgactgggtgtacaat  
gaactgcgggtgcggctagaggagcgcgctggggcgcggggcgtccgcctgtgtctggaggagcgtgactggcta  
cctggcaagacgctgttcgaaaacctgtgggctcagctctacagcagccgcaagatgctgtttgtgctggccac  
acggaccaggtcagtgacctcttgctgcagcttctgctggccagcagcgtctgctggaggaccgcaaggac  
gttgtggtgctggtaacctgagccctgacgcccgcgcttcccgcttacgtgcggctgcgccagcgcctctgcgc  
20 cagagtgtcctcttctggccccaccagcctagtggccagcgcagcttctggggccagctaggcatggccctgacc  
agggacaaccgcccacttctataaccagaacttctgcccggggcccgacgatggctgagtagcacagagtgcagcc  
tggcatgtacaacccccagccctgaccttgctctctgcctatgatgccagctctgcctcactctgtgacgcccc  
tgctctgcctccgccaccctcaccctggcatacagcaggcactcaataaatgccactggcaggccaaacagcca  
aaaaaaaaaaaaaaaaa

25

## SEQ ID NO:16 (Equine TLR9)

atggggcccttgccatggtgccctgcagccctgtctctcctgggtgcaggcggccatgctggccgtggctctggcc  
caaggcacctgcctcccttctgcctgtgagctccagccccacggcctgggtgaactgcaactggctgttctctg  
aagtccgtgccccacttctcagcagcagcaccccgggacaatgtcaccagcctttccttgctctccaaccgcac  
30 caccacctccagactccgactttgcccaactgtccaacctgcagaaactcaacctcaaattggaactgcccgcca  
gccggcctcagccccatgcacttcccttgccacatgaccatcgagcccaacactttcctggctgtacctaccctg  
gaggagctgaacctgagctacaacggcatcacgactgtgcctgccctgccagctccctcgtgtccctgatcctg  
agccgcaccaacatcctgcagctagacccaccagcctcacgggcctgcatgccctgcgcttctatacatggat  
ggcaactgctactacaagaaccttgcggggcggggccctggagggtggccccaggcgcctccttggcctgggcaac  
35 ctacccacctgtcactcaagtacaacaacctcacaacgggtgccccgcagcctgccccctagcctggagtacctg  
ctgttgtcctacaaccacattgtcaccctggcacctgaggacctggccaatctgactgccctgcgtgtgctcgat  
gtgggtggaaactgcgcccgtgtgacctgcacgcaaccttgcgtggagtggccacataaattccccagctg  
cactccgacaccttcagccacctaaagccgcctagaaggcctcgtgttgaaggatagttctctctaccagctgaac  
cccagatgggtccgtggcctgggcaacctcacagtgtcgcacctgagtgagaacttctctacgactgcacacc  
40 aaaaccaaggcattccagggcctggcccagctgcgaagactcaacttgtccttcaattaccataagaagggtgtcc  
ttcgccacctgacgctggcaccctccttcgggagcctgctctccctgcaggaactggacatgcatggcatcttc  
ttccgctcactcagccagaagacgctccagccactggcccgcctgccatgctccagcgtctgtatctgcagatg  
aacttcatcaaccaggcccagctcggcatcttcaaggacttccctgggtctgcgctacatagacctgtcagacaac  
cgcatcagtggagctgtggagccgggtggccaccacaggggaggtggatgggtgggaagaaggctctggctgacatcc  
45 agggacctcactccaggcccactggacacccccagctctgaggacttcatgccaaagctgcaagaacctcagcttc  
accttgacctgtcacggaacaacctggtaacagtccagccagagatgtttgcccagctctcgccctccagtg  
ctgcgcctgagccacaacagcatctcgcaggcgggtcaatgggtcacagttcgtgccactgaccagcctgcaggtg  
ctggacctgtccataacaaactggacctgtacctggggcgtcgtttacggagctgccgcgactggaggccctg  
gacctcagctacaacagccagcccttcagcatgcgggggtgtggggccacaacctcagctttgtggcccagctgcc  
50 acctgcgctacctcagcctggcacacaatggcatccacagccgtgtgtcccagcagctctgcagcacctcgtg  
tggggcctggacttcagcggcaattccctgagccagatgtgggctgagggagacctctatctccgcttcttcca  
ggcctgagaagcctaataccggctagacctgtcccagaatcgtctgcataccctcctgccatgcacctgggcaac  
ctccccaagagcttgcagctgctgcgtctccgtaacaattacctggccttcttcaattggagcagcctgacctc  
ctgccccaaacctggaaacctggacctggctggaaaccagctgaaggctctgagcaatggcagcctgccttctggc  
55 accagctccagaggctggacgtcagcaggaacagcatcatctcgtgggtccctggcttctttgctctggccacg  
aggctgcgagagctcaacctcagtgccaacgccctcaggacagaggagccctcctgggtttgggttcttagcaggc  
tcccttgaagtcctagatgtgagcgcgaacctctgcactgcgcctgtggggcagccttctgtgacttctgctg

- 17 -

cagggttcaggctgccgtgcctggtctgccagccgcgtcaagtgtggcagtcggggccagctccagggccgcagc  
atcttcgcacaagacctgcgcctctgcctggacaagtcctctcctgggactgttttggt

## SEQ ID NO:17 (Ovine TLR9)

5 MGPYCAPHPLSLLVQAAALAAALAQGTLPAPFLPCELQPRGKVNCNWLFLKSVPRFSAGAPRANVTSLSLISNRIH  
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLSL  
RTSILVLGPTHFTGLHALRFLYMDGNCYYKNPCQQAVEVAPGALLGLGNLTHLSLKYNLNLTEVPRRLPPSLDTLL  
LSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSHLSRLEGLVLKDSSLYKLEK  
DWFRGLGRLQVLDLSENFYDYITKTTIFRNLTQLRRLNLSFNYHKKVSFAHLQLAPSFGGLVSLEKLDMHGIF  
10 RSLTNTTLRPLTQLPKLQSLSLQNFINQAELSIFGAFPSLLFVDLSDNRISGAARPVAALGEVDSGVEVWRWPR  
GLAPGPLAAVSAKDFMPSCNLFNFTLDLSRNNLVTIQQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTRLRVLD  
LSYNKLDLYHGRSFTLPPQLEALDLSYNSQPFMSQGVGHNL SFVAQLPSRLYLSLAHNGIHSRVSQKLSSASLRA  
LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSKNHLHTLLPRHLDNLPKSLRQLRLRDNNLAFFNWSSLTVLP  
QLEALDLAGNQLKALSNGSLPPGTRLQKLDVSSNSIGFVTPGFFVLNRLKELNLSANALKTVDPFWFGRLTETL  
15 NILDVSANPLHCACGA AFVDFLLEMQA AVPGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETSLDCFGFSLLMVA  
LGLAVPMLHHL CGWDLWYCFHLCLAHLP RRRRQRGEDTLLYDAFVVF DKAQSAVADWVYNELRVQLEERRGRAL  
RLCLEERDWLP GKTLFENLWASVYSSRKT MFVLDHTDRVSGLLRASFLLAQORLLED RKDVVVLVILRPAAYRSR  
YVRLRQRLCRQSVLLWPHQPSGQGSFWANLGMALTRDNRHFYNRNFCRGPTTAE

## 20 SEQ ID NO:18 (Ovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAQGTLPAPFLPCELQPRGKVNCNWLFLKSVPRFSAGAPRANVTSLSLISNRIH  
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLSL  
RTSILVLGPTHFTGLHALRFLYMDGNCYYKNPCQQAVEVAPGALLGLGNLTHLSLKYNLNLTEVPRRLPPSLDTLL  
LSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSHLSRLEGLVLKDSSLYKLEK  
25 DWFRGLGRLQVLDLSENFYDYITKTTIFRNLTQLRRLNLSFNYHKKVSFAHLQLAPSFGGLVSLEKLDMHGIF  
RSLTNTTLRPLTQLPKLQSLSLQNFINQAELSIFGAFPSLLFVDLSDNRISGAARPVAALGEVDSGVEVWRWPR  
GLAPGPLAAVSAKDFMPSCNLFNFTLDLSRNNLVTIQQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTRLRVLD  
LSYNKLDLYHGRSFTLPPQLEALDLSYNSQPFMSQGVGHNL SFVAQLPSRLYLSLAHNGIHSRVSQKLSSASLRA  
LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSKNHLHTLLPRHLDNLPKSLRQLRLRDNNLAFFNWSSLTVLP  
30 QLEALDLAGNQLKALSNGSLPPGTRLQKLDVSSNSIGFVTPGFFVLNRLKELNLSANALKTVDPFWFGRLTETL  
NILDVSANPLHCACGA AFVDFLLEMQA AVPGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETSLDCFG

## SEQ ID NO:19 (Ovine TLR9)

gtcggcacgggaagtgagcgccaagcatccttccctgcagctgccgcccacttgcccgcagaccctctggaga  
35 agccgcattccctgccatgggcccctactgtgccccgcacccctttctctcctggtgcaggcggcgcgctggc  
agcagccctggcccagggcaccctgcctgccttccctgcctgtgagctccagccccggggaaggtgaactgcaa  
ctggctgttccctgaagtctgtgcccgcgttttcggccggagccccccgggccaatgtcaccagcctctccttaat  
ctccaaccgcattccaccacttgacgactctgacttcgtccacctgtccaacctgcgggtcctcaacctcaagtg  
gaactgcccgcggcgccgctcagccccatgcacttcccctgccgcatgaccatcgagcccaacaccttccctggc  
40 tgtgcccaccctggaggagctgaacctgagctacaatggcatcacgaccgtgcctgcctgcccagttctctcgt  
atccctgtcgtgagccgcaccagcatcctggtgctaggccccaccacttcaccggcctgcacgcccctgcgctt  
tctgtacatggacggcaactgctactataagaaccttgccagcaggccgtggaggtggccccaggcgccctcct  
tggcctgggcaacctcacgcacctgtcgctcaagtacaacaacctcacggaggtgccccgcgctgccccccag  
cctggacacctgctgctgtcctacaaccacatcatcaccctggcaccgcaggacctggccaatctgactgcct  
45 gcgtgtgcttgatgtgggcggaactgccgcccgtgcgaccacgcccgaacctgagggagtgcccaaagaa  
cttccccaaagtgcacctgacaccttcagccacctgagccgcctcgaaggcctggtgttgaggacagttctct  
ctacaaactagagaaagactggttccgcggcctgggcaggctccaagtgtcgacctgagtgagaacttctcta  
tgactacatcaccaagaccacatcttcaggaacctgaccagctgcgcagactcaacctgtccttcaattacca  
caagaaggtgtccttcgcccacctgcaactggcaccctcctttgggggcctggtgtccctggagaagctggacat  
50 gcacggcatcttcttcgctccctcaccaacaccacgctccggccgctgaccagctgcccagctccagagctt  
gagctgtcagctgaacttcatcaaccaggccgagctcagcatctttggggccttcccagacctgtcttctcgtgga  
cctgtcggacaaccgcattcagcggagctgcgaggccggtggccgcccctcggggaggtggacagcgggggtggaagt  
ctggcggtggcccaggggcctcgctccaggcccgctggccgcccgtcagcgcaaaggacttcatgccaagctgcaa



- 18 -

cctcaacttcaccttggacctgtcacggaacaacctgggtgacgatccagcaggagatgtttacccgcctctcccg  
cctccagtgcctgcgccctgagccacaacagcatctcgcaggcggttaatggctcgcagttcgtgccgctgacccg  
cctgcgagtgcctgcacctgtcctacaacaagctggacctgtaccatggggcgctcgttcacggagctgccgcagct  
ggaggcactggacctcagctacaacagccagcccttcagcatgcagggcggtgggccacaacctcagcttcgtggc  
5 ccagctgccgtccctgcgctacctcagccttgcgcaaacggcatccacagccgcgtgtcacagaagctcagcag  
cgctcgtgcgcgccctggacttcagcggcaactccctgagccagatgtggggcgaggagacctctatctctg  
cttcttcaaaggcttgaggaacctgggtccagctggacctgtccaagaaccacctgcacacctcctgcctcgta  
cctggataacctgcccagagcctgcggcagctgcgtctcgggacaataacctggccttcttcaactggagcag  
cctgactgttctgccccagctggaagccctggatctggcgggaaaccagctgaaggccctgagcaacggcagcct  
10 gccacctggcaccggctccagaagctggacgtgagcagcaacagcatcggtttgtgaccttggcttctttgt  
ccttgccaaccggctgaaagagcttaacctcagcgccaacgccctgaagacagtggatcccttctgggttcggtcg  
cttaacagagacctgaatatcctagacgtgagcgccaaccgctccactgtgcctgcggggcggcctttgtgga  
cttctcgtggagatgcaggcgccgtgcctgggtgtccaggcgctcagctgtggcagtcggggccagctcca  
ggggcgagcatcttcgcacaggacctgcgctctgcctggatgagacctctccttggactgctttggcttctc  
15 gctgctaattgggtggcgctgggcctggcggtgcccatgctgcaccacctctgtggctgggacctgtggtactgctt  
ccacctgtgtctggcccatttgccccgacggcgggcgagcgggggcgaggacacctgctctacgatgccttcgt  
ggctcttcgacaaggcgagagtgagtgggcgactgggtgtacaacgagctccgcgtgcagctggaggagcgccg  
cgggcgccggggcgctccgcctctgcctggaggagcgagactggctccctggcaagacgctcttcgagaacctgtg  
ggcctcggtctacagcagccgtaagaccatgttcgtgctggaccacacggaccgggtcagtgccctcctgcgcgc  
20 cagcttcctgctggcccagcagcgctgttgaggaccgcaaggatgtcgtgggtgctgggtgatcctgcgccccgc  
cgcttaccgggtcccgctacgtgcggctgcgcccagcgctctgcgcccagagcgctcctcctctggccccaccagcc  
cagtgggccagggtagcttctgggccaacctgggcatggccctgaccagggacaaccgccacttctataaccggaa  
cttctgcggggggccccacgacagccgaatagcacagagtgactgccag

## 25 SEQ ID NO:20 (Ovine TLR9)

atggggccctactgtgccccgcaccccccttctctcctgggtgcaggcgggcggtggtgagcagccctggcccag  
ggcaccctgcctgccttctgcctgtgagctccagccccggggttaagggtgaactgcaactggctgttcctgaag  
tctgtgcccgcgttttcggccggagccccccgggccaatgtcaccagcctctccttaattccaaccgcatccac  
cacttgacgactctgacttcgtccacctgtccaacctgcgggtcctcaacctcaagtggaaactgcccgcgggcc  
30 ggctcagccccatgcacttccctgcgcgtgacctatcgagcccaacaccttcttggctgtgcccacctggag  
gagctgaacctgagctacaatggcatcacgacctgcctgcctgcccagttctctcgtatccctgtcgtgagc  
cgaccagcatcctgggtgctaggccccaccaccttcaccggcctgcacgacctgcgctttctgtacatggacggc  
aactgctactataagaaccttgcagcagggcgtggaggtggccccaggcgccctccttggcctgggcaacctc  
acgcacctgtcgtcaagtacaacaacctcacggaggtgccccggcgctgccccccagcctggacacctgctg  
35 ctgtcctacaaccacatcatcaccctggcacccgaggacctggccaatctgactgcctgctgtgcttgatgtg  
ggcggaactgccgcgctgcgaccacgcccgaaccttgcagggagtgcccaaagaacttccccaagctgcac  
cctgacaccttcagccacctgagccgcctcgaaggcctgggtgtgaaggacagttctctctacaaactagagaaa  
gactgggtccgcggcctgggcaggctccaagtgtcagacctgagtgagaacttctctatgactacatcaccaag  
accaccatcttcaggaacctgaccagctgcgcagactcaacctgtccttcaattaccacaagaagggtgtccttc  
40 gccacctgcaactggcaccctcctttgggggcctgggtgtcctggagaagctggacatgcacggcatcttcttc  
cgctccctcaccaaccacgctccggccgctgaccagctgccaagctccagagctctgagctgcagctgaac  
ttcatcaaccaggccgagctcagcatctttggggccttcccagacctgctcttcgtggacctgtcggacaaccgc  
atcagcggagctgcgaggccggtggccgcctcggggagggtggacagcgggggtggaagtctggcggtggcccagg  
ggcctcgctccaggcccgctggccgcgctcagcgcaaaggacttcatgccaagctgcaacctcaacttcaccttg  
45 gacctgtcacggaacaacctgggtgacgatccagcaggagatgtttacccgcctctcccgcctccagtgcctgcgc  
ctgagccacaacagcatctcgcaggcggttaatggctcgcagttcgtgccgctgacctgcgagtgctcgac  
ctgtcctacaacaagctggacctgtaccatggggcgctcgttcacggagctgccgcagctggaggcactggacctc  
agctacaacagccagcccttcagcatgcagggcggtgggccacaacctcagcttcgtggcccagctgccgtccctg  
cgctacctcagccttgcgcaaacggcatccacagccgcgtgtcacagaagctcagcagcgccctcgctgcgcgc  
50 ctggacttcagcggcaactccctgagccagatgtggggccgaggagacctctatctctgcttcttcaaaggcttg  
aggaacctgggtccagctggacctgtccaagaaccacctgcacacctcctgcctcgtcacctggataacctgccc  
aagagcctgcggcagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgactgttctgccc  
cagctggaagccctggatctggcgggaaaccagctgaaggccctgagcaacggcagcctgccacctggcaccgg  
ctccagaagctggacgtgagcagcaacagcatcggtttgtgaccttggcttctttgtccttgccaaccggctg  
55 aaagagcttaacctcagcgccaacgccctgaagacagtggatcccttctgggttcgggtcgcttaacagagacctg  
aatatcctagacgtgagcgccaaccgctccactgtgcctgcggggcggcctttgtggacttctgctggagatg

- 19 -

caggcggccgtgcctgggctgtccaggcgcgtcacgtgtggcagtcggggccagctccaggggccgcagcatcttc  
gcacaggacctgcgcctctgcctggatgagaccctctccttggaactgctttggc

Complete nucleotide and amino acid sequences for canine and feline TLR9 are publicly available. For example, an amino acid sequence for canine TLR9 is available as GenBank accession number BAC65192 and its corresponding nucleotide sequence is available as GenBank accession number AB104899. An amino acid sequence for feline TLR9 is available as GenBank accession number AAN15751 and its corresponding nucleotide sequence is available as GenBank accession number AY137581.

Complete nucleotide and amino acid sequences for canine and feline TLR9 were also determined independently from those available from public databases.

An amino acid sequence of canine TLR9 is provided as SEQ ID NO:21. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:21 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of canine TLR9 (See Figure 1). Amino acids numbered 1-822 of SEQ ID NO:21 are presumptively extracellular domain and correspond to SEQ ID NO:22. SEQ ID NO:23 is a nucleotide sequence of canine TLR9 cDNA having an open reading frame corresponding to nucleotides 91-3186. SEQ ID NO:24 is a nucleotide sequence of canine cDNA encoding amino acids 1-822 of SEQ ID NO:21.

An amino acid sequence of feline TLR9 is provided as SEQ ID NO:25. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:25 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of feline TLR9 (See Figure 1). Amino acids numbered 1-820 of SEQ ID NO:25 are presumptively extracellular domain and correspond to SEQ ID NO:26. SEQ ID NO:27 is a nucleotide sequence of feline TLR9 cDNA having an open reading frame corresponding to nucleotides 87-3179. SEQ ID NO:28 is a nucleotide sequence of feline cDNA encoding amino acids 1-820 of SEQ ID NO:25.

#### SEQ ID NO:21 (Canine TLR9)

MGPCRGAHPLSLLVQAAALALALAQGTLPAFLPCELQPHGLVNCNWLFLKSVPRFSAAAPRGNVTSLSLYSNRI  
HHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFPCMTIEPNTFLAVPTLEDNLNSYNSITTVPALPSSLVSLSL  
SRTNILLVDPATLAGLYALRFLFDGNCYYKNPCQQALQVAPGALLGLGNLTHLSLKYNNTLVVPRGLPPSLEYL

- 20 -

LLSYNHIITLAPEDLANLTALRVLDVGGNCRCDHARNPCRECPKGFPQLHPNTFGHLSHLEGLVLRDSSLYSLD  
 PRWFHGLGNLMVLDLSENFLYDCITKTKAFYGLARLRRLNLSFNYHKKVSFAHLHLASSFGSLLSLQELDIHGIF  
 FRSLSKTTLQSLAHLPMQLRLHLQNLFISSQAQLSIFGAFPGRLRYVDLSDNRISGAAEPAAATGEVEADCGERVWP  
 QSRDLALGPLGTPGSEAFMPSCRTLNFTLDLSRNNLVTVQPEMFVRLARLQCLGLSHNSISQAVNGSQFVPLSNL  
 5 RVLDLSHNKLDLYHGRSFTELPRLEALDLSYNSQPFMSMRGVGHNL SFVAQLPALRYLSLAHNGIHSRVSQQLRSA  
 SLRALDFSGNTLSQMWAEGDLYLRFFQGLRSLVQLDLSQNLHTLLPRNLDNLPKSLRLLRLRDNLYLAFFNWSSL  
 ALLPKLEALDLAGNQLKALSNGSLPNGTQLQRLDLSGNSIGFVVPSPFFALAVRLRELNLNLSANALKTVEPSWFGSL  
 AGALKVLDVTANPLHCACGATFVDFLLEVQAAVPGLPSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWVCFSLSL  
 LAVALSLAVPMLHQLCGWDLWYCFHLCLAWLPRRGRRRGVDALAYDAFVVFDAQSSVADWVYNELRVQLEERRG  
 10 RRALRLCLEERDWPVKTLFENLWASVYSSRKTFLVLRARTDRVSGLLRASFLLAQQRLLEDKDVVVLVILCPDA  
 HRSRYVRLRQRLCRQSVLLWPHQPSGQRSFWAQLGTALTRDNHRHFYNQNFRCGPTTA

## SEQ ID NO:22 (Canine TLR9)

MGPCRGALHPLSLLVQAAALALALAQGTLPAPFLPCELQPHGLVNCNWLFLKSVPFRFSAAAPRGNVTSLSLYSNRI  
 15 HHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFPCHMTIEPNTFLAVPTLEDLNLNLSYNSITTVPALPSSLVSLSL  
 SRTNILLVLDPATLAGLYALRFLFDGNCYKNPCQQALQVAPGALLGLGNLTHLSLKYNNTTVVPRGLPPSLEYL  
 LLSYNHIITLAPEDLANLTALRVLDVGGNCRCDHARNPCRECPKGFPQLHPNTFGHLSHLEGLVLRDSSLYSLD  
 PRWFHGLGNLMVLDLSENFLYDCITKTKAFYGLARLRRLNLSFNYHKKVSFAHLHLASSFGSLLSLQELDIHGIF  
 20 FRSLSKTTLQSLAHLPMQLRLHLQNLFISSQAQLSIFGAFPGRLRYVDLSDNRISGAAEPAAATGEVEADCGERVWP  
 QSRDLALGPLGTPGSEAFMPSCRTLNFTLDLSRNNLVTVQPEMFVRLARLQCLGLSHNSISQAVNGSQFVPLSNL  
 RVLDLSHNKLDLYHGRSFTELPRLEALDLSYNSQPFMSMRGVGHNL SFVAQLPALRYLSLAHNGIHSRVSQQLRSA  
 SLRALDFSGNTLSQMWAEGDLYLRFFQGLRSLVQLDLSQNLHTLLPRNLDNLPKSLRLLRLRDNLYLAFFNWSSL  
 ALLPKLEALDLAGNQLKALSNGSLPNGTQLQRLDLSGNSIGFVVPSPFFALAVRLRELNLNLSANALKTVEPSWFGSL  
 25 AGALKVLDVTANPLHCACGATFVDFLLEVQAAVPGLPSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWVCFS

## SEQ ID NO:23 (Canine TLR9)

aggaaggggctgtgagctccaagcatcctttcctgcagctgctgcccagcctgccagccagaccctctggagaag  
 ccccgctccctgtcatgggcccctgccgtggcgccctgcacccctgtctctcctgggtgcaggctgccgcgcta  
 gccctggccctggcccagggcaccctgcctgccttccctgccctgtgagctccagcccatggcctgggtgaactgc  
 30 aactggctgttccctcaagtccgtgccccgcttctcggcagctgcaccccgcggtaacgtcaccagcctttccttg  
 tactccaaccgcatccaccacctccatgactatgactttgtccacttcgtccacctgcggcgctctcaatctcaag  
 tggaaactggccgcccgcagcctcagcccatgcactttccctgtcacatgaccattgagcccaacaccttccctg  
 gctgtgcccaccctagaggacctgaatctgagctataacagcatcacgactgtgcccgcctgccagttcgctt  
 gtgtccctgtccctgagccgcaccaacatcctgggtgctggaccctgccaccctggcaggcctttatgccctgcgc  
 35 ttccctgttccctggatggcaactgctactacaagaaccctgccagcaggccctgcaggtggccccagggtgccctc  
 ctgggcctgggcaacctcacacacctgtcactcaagtacaacaacctcaccgtgggtgcgcggggcctgcccccc  
 agcctggagtacctgctcttctcctacaaccacatcatcaccctggcacctgaggacctggccaatctgactgcc  
 ctgctgtcctcgatgtgggtgggaactgtgcgcgctgtgacctgcccgtaacccctgcaggagtgccccaag  
 ggcttccccagctgcaccccaacaccttcggccacctgagccacctcgaaggcctgggtgttgaggagacagctct  
 40 ctctacagcctggaccccagggtgggttccatggcctgggcaacctcatgggtgctggacctgagtgagaacttccctg  
 tatgactgcatcaccaaaaacaaagccttctacggcctggcccggctgctgcagactcaacctgtccttcaattat  
 cataagaaggtgtcctttgccacctgcatctggcatcctccttcgggagcctactgtccctgcaggagctggac  
 atacatggcatcttcttccgctcgtcagcaagaccagctccagtcgctggcccacctgcccattgctccagcgt  
 ctgcatctgcagttgaactttatcagccaggccagctcagcatcttcggcgcccttccctggactgcgggtacgtg  
 45 gacttgtcagacaaccgcatcagtgagctgcagagcccgcggctgccacaggggaggtagaggcagactgtggg  
 gagagagtctggccacagtcccgggaccttgctctgggcccactgggcacccccggctcagaggccttcatgccg  
 agctgcaggacctcaacttcaccttgacctgtctcggaacaacctagtactgttcagccggagatgtttgtc  
 cggctggcgcgccctccagtgcctgggacctgagccacaacagcatctcgcaggcggtcaatggctcgcagttcgtg  
 cctctgagcaacctgcgggtgctggacctgtcccataacaagctggacctgtaccacgggctcgttcacggag  
 50 ctgccgcggctggaggccttgacctcagctacaacagccagcccttcagcatgcggggcgctgggcccacaatctc  
 agcttctgtggcacagctgccagccctgcgtacctcagcctggcgccaatggcatccacagccgcgtgtcccag  
 cagctccgcagcgccctcgtccgggacctggacttcagtggcaataacctgagccagatgtgggcccaggaggagac  
 ctctatctccgcttcttccaaggcctgagaagcctgggttcagctggacctgtcccagaatcgctgcataacctc  
 ctgccacgcaacctggacaacctccccaagagcctgcggctcctgcggctccgtgacaattacctggctttcttc  
 55 aactggagcagcctggccctcctacccaagctggaagccctggacctggcgggaaaccagctgaaggccctgagc



- 21 -

aatggcagcttgcccaacggcaccagctccagaggctggacctcagcggcaacagcatcggcttcgtgggtcccc  
agcttttttgccctggccgtgaggttcgagagctcaacctcagcggcaacgccctcaagacgggtggagccctcc  
tggttttggttccctggcgggtgccctgaaagtcctagacgtgaccgccaaccccttgcatcgtcgttgcgggcgca  
accttcgtggacttcttgcctggaggtgcaggctgcgggtgcccgccctgcctagccgtgtcaagtgcggcagcccg  
5 ggccagctccagggcgcgagcatcttcgcacaggacctgcgcctctgcctggacgaagcgctctcctgggtctgt  
ttcagcctctcgctgctggctgtggccctgagcctggctgtgcccatgctgcaccagctctgtggctgggacctc  
tggtactgcttccacctgtgcctggcctggctgccccggcgggggcgggcggggggtgtggatgccctggcctat  
gacgccttcgtgggtcttcgacaaggcgcagagctcgggtggcggactgggtgtacaatgagctgcgggtacagcta  
gaggagcgccgtggggcgccggggcgctacgcctgtgtctggaggaaacgtgactgggtacccggcaaaaacctcttc  
10 gagaacctctgggcctcagtttacagcagccgcaagacgtgtttgtgctggcccgcacggacagagtacgggc  
ctcctgcgtgccagcttctgctggcccaacagcgcctgctggaggaccgcaaggacgtcgtgggtgctgggtgatc  
ctgtgccccgacgcccaccgctcccgcctatgtgcggctgcgccagcgcctctgcgcgacagagtgtcctcctctgg  
ccccaccagcccagtgggcagcgcagcttctgggcccagctgggcacggccctgaccagggaacaaccgccaacttc  
tacaaccagaacttctgcgggggccccacgacagcctgataggcagacagcccagcaccttcgcgccccctacacc  
15 ctgcctgtctgtctgggatgcccagcctgctggctctacaccgccgctctgtctcccctacaccagccctggca  
taaagcgaccgctcaataaatgctgctggttagac

## SEQ ID NO:24 (Canine TLR9)

atggggccctgcccgtggcgccctgcacccctgtctctcctgggtgcaggctgccgcgctagccctggccctggcc  
20 cagggcaccctgcctgccttctgcctgtgagctccagcccatggcctgggtgaactgcaactggctgttcctc  
aagtccgtgccccgcttctcggcagctgcaccccgcggtaacgtcaccagccttctccttgactccaaccgcatc  
caccacctccatgactatgactttgtccacttcgtccacctgcggcgctctcaatctcaagtggaaactgcccggcc  
gccagcctcagcccatgcactttccctgtcacatgaccattgagcccaacaccttctggctgtgcccacccta  
gaggacctgaatctgagctataacagcatcacgactgtgcccggccctgccagttcgcttggtgtccctgtccctg  
25 agccgcaccaacatcctgggtgctggacctgccacctggcaggcctttatgcctgcgcttctgttcctggat  
ggcaactgctactacaagaacctgcccagcaggccctgcagggtggccccagggtgccctcctgggcctgggcaac  
ctcacacacctgtcactcaagtacaacaacctcacctgggtgcgcgggggctgccccccagcctggagtacctg  
ctcttgtcctacaaccacatcatcacctggcacctgaggacctggccaatctgactgccctgcgtgtcctcgat  
gtgggtgggaactgtcgccgctgtgacctgcccgtaacccctgcaggagtgccccaagggttccccagctg  
30 caccccaacaccttcggccacctgagccacctcgaaggcctgggtgttgaggagacagctctctctacagcctggac  
cccagggtgggttccatggcctgggcaacctcatgggtgctggacctgagtgagaacttctgtatgactgcacacc  
aaaaccaaaagccttctacggcctggcccggtgcgcgagactcaacctgtccttcaattatcataagaagggtgtcc  
tttgccacctgcatctggcatcctccttcgggagcctactgtccctgcaggagctggacatacatggcatcttc  
ttccgctcgctcagcaagaccacgctccagtcgctggcccacctgccatgctccagcgtctgcacatctgcagttg  
35 aactttatcagccaggcccagctcagcatcttcggcgcccttccctggactgcggtacgtggacttgtcagacaac  
cgcatcagtgaggctgcagagcccgcggctgccacaggggaggttagaggcagactgtggggagagagtctggcca  
cagtcgccgggaccttgctctgggcccactgggcacccccggctcagaggccttcatgccgagctgcaggacctc  
aacttcaccttgagcctgtctcggaacaacctagtgactgttcagccggagatgtttgtccgggtggcgcgccctc  
cagtgccctgggcctgagccacaacagcatctcgcaggcggtcaatggctcgcagttcgtgcctctgagcaacctg  
40 cgggtgctggacctgtcccataacaagctggacctgtaccacgggcgctcgttcacggagctgccgcggctggag  
gccttgagacctcagctacaacagccagcccttcagcatgcggggcggtggggccacaatctcagctttgtggcacag  
ctgccagccctgcgctacctcagcctggcgccacaatggcatccacagccgcgtgtcccagcagctccgcagcgcc  
tcgctccggggccctggacttcagtggaataacctgagccagatgtggggccgaggagacctctatctccgcttc  
ttccaaggcctgagaagcctgggttcagctggacctgtcccagaatcgctgcataacctcctgccacgcaacctg  
45 gacaacctccccaagagcctgcggctcctgcggctccgtgacaattacctggctttcttcaactggagcagcctg  
gccctcctaccaagctggaagccctggacctggcgggaaaccagctgaaggccctgagcaatggcagcttgccc  
aacggcacccagctccagaggctggacctcagcggcaacagcatcggcttcgtgggtccccagcttttttgccctg  
gccgtgaggcttcgagagctcaacctcagcggccaacgccctcaagacgggtggagccctcctgggtttgggtccctg  
gcgggtgcctgaaagtcctagacgtgaccgccaaccccttgcatcgtcgttcggcgcaaccttcgtggacttc  
50 ttgctggaggtgcaggctgcgggtgcccgccctgcctagccgtgtcaagtgcggcagcccgggccagctccagggc  
cgcagcatcttcgcacaggacctgcgcctctgcctggacgaagcgctctcctgggtctgtttcagc

## SEQ ID NO:25 (Feline TLR9)

55 MGPCHGALHPLSLLVQAAALAVALAQGTLPAFLPCELQRHGLVNCDWLFLKSVPHFSAAAPRGNVTSLSLSYLNRI  
HHLHDSDFVHLSSLRRLNLKWNCPASLSPMHFPCHMTIEPHTFLAVPTLEELNLSYNSITTVPALPSSSLVSLSL

- 22 -

SRTNIVLDPANLAGLHSLRFLFLDGNCCYYKNPCPQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYL  
 LLSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLHPDTFSHLNHLEGLVLKDSSLYNLN  
 PRWFHALGNLMVLDLSENFLYDCITKTTAFQGLAQLRRLNLSFNYHKKVSFAHLHLAPSFGLSLSLQQLDMHGIF  
 FRSLSETTLRSLVHLPMQLSLHLQMNFINQAQLSIFGAFPGRLRYVDLSNDRISGAMELAAATGEVDGGERVRLPS  
 5 GDLALGPPGTPSSEGFMFGCKTLNFTLDLSRNNLVITIQPEMFARLSRLQCLLSRNSISQAVNGSQFMPLTSLQV  
 LDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFMSQGVGHNLSEFVAQLPALRYLSLAHNDIHSRVSQQLCASL  
 RALDFSGNALSRMWAEGDLYLHFFRGLRSLVRLDLSQNRLLHTLLPRTLNDLPSLRLLRLRDNLYLAFFNWSSLVL  
 LPRLEALDLAGNQLKALSNGSLPNGTQLQRLDLSSNSISFVASSFFALATRLRELNLNLSANALKTVEPSWFGSLAG  
 TLKVLDVTGNPLHCACGAAFVDFLLEVQAAVPGLPGHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFGLSLLT  
 10 VALGLAVPMLHHLGWDLWYCFHLCLAWLPRRGRRRGADALPYDAFVFDKAQSAVADWVYNELRVRLEERRGR  
 ALRLCLEERDWLPGKTLFENLWASVYSSRKMLFVLAHTDRVSGLLRASFLLAQORLLEDKDVVVLVILRPDAHR  
 SRYVRLRQRLCRQSVLLWPHQPSGQRSFWAQLGTALTRDNQHFYNQNFRCRGPTTAE

## SEQ ID NO:26 (Feline TLR9)

15 MGPCHGALHPLSLLVQAAALAVALAQGTLPAPFLPCELQRHGLVNCDWLFLKSVPFHFSAAAPRGNVTSLSLYSNRI  
 HHLHDSDFVHLSSLRRLNLKWNCPASLSPMHFPCHMTIEPHTFLAVPTLEELNLSYNSITTVPALPSSSLVSLSL  
 SRTNIVLDPANLAGLHSLRFLFLDGNCCYYKNPCPQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYL  
 LLSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLHPDTFSHLNHLEGLVLKDSSLYNLN  
 PRWFHALGNLMVLDLSENFLYDCITKTTAFQGLAQLRRLNLSFNYHKKVSFAHLHLAPSFGLSLSLQQLDMHGIF  
 20 FRSLSETTLRSLVHLPMQLSLHLQMNFINQAQLSIFGAFPGRLRYVDLSNDRISGAMELAAATGEVDGGERVRLPS  
 GDLALGPPGTPSSEGFMFGCKTLNFTLDLSRNNLVITIQPEMFARLSRLQCLLSRNSISQAVNGSQFMPLTSLQV  
 LDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFMSQGVGHNLSEFVAQLPALRYLSLAHNDIHSRVSQQLCASL  
 RALDFSGNALSRMWAEGDLYLHFFRGLRSLVRLDLSQNRLLHTLLPRTLNDLPSLRLLRLRDNLYLAFFNWSSLVL  
 LPRLEALDLAGNQLKALSNGSLPNGTQLQRLDLSSNSISFVASSFFALATRLRELNLNLSANALKTVEPSWFGSLAG  
 25 TLKVLDVTGNPLHCACGAAFVDFLLEVQAAVPGLPGHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFG

## SEQ ID NO:27 (Feline TLR9)

agggctctgcgagctccaggcattcttctctgccatcgctgcccagctctgccatccagaccctctggagaagcccc  
 cactccctgtcatgggccccctgccatggcgccccctgcacccccctgtctctcctgggtgcaggctgccgcgctggccg  
 30 tggccctggcccagggcaccctgcctgcctttctgccctgtgagctccagcgccacggcctgggtgaattgcgact  
 ggctgttccctcaagtccgtgccccacttctcgggcgccagcgccccctggtaacgtcaccagcctttccctgtact  
 ccaaccgcatccaccacctccacgactccgactttgtccacctgtccagcctgcggcgtctcaacctcaaattgga  
 actgcccacccgcccagcctcagccccatgcacttccccctgtcacatgaccattgagccccacaccttcctggccg  
 tgcccacccctggaggagctgaacctgagctacaacagcatcacgacagtaccgccccctgccagttccctcgtgt  
 35 cctgtccttgagccgtaccaacatcctgggtgctggaccctgccaacctcgagggctgcactccctgcgctttc  
 tgttccctggatggcaactgctactacaagaacccctgcccgcaggccctgcaggtggccccggcgccctccttg  
 gcctgggcaaccttacgcacctgtcactcaagtacaacaacctcactgcgggtgccccgcggcctgccccccagcc  
 tggagtacctgctattgtcctacaaccacatcatcacctggcacctgaggacctggccaacctgaccgccccctgc  
 gtgtgctcgatgtgggtgggaactgccgtcgctgtgaccacgccccgcaacccctgtatggagtgccccaaagggt  
 40 tcccgccacctgcacctgacaccttcagccacctgaaccacctcgaaggcctgggtgttgaggacagctctctct  
 acaacctgaaccccagatgggtcccatgccctgggcaacctcatgggtgctggacctgagtgagaacttcctatatg  
 actgcatcaccaaaaccacagccttcaggggcctggcccagctgcgcagactcaacttgtctttcaattaccaca  
 agaagggtgtcctttgcccacctgcatctggcgccccctccttcgggagcctgctctccctgcagcagctggacatgc  
 atggcatcttcttcgctcgctcagcgagaccagcctccggctcgctgggtccacctgcccctgctccagagtctgc  
 45 acctgcagatgaacttcataatcaggcccagctcagcatcttcggggccttccttgccctgcgatacgtggacc  
 tgtcagacaaccgcataagtggagccatggagctggcggtgcccacgggggaggtggatgggtggggagagagtc  
 ggctgccatctggggacctagctctggggccaccgggacccctagctccgagggttcctgcccaggtgcaaga  
 ccctcaacttcaccttggaacctgtcacggaacaacctagtgacaatccagccagagatgtttgcccggctctcgc  
 gcctccagtgccctgctcctgagccgcaacagcatctcgagggcagtcacaggctcacaatttatgccgctgacca  
 50 gcctgcaggtgctggacctgtcccataacaagctggacctgtaccatgggcgctctttcacggagctgccgcggc  
 tggaggccctggacctcagctacaacagccagcccttcagcatgcagggcggtgggtcacaacctcagctttgtgg  
 cacagctgccggccccctgcgctatctcagcctggcgccacaacgacatccacagccgctgtgtcccagcagctctgca  
 gcgctcgctgcgggccccctggacttcagcggaatgccttgagccggatgtggggccgaggagacctgtatctcc  
 acttcttccgaggcctgaggagcctgggtccgggtggatctgtcccagaatcgccctgcataccctcttgccacgca  
 55 ccctggacaacctccccaagagcctgcggctgctgcgtctccgtgacaattatctggcttcttcaactggagca

- 23 -

g c c t g g t c c t c c c c a g g c t g g a a g c c c t g g a c c t g g c g g g a a a c c a g c t g a a g g c c c t g a g c a a c g g c a g c t  
 t g c c t a a t g g a a c c c a g c t c c a g a g g c t g g a c c t c a g c a g c a a c a g t a t c a g c t t c g t g g c c t c c a g c t t t t t t g  
 c t c t g g c c a c c a g g c t g c g a g a g c t c a a c c t c a g t g c c a a c g c c c t c a a g a c g g t g g a g c c c t c c t g g t t c g g t t  
 c t c t a g c g g g c a c c c t g a a a g t c c t a g a t g t g a c t g g c a a c c c c c t g c a c t g c g c c t g t g g g g c g g c c t t c g t g g  
 5 a c t t c t t g c t g g a g g t g c a g g c t g c a g t g c c c g g c c t g c c a g g c c a c g t c a a g t g t g g c a g t c c a g g t c a g c t c c  
 a g g g c c g c a g c a t c t t t g c g c a g g a t c t g c g c c t c t g c c t g g a t g a g g c c c t c t c c t g g g a c t g t t t t g g c c t c t  
 c g c t g c t g a c c g t g g c c c t g g g c c t g g c c g t g c c c a t g c t g c a c c a c c t c t g t g g c t g g g a c c t c t g g t a c t g c t  
 t c c a c c t g t g c c t g g c c t g g c t g c c c c g g c g g g g c g g c g g g c g c g g a t g c c c t g c c c t a c g a t g c c t t t g  
 t g g t c t t c g a c a a g g c a c a g a g c g c g g t g g c c g a c t g g g t g t a c a a c g a g c t g c g g g t a c g g c t a g a g g a g c g c c  
 10 g t g g a c g c c g a g c g c t c c g c c t g t g c c t g g a g g a a c g t g a c t g g c t a c c c g g t a a a a c g c t c t t t g a g a a c c t g t  
 g g g c c t c a g t t t a c a g c a g c c g c a a g a t g c t g t t t g t g c t g g c c c a c a c a g a c a g g g t c a g c g g c c t c t t g c g c g  
 c c a g c t t t c t g c t g g c c c a g c a g c g c c t g c t g g a g g a c c g c a a g g a c g t t g t g g t g c t g g t g a t c c t g c g c c c g  
 a c g c c c a c c g c t c c c g c t a t g t g c g g c t g c g c c a g c g c c t c t g c c g c c a g a g c g t c c t c c t c t g g c c c c a c c a g c  
 c c a g t g g c c a g c g c a g c t t c t g g g c c c a g c t g g g c a c g g c c c t g a c c a g g g a c a a c c a g c a c t t c t a t a a c c a g a  
 15 a c t t c t g c c g g g g c c c c a c g a c g g c a g a g t g a c c g c c c a g c a c c c c a a g c c t c c t a c a c c t t g c c t g t c t g c c t g  
 g g a t g c c g g g

## SEQ ID NO:28 (Feline TLR9)

a t g g g c c c c t g c c a t g g c g c c c t g c a c c c c t g t c t c t c c t g g t g c a g g c t g c c g c g c t g g c c g t g g c c c t g g c c  
 20 c a g g g c a c c c t g c c t g c c t t t c t g c c c t g t g a g c t c c a g c g c c a c g g c c t g g t g a a t t g c g a c t g g c t g t t c c t c  
 a a g t c c g t g c c c c a c t t c t c g g c g g c a g c g c c c c t g g t a a c g t c a c c a g c c t t t c c c t g t a c t c c a a c c g c a t c  
 c a c c a c c t c c a c g a c t c c g a c t t t g t c c a c c t g t c c a g c c t g c g g c g t c t c a a c c t c a a a t g g a a c t g c c c a c c c  
 g c c a g c c t c a g c c c c a t g c a c t t c c c c t g t c a c a t g a c c a t t g a g c c c c a c a c c t t c c t g g c c g t g c c c a c c c t g  
 g a g g a g c t g a a c c t g a g c t a c a a c a g c a t c a c g a c a g t a c c c g c c c t g c c c a g t t c c c t c g t g t c c c t g t c c t t g  
 25 a g c c g t a c c a a c a t c c t g g t g c t g g a c c c t g c c a a c c t c g c a g g g c t g c a c t c c c t g c g c t t t c t g t t c c t g g a t  
 g g c a a c t g c t a c t a c a a g a a c c c c t g c c c g c a g g c c c t g c a g g t g g c c c g g g c g c c c t c c t t g g c c t g g g c a a c  
 c t t a c g c a c c t g t c a c t c a a g t a c a a a c c t c a c t g c g g t g c c c c g c g g c c t g c c c c c a g c c t g g a g t a c c t g  
 c t a t t g t c c t a c a a c c a c a t c a t c a c c c t g g c a c c t g a g g a c c t g g c c a a c c t g a c c g c c c t g c g t g t g c t c g a t  
 g t g g g t g g g a a c t g c c g t c g t g t g a c c a c g c c c g c a a c c c c t g t a t g g a g t g c c c c a a g g g c t t c c c g c a c c t g  
 30 c a c c c t g a c a c c t t c a g c c a c c t g a a c c a c c t c g a a g g c c t g g t g t t g a a g g a c a g c t c t c t c t a c a a c c t g a a c  
 c c a g a t g g t t c c a t g c c c t g g g c a a c c t c a t g g t g c t g g a c c t g a g t g a g a a c t t c c t a t a t g a c t g c a t c a c c  
 a a a a c c a c a g c c t t c c a g g g c c t g g c c c a g c t g c g c a g a c t c a a c t t g t c t t t c a a t t a c c a c a a g a a g g t g t c c  
 t t t g c c c a c c t g c a t c t g g c g c c c t c c t c g g g a g c c t g c t c t c c c t g c a g c a g c t g g a c a t g c a t g g c a t c t t c  
 t t c c g c t c g c t c a g c g a g a c c a c g c t c c g g t c g c t g g t c c a c c t g c c c a t g c t c c a g a g t c t g c a c c t g c a g a t g  
 35 a a c t t c a t c a a t c a g g c c c a g c t c a g c a t c t t c g g g g c c t t c c c t g g c c t g c g a t a c g t g g a c c t g t c a g a c a a c  
 c g c a t a a g t g g a g c c a t g g a g c t g g c g g c t g c c a c g g g g a g g t g g a t g g t g g g g a g a g a g t c c g g c t g c c a t c t  
 g g g g a c c t a g c t c t g g g c c c a c c g g g c a c c c c t a g c t c c g a g g g c t t c a t g c c a g g c t g c a a g a c c c t c a a c t t c  
 a c c t t g g a c c t g t c a c g g a a c a c c t a g t g a c a a t c c a g c c a g a g a t g t t t g c c c g g c t c t c g c g c c t c c a g t g c  
 c t g c t c c t g a g c c g c a a c a g c a t c t c g c a g g c a g t c a a c g g c t c a c a a t t t a t g c c g c t g a c c a g c c t g c a g g t g  
 40 c t g g a c c t g t c c c a t a a c a a g c t g g a c c t g t a c c a t g g g c g c t c t t t c a c g g a g c t g c c g c g g c t g g a g g c c c t g  
 g a c c t c a g c t a c a a c a g c c a g c c c t t c a g c a t g c a g g g c g t g g g t c a c a a c c t c a g c t t t g t g g c a c a g c t g c c g  
 g c c c t g c g c t a t c t c a g c c t g g c g c a c a c g a c a t c c a c a g c c g t g t g t c c c a g c a g c t c t g c a g c g c c t c g c t g  
 c g g g c c t t g g a c t t c a g c g g c a a t g c c t t g a g c c g g a t g t g g g c c g a g g g a g a c c t g t a t c t c c a c t t c t t c c g a  
 g g c c t g a g g a g c c t g g t c c g g t t g g a t c t g t c c c a g a a t c g c c t g c a t a c c c t c t t g c c a c g c a c c c t g g a c a a c  
 45 c t c c c c a a g a g c c t g c g g c t g c t g c g t c t c c g t g a c a a t t a t c t g g c t t t c t t c a a c t g g a g c a g c c t g g t c c t c  
 c t c c c c a g g c t g g a a g c c c t g g a c c t g g c g g g a a a c c a g c t g a a g g c c c t g a g c a a c g g c a g c t t g c c t a a t g g a  
 a c c c a g c t c c a g a g g c t g g a c c t c a g c a g c a a c a g t a t c a g c t t c g t g g c c t c c a g c t t t t t t g c t c t g g c c a c c  
 a g g c t g c g a g a g c t c a a c c t c a g t g c c a a c g c c c t c a a g a c g g t g g a g c c c t c c t g g t t c g g t t c t c t a g c g g g c  
 a c c c t g a a a g t c c t a g a t g t g a c t g g c a a c c c c c t g c a c t g c g c c t g t g g g g c g g c c t t c g t g g a c t t c t t g c t g  
 50 g a g g t g c a g g c t g c a g t g c c c g g c c t g c c a g g c c a c g t c a a g t g t g g c a g t c c a g g t c a g c t c c a g g g c c g c a g c  
 a t c t t t t g c g c a g g a t c t g c g c c t c t g c c t g g a t g a g g c c c t c c c t g g g a c t g t t t t g g c

Complete nucleotide and amino acid sequences for murine and human TLR9 are publicly available. For example, an amino acid sequence of murine TLR9 is available as



- 24 -

GenBank accession no. AAK29625, provided as SEQ ID NO:29. Amino acids numbered 1-821 of SEQ ID NO:29 presumptively include the entire extracellular domain and correspond to SEQ ID NO:30. SEQ ID NO:31 corresponds to GenBank accession number AF348140, which is a nucleotide sequence of murine TLR9 cDNA. SEQ ID NO:32 is a nucleotide sequence of murine cDNA encoding amino acids 1-821 of SEQ ID NO:29.

An amino acid sequence of human TLR9 is available as GenBank accession no. AAF78037, provided as SEQ ID NO:33. Amino acids numbered 1-820 of SEQ ID NO:33 presumptively include the entire extracellular domain and correspond to SEQ ID NO:34. SEQ ID NO:35 corresponds to GenBank accession number AF245704, which is a nucleotide sequence of human TLR9 cDNA. SEQ ID NO:36 is a nucleotide sequence of human cDNA encoding amino acids 1-820 of SEQ ID NO:33.

#### SEQ ID NO:29 (Murine TLR9)

MVLRRRTLHPLSLLVQAAVLAETLALGTLPAFLPCELKPHGLVDCNWLFLKSVPRFSAAASCSNITRLSLISNRI  
 15 HHLHNSDFVHLSNLRQLNLKWNCPPPTGLSPLHFSCHMTIEPRTFLAMRTLEELNLSYNGITTVPRLPSSLVNLSL  
 SHTNILVLDANSLAGLYSLRVLFMDGNCYYKNPCTGAVKVTPGALLGLSNLTHLSLKYNNTKVPRQLPPSLEYL  
 LVSYNLIVKLGPEDLANLTSLRVLDVGGNCRRCDHAPNPCIECGQKSLHLHPETFHHLSHLEGLVLKDSSLHTLN  
 SSWFQGLVNLSVLDLSENFLYESINHTNAFQNLTRLRKLNLNFNYRKKVSFARLHLASSFKNLVSLQELNMNGIF  
 20 FRSLNKYTLRWLADLPKLHTLHLQMNFINQAQLSIFGTFRALRFVDLSDNRISGPSTLSEATPEEADDAEQEELL  
 SADPHPAPLSTPASKNFMDRCKNFKFTMDLSRNNLVTIKPEMFVNLSRLQCLSLSHNSIAQAVNGSQFLPLTNLQ  
 VLDLSHNKLDLYHWKSFSELPQLQALDLSYNSQPFSMKGIGHNFSFVAHLSMLHSLSLAHNDIHTRVSSHLSNS  
 VRFLDFSGNGMGRMWDEGGLYLHFFQGLSGLLKLDLSQNNLHILRPQNLNLPKSLKLSSLRDNYLSFFNWTSL  
 FLPNLEVLDLAGNQLKALTNGTLPNGTLLQKLDVSSNSIVSVVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 25 MNLTVLDVRSNPLHCACGAAFVDLLLEVQTKVPGLANGVKCGSPGQLQGRSIFAQDLRLCLDEVLSWDCFGLSLL  
 AVAVGMVVPILHHLGWDVWYCFHLCLAWLPLLARSRSAQALPYDAFVVDKAQSAVADWVYNELRVRLERRG  
 RRALRLCLEDRDWLPGQTLFENLWASIYGSRKTLFVLAHTDRVSGLLRTSFLLAQQRLLDRKDVVVLVILRPDA  
 HRSRYVRLRQRLCRQSVLFWPQQPNGQGFWAQLSTALTRDNRHFYNQNFRCRGPTAE

#### SEQ ID NO:30 (Murine TLR9)

MVLRRRTLHPLSLLVQAAVLAETLALGTLPAFLPCELKPHGLVDCNWLFLKSVPRFSAAASCSNITRLSLISNRI  
 30 HHLHNSDFVHLSNLRQLNLKWNCPPPTGLSPLHFSCHMTIEPRTFLAMRTLEELNLSYNGITTVPRLPSSLVNLSL  
 SHTNILVLDANSLAGLYSLRVLFMDGNCYYKNPCTGAVKVTPGALLGLSNLTHLSLKYNNTKVPRQLPPSLEYL  
 LVSYNLIVKLGPEDLANLTSLRVLDVGGNCRRCDHAPNPCIECGQKSLHLHPETFHHLSHLEGLVLKDSSLHTLN  
 SSWFQGLVNLSVLDLSENFLYESINHTNAFQNLTRLRKLNLNFNYRKKVSFARLHLASSFKNLVSLQELNMNGIF  
 35 FRSLNKYTLRWLADLPKLHTLHLQMNFINQAQLSIFGTFRALRFVDLSDNRISGPSTLSEATPEEADDAEQEELL  
 SADPHPAPLSTPASKNFMDRCKNFKFTMDLSRNNLVTIKPEMFVNLSRLQCLSLSHNSIAQAVNGSQFLPLTNLQ  
 VLDLSHNKLDLYHWKSFSELPQLQALDLSYNSQPFSMKGIGHNFSFVAHLSMLHSLSLAHNDIHTRVSSHLSNS  
 VRFLDFSGNGMGRMWDEGGLYLHFFQGLSGLLKLDLSQNNLHILRPQNLNLPKSLKLSSLRDNYLSFFNWTSL  
 FLPNLEVLDLAGNQLKALTNGTLPNGTLLQKLDVSSNSIVSVVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 40 MNLTVLDVRSNPLHCACGAAFVDLLLEVQTKVPGLANGVKCGSPGQLQGRSIFAQDLRLCLDEVLSWDCFG

#### SEQ ID NO:31 (Murine TLR9)

tgtcagagggagcctcgggagaatcctccatctcccaacatggttctccgtcgaaggactctgcaccccttggtcc  
 ctccctggtacaggctgcagtgctggctgagactctggccctgggtaccctgcctgccttcctaccctgtgagctg

- 25 -

aagcctcatggcctggtggactgcaattggctgttctgaagtctgtaccccgtttctctgcggcagcatcctgc  
tccaacatcacccgcctctccttgatctccaaccgtatccaccacctgcacaactccgacttcgtccacctgtcc  
aacctgcggcagctgaacctcaagtggactgtccaccactggccttagccccctgcacttctcttgccacatg  
accattgagcccagaaccttcttggtatgctgacactggaggagctgaacctgagctataatggtatcaccact  
5 gtgccccgactgcccagctccctggtgaatctgagcctgagccacaccaacatcctgggttctagatgctaacagc  
ctcgcggcctatacagcctgcgcgttctcttcatggacgggaactgctactacaagaacccctgcacaggagcg  
gtgaaggtgaccccaggcgccctcctgggcctgagcaatctcacccatctgtctctgaagtataacaacctcaca  
aaggtgccccgccaactgccccccagcctggagtacctcctggtgtcctataacctcattgtcaagctggggcct  
gaagacctggccaatctgacctcccttcgagtacttgatgtgggtgggaattgccgtcgctgcgacctgcccc  
10 aatccctgtatagaatgtggccaaaagtccctccacctgcacctgagaccttccatcacctgagccatctggaa  
ggcctggtgctgaaggacagctctctccatacactgaactcttctggttccaaggtctggtcaacctctcggtg  
ctggacctaaagcgagaacttctctatgaaagcatcaaccacaccaatgcctttcagaacctaacccgcctgcgc  
aagctcaacctgtccttcaattaccgcaagaaggtatcctttgccgcctccacctggcaagttccttcaagaac  
ctggtgtcactgcaggagctgaacatgaacggcatcttcttccgctcgctcaacaagtacacgctcagatggctg  
15 gccgatctgccccaaactccacactctgcatcttcaaatagaacttcatcaaccaggcacagctcagcatctttggt  
accttccgagcccttcgcttctgtggacttgctcagacaatcgcatcagtgggccttcaacgctgtcagaagccacc  
cctgaagaggcagatgatgcagagcaggaggagctggtgtctgcggatcctcacccagctccactgagcaccct  
gcttctaagaacttcatggacaggtgtaagaacttcaagttcacctatggacctgtctcggaacaacctgggtgact  
atcaagccagagatgtttgtcaatctctcacgcctccagtgctttagcctgagccacaactccattgcacaggct  
20 gtcaatggctctcagttcctgccgctgactaatctgcaggtgctggacctgtcccataacaaactggacttgta  
cactggaaatcgttcagtgagctaccacagttgcaggccctggacctgagctacaacagccagccctttagcatg  
aagggtataggccacaattttagtcttctgtggcccatctgtccatgctacacagccttagcctggcacacaatgac  
attcatacccgctgtgtcctcacatctcaacagcaactcagtgaagtttcttgacttcagcggcaacgggtatgggc  
cgcatgtgggatgaggggggccttctcctcatttcttccaaggcctgagtggcctgctgaagctggacctgtct  
25 caaaataacctgcatatcctccggccccagaaccttgacaacctccccaaagagcctgaagctgctgagcctccga  
gacaactacctatcttctttaaactggaccagctgtgtccttccctgccccaaacctggaagtcctagacctggcaggc  
aaccagctaaaggccctgaccaatggcaccctgcctaattggcaccctcctccagaaactggatgtcagcagcaac  
agtatcgtctctgtggtcccagccttcttccgctctggcggtcgagctgaaagaggtcaacctcagccacaacatt  
ctcaagacgggtggatcgctcctggtttgggcccattgtgatgaacctgacagttctagacgtgagaagcaacct  
30 ctgcactgtgcctgtggggcagccttcgtagacttactgttggagggtgcagaccaaggtgcctggcctggcta  
ggtgtgaagtggtggcagccccggccagctgcagggccgtagcatcttccgacaggacctgcggctgtgcctggat  
gaggtcctctcttgggactgcttggccttctcactcttggctgtggcctggtggctgctataactgcac  
catctctgcggctgggacgtctggtactgttttcatctgtgcctggcatggctacctttgctggccccgcagccga  
cgagcgccccaaagctctcccctatgatgccttccgtggtgttcgataaggcacagagcgcagttgcggactgggtg  
35 tataacgagctgcgggtgcggctggaggagcggcgcggtcgccgagccctacgcttgtgtctggaggaccgagat  
tggctgcttggccagacgctcttcgagaacctctgggcttccatctatgggagccgcaagactctatttgtgctg  
gcccacacggaccgcgtcagtggtcctcctgcgcaccagcttctgctggctcagcagcgctgttgggaagaccgc  
aaggacgtggtggtgttggatcctgcgtccggatgccaccgctcccgtatgtgcgactgcgcccagcgtctc  
tgccgcccagagtgtgctcttctggccccagcagcccaacggggcaggggggcttctgggcccagctgagtacagcc  
40 ctgactagggacaaccgcccacttctataaccagaacttctgcggggacctacagcagaatagctcagagcaaca  
gctggaaacagctgcatcttcatgcctgggttcccaggttgcctgcctgc

## SEQ ID NO:31 (Murine TLR9)

atgggttctccgtcgaaggactctgcacccttgtccctcctggtacaggctgcagtgctggctgagactctggcc  
45 ctgggtaccctgcctgccttccctaccctgtgagctgaagcctcatggcctggtggactgcaattggctgttctg  
aagtctgtaccccgtttctctgcggcagcatcctgctccaacatcacccgcctctccttgatctccaaccgtatc  
caccacctgcacaactccgacttcgtccacctgtccaacctgcggcagctgaacctcaagtggaaactgtccacc  
actggccttagccccctgcacttctcttgccacatgaccattgagcccagaaccttctgggtatgctgacactg  
50 gaggagctgaacctgagctataatggtatcaccactgtgccccgactgcccagctccctggtgaatctgagcctg  
agccacaccaacatcctgggttctagatgctaacagcctcgccggcctatacagcctgcgcgttctcttcatggac  
gggaactgctactacaagaacccctgcacaggagcgggtgaaggtgaccccaggcgccctcctgggcctgagcaat  
ctcacccatctgtctctgaagtataacaacctcacaaggtgccccgccaactgccccccagcctggagtacctc  
ctgggtgtcctataacctcattgtcaagctggggcctgaagacctggccaatctgacctcccttcgagtacttgat  
gtgggtgggaattgccgtcgctgcgacctgcccccaatccctgtatagaatgtggccaaaagtccctccacctg  
55 caccctgagaccttccatcacctgagccatctggaaggcctggtgctgaaggacagctctctccatacactgaac  
tcttccctgggttccaaggtctggtcaacctctcggtgctggacctaaagcgagaacttctctatgaaagcatcaac  
cacaccaatgcctttcagaacctaacccgcctgcgcaagctcaacctgtccttcaattaccgcaagaaggtatcc

- 26 -

tttgcccgcctccacctggcaagttccttcaagaacctgggtgtcactgcaggagctgaacatgaacggcatcttc  
 ttccgctcgtcaacaagtacacgctcagatggctggccgatctgcccacactctgcatcttcaaagt  
 aacttcatcaaccaggcacagctcagcatctttggtaccttccgagcccttcgctttgtggacttgtcagacaat  
 cgcatacagtgggccttcaacgctgtcagaagccaccctgaagaggcagatgatgcagagcaggaggagctgttg  
 5 tctgcggatcctcaccagctccactgagcaccctgcttctaagaacttcatggacaggtgtaagaacttcaag  
 ttcaccatggacctgtctcggaacaacctgggtgactatcaagccagagatgtttgtcaatctctcacgcctccag  
 tgtcttagcctgagccacaactccattgcacaggctgtcaatggctctcagttcctgcccgtgactaatctgcag  
 gtgctggacctgtcccataacaaactggacttgtaccactggaaatcggttcagtgcagctaccacagttgcaggcc  
 ctggacctgagctacaacagccagcccttttagcatgaagggtataggccacaatttcagttttgtggcccatctg  
 10 tccatgctacacagccttagcctggcacacaatgacattcatacccgctgtgtcctcacatctcaacagcaactca  
 gtgaggtttcttgacttcagcggcaacggtatgggcccgcagtggtggatgaggggggcttttatctccatttcttc  
 caaggcctgagtgccctgctgaagctggacctgtctcaaaataacctgcatactctccggcccccagaaccttgac  
 aacctccccaagagcctgaagctgctgagcctccgagacaactacctatctttctttaactggaccagtctgtcc  
 ttctgcccacactggaagtcctagacctggcaggcaaccagctaaaggccctgaccaatggcaccctgccta  
 15 ggcaccctcctccagaaactggatgtcagcagcaacagtatcgtctctgtggtcccagccttcttcgctctggcg  
 gtcgagctgaaagaggtcaacctcagccacaacattctcaagacggtggatcgctcctgggtttgggcccattgtg  
 atgaacctgacagttctagacgtgagaagcaaccctctgcactgtgcctgtggggcagccttcgtagacttactg  
 ttggaggtgcagaccaaggtgcctggcctggctaataaggtgtgaagtggtggcagccccggccagctgcagggccgt  
 agcatcttcgcacaggacctgcccgtgtgcctggatgaggtcctctcttgggactgctttggc  
 20

## SEQ ID NO:33 (Human TLR9)

MGFCRSALHPLSLLVQAIMLAMTLALGTLPALPCELQPHGLVNCNWLFLKSVPHFMSMAAPRGNVTSLSLSSNRI  
 HHLHDSDFAHPLSLRHLNLKWNCPVGLSPMHFPCMTIEPSTFLAVPTLEELNLSYNNIMTVPALPKSLISLSL  
 SHTNILMLDSASLAGLHALRFLFMDGNCYYKNPCRQALEVAPGALLGLGNLTHLSLKYNNLTVVPRNLPSSLEYL  
 25 LLSYNRIVKLAPEDLANLTALRVLDVGGNCRRCDHAPNPCMECPRHFPQLHPDTFSHLRLEGLVLKDSLSLWLN  
 ASWFRGLGNLRVLDLSENFLYKCIKTAKAFQGLTQLRKLNLNFNYQKRVSFAHLSLAPSFGSLVALKELDMHGIF  
 FRSLDETTLRPLARLPMLQTLRLQMNFINQAQLGIFRAFPGLRYVDLSDNRISGASELTATMGEADGGEKVWLQP  
 GDLAPAPVDTPSSEDFRPNCTLNFTLDLSRNNLVTVPQPEMFAQLSHLQCLRLSHNCISQAVNGSQFLPLTGLQV  
 LDLSRNKLDLYHEHSFTELPRLEALDLSYNSQPFQMGVGHNFSAHLRTRLRHLSLAHNNIHSQVSQQLCSTSL  
 30 RALDFSGNALGHMWAEGDLYLHFFQGLSGLIWLDSLQNRLLHTLLPQTLRNLPKSLQVLRRLRDNYLAFFKWWSLHF  
 LPKLEVLDLAGNRLKALTNGSLPAGTRLRRLDVSCNSISFVAPGFFSKAKELRELNLSANALKTVDHWSWFGPLAS  
 ALQILDVSANPLHCACGAAMDFLLEVQAAPVGLPSRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCFALSLLA  
 VALGLGVPMHLHLCGWDLWYCFHLCLAWLPWRGRQSGRDEDALPYDAFVVFQKTQSAVADWVYNELRGQLEECRG  
 RWALRLCLEERDWLPGKTLFENLWASVYGSRKTLFVLAHTDRVSGLLRASFLLAQQRLLDRKDVVVLVILSPDG  
 35 RRSRYVRLRQRLCRQSVLLWPHQPSGQRSFWAQLGMALTRDNHHFYNRNFCQGPTAE

## SEQ ID NO:34 (Human TLR9)

MGFCRSALHPLSLLVQAIMLAMTLALGTLPALPCELQPHGLVNCNWLFLKSVPHFMSMAAPRGNVTSLSLSSNRI  
 HHLHDSDFAHPLSLRHLNLKWNCPVGLSPMHFPCMTIEPSTFLAVPTLEELNLSYNNIMTVPALPKSLISLSL  
 40 SHTNILMLDSASLAGLHALRFLFMDGNCYYKNPCRQALEVAPGALLGLGNLTHLSLKYNNLTVVPRNLPSSLEYL  
 LLSYNRIVKLAPEDLANLTALRVLDVGGNCRRCDHAPNPCMECPRHFPQLHPDTFSHLRLEGLVLKDSLSLWLN  
 ASWFRGLGNLRVLDLSENFLYKCIKTAKAFQGLTQLRKLNLNFNYQKRVSFAHLSLAPSFGSLVALKELDMHGIF  
 FRSLDETTLRPLARLPMLQTLRLQMNFINQAQLGIFRAFPGLRYVDLSDNRISGASELTATMGEADGGEKVWLQP  
 GDLAPAPVDTPSSEDFRPNCTLNFTLDLSRNNLVTVPQPEMFAQLSHLQCLRLSHNCISQAVNGSQFLPLTGLQV  
 45 LDLSRNKLDLYHEHSFTELPRLEALDLSYNSQPFQMGVGHNFSAHLRTRLRHLSLAHNNIHSQVSQQLCSTSL  
 RALDFSGNALGHMWAEGDLYLHFFQGLSGLIWLDSLQNRLLHTLLPQTLRNLPKSLQVLRRLRDNYLAFFKWWSLHF  
 LPKLEVLDLAGNRLKALTNGSLPAGTRLRRLDVSCNSISFVAPGFFSKAKELRELNLSANALKTVDHWSWFGPLAS  
 ALQILDVSANPLHCACGAAMDFLLEVQAAPVGLPSRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCFA

## 50 SEQ ID NO:35 (Human TLR9)

aggctggataaaaatcttacttcctctattctctgagccgctgctgcccctgtgggaaggacctcgagtgtga  
 agcatccttccctgtagctgctgtccagctctgcccgcagaccctctggagaagccccctgccccccagcatgggt  
 ttctgcccgcagcgcctgcacccgctgtctctcctgggtgcaggccatcatgctggccatgacctggccctgggt



- 27 -

accttgccctgccttcctaccctgtgagctccagccccacggcctgggtgaactgcaactggctgttcctgaagtct  
gtgccccacttctccatggcagcaccctggcaatgtcaccagcctttccttgctcctccaaccgcatccaccac  
ctccatgattctgactttgccacctgccagcctgcggcatctcaacctcaagtggaaactgcccgcgggttggc  
ctcagccccatgcacttccccctgccacatgaccatcgagcccagcaccttcttggtgtgcccacccctggaagag  
5 ctaaacctgagctacaacaacatcatgactgtgcctgcgctgccc aaatccctcatatccctgtccctcagccat  
accaacatcctgatgctagactctgccagcctcgccggcctgcatgccctgcgcttcctattcatggacgggaac  
tgttattacaagaaccctgcaggcaggcactggaggtggccccgggtgccctccttgccctgggcaacctcacc  
cacctgtcactcaagtacaacaacctcactgtggtgccccgcaacctgccttcagcctggagtatctgctgttg  
tcctacaaccgcatcgtcaaactggcgccctgaggacctggccaatctgaccgcccctgcgtgtgctcgatgtgggc  
10 ggaaattgcccgcgctgcgaccacgctcccaacccctgcatggagtgcctcgtcacttccccagctacatccc  
gataccttcagccacctgagccgtcttgaaggcctgggtgttgaaggacagttctctctcctggctgaatgccagt  
tggttccgtgggctgggaaacctccgagtgtggacctgagtgagaacttcctctacaaatgcatcactaaaacc  
aaggccttcagggcctaacacagctgcgcaagcttaacctgtccttcaattaccaaagagggtgtcctttgcc  
cacctgtctctggcccccttccttcgggagcctggcgcctgaaggagctggacatgcacggcatcttcttcgc  
15 tcactcgatgagaccacgctccggccactggccccgctgccc atgctccagactctgcgtctgcagatgaacttc  
atcaaccaggcccagctcggcatcttcagggccttccttgccctgcgctacgtggacctgtcggacaaccgcatc  
agcggagcttcggagctgacagccaccatgggggaggcagatggaggggagaaggctcggctgcagcctggggac  
cttgctccggccccagtgagacactcccagctctgaagacttcaggcccaactgcagcacctcaacttcaccttg  
gatctgtcacggaacaacctgggtgaccgtgcagccggagatgtttgccagctctcgcacctgcagtgcctgcgc  
20 ctgagccacaactgcatctcgcaggcagtc aatggctcccagttcctgccgctgaccggctctgcaggtgctagac  
ctgtcccgcaataagctggacctctaccacgagcactcattcacggagctaccgcgactggaggccctggacctc  
agctacaacagccagccctttggcatgcaggggcgtggggccacaacttcagcttcgtggctcacctgcgcacctg  
cgccacctcagcctggccccacaacaacatccacagccaagtgtcccagcagctctgcagtacgtcgctgcggggc  
ctggacttcagcggcaatgcactggggccatatgtggggccgaggagacctctatctgcacttcttccaaggcctg  
25 agcggtttgatctggctggacttgtcccagaaccgcctgcacacctcctgccccaaacctgcgcaacctcccc  
aagagcctacaggtgctgcgtctccgtgacaattacctggccttctttaagtggaggcctccacttcctgccc  
aaactggaagtccctgcacctggcaggaaaccggctgaaggccctgaccaatggcagcctgcctgctggcaccgg  
ctccggaggctggatgtcagctgcaacagcatcagcttcgtggcccccggttcttttccaaggccaaggagctg  
cgagagctcaaccttagcgccaacgcccctcaagacagtggaacctcctggtttggggccctggcgagtgcctg  
30 caaatactagatgtaagcgccaacctctgcactgcgcctgtggggcgccctttatggacttcctgctggagggtg  
caggctgccgtgccccggctctgcccagccgggtgaagtgtggcagtcggggccagctccaggccctcagcatctt  
gcacaggacctgcgcctctgcctggatgaggccctctcctgggactgtttcgccctctcgctgctggctgtggct  
ctgggcctgggtgtgccc atgctgcatcacctctgtggctgggacctctggactgcttccacctgtgcctggcc  
tggttccctggcgggggcgggcaagtggggcgagatgaggatgcctgaccttcgtggctcttcgac  
35 aaaacgcagagcgcagtgccagactgggtgtacaacgagcttcggggggcagctggaggagtgcctggggcgctgg  
gcactccgcctgtgcctggaggaacgcgactggctgcctggcaaaacctctttgagaacctgtgggcctcggtc  
tatggcagccgcaagacgctgtttgtgctggcccacacggaccgggtcagtggtctcttgcgcgccagcttcctg  
ctggcccagcagcgccctgctggaggaccgcaaggacgtcgtgggtgctgggtgatcctgagccctgacggccggcg  
tcccgctacgtgcggctgcgcccagcgccctctgccgcccagagtgtcctcctctggccccaccagcccagtggtcag  
40 cgcagcttctggggcccagctgggcatggccctgaccagggaacaaccaccttctataaccggaacttctgccag  
ggaccacggccgaatagccgtgagccggaatcctgcacgggtgccacctccacactcacctcacctctgcctgcc  
tggtctgacctccccctgctcgccctccctcacccccacacctgacacagagca

## SEQ ID NO:36 (Human TLR9)

45 atggggtttctgccgcagcgccttgcacccgctgtctctcctgggtgcaggccatcatgctggccatgacctggcc  
ctgggtaccttgccctgccttcctaccctgtgagctccagccccacggcctgggtgaactgcaactggctgttcctg  
aagtctgtgccccacttctccatggcagcaccctggcaatgtcaccagcctttccttgctcctccaaccgcatc  
caccacctccatgattctgactttgccacctgccagcctgcggcatctcaacctcaagtggaaactgcccgcg  
gttggcctcagccccatgcacttccccctgccacatgaccatcgagcccagcaccttcttggtgtgcccacccctg  
50 gaagagctaaacctgagctacaacaacatcatgactgtgcctgcgctgccc aaatccctcatatccctgtccctc  
agccataccaacatcctgatgctagactctgccagcctcgccggcctgcatgccctgcgcttcctattcatggac  
ggcaactgttattacaagaaccctgcaggcaggcactggaggtggccccgggtgccctccttgccctgggcaac  
ctcaccacacctgtcactcaagtacaacaacctcactgtggtgccccgcaacctgccttcagcctggagtatctg  
ctgttgtcctacaaccgcatcgtcaaactggcgccctgaggacctggccaatctgaccgcccctgcgtgtgctcgat  
55 gtggggcggaattgccgcccgtgcgaccacgctcccaacccctgcatggagtgcctcgtcacttccccagcta  
catcccgataccttcagccacctgagccgtcttgaaggcctgggtgttgaaggacagttctctctcctggctgaat  
gccagttgggtccgtgggctgggaaacctccgagtgtggaacctgagtgagaacttcctctacaaatgcatcact

- 28 -

aaaaccaaggccttccagggcctaacacagctgcgcaagcttaacctgtccttcaattaccaaagaggggtgtcc  
 tttgcccacctgtctctggccccttccttcgggagcctggtcgccctgaaggagctggacatgcacggcatcttc  
 ttccgctcactcgatgagaccacgctccggccactggcccgcctgcccatgctccagactctgcgtctgcagatg  
 aacttcatcaaccaggcccagctcggcatcttcagggccttccttggcctgcgctacgtggacctgtcggacaac  
 5 cgcatcagcggagcttcggagctgacagccaccatgggggagggcagatggaggggagaaggtctggctgcagcct  
 ggggaccttgctccggccccagtggaactcccagctctgaagacttcaggcccaactgcagcaccctcaacttc  
 accttggatctgtcacggaacaacctggtgacctgcagccggagatgtttgcccagctctcgcacctgcagtgc  
 ctgcgctgagccacaactgcactctcgcaggcagtcagtggctcccagttcctgccgctgaccggtctgcagggtg  
 ctagacctgtcccgaataagctggacctctaccacgagcactcattcacggagctaccgcgactggaggccctg  
 10 gacctcagctacaacagccagccctttggcatgcagggcggtggggccacaacttcagcttcgtgggtcacctgcgc  
 accctgcgccacctcagcctggcccacaacaacatccacagccaagtgtcccagcagctctgcagtacgtcgctg  
 cgggcccctggacttcagcggcaatgcactggggccatatgtggggccgaggagacctctatctgcacttcttccaa  
 ggcttgagcgggtttgatctggctggacttgtcccagaaccgcctgcacacctcctgccccaaacctgcgcaac  
 ctccccaagagcctacaggtgctgcgtctccgtgacaattacctggccttctttaagtggaggcctccacttc  
 15 ctgccccaaactggaagtcctcgacctggcaggaaaccggctgaaggccctgaccaatggcagcctgcctgctggc  
 acccggctccggaggctggatgtcagctgcaacagcatcagcttcgtggcccccggttcttttccaaggccaag  
 gagctgcgagagctcaaccttagcgccaacgccctcaagacagtggaccactcctggtttgggccccctggcgagt  
 gccctgcaaatactagatgtaagcgccaaccctctgcactgcgcctgtggggcggttcttatggacttcctgctg  
 gaggtgcaggctgccgtgcccggctctgccagccgggtgaagtgtggcagtcggggccagctccagggcctcagc  
 20 atctttgcacaggacctgcgcctctgcctggatgaggccctctcctgggactgtttcgcc

In addition to the foregoing native rat, porcine, bovine, equine, and ovine TLR9  
 polypeptides and nucleic acid molecules encoding them, chimeric TLR9 polypeptides and  
 nucleic acid molecules encoding them are provided by the invention. The chimeric  
 25 polypeptides include at least one amino acid substitution based on a comparison of  
 conserved and non-conserved amino acids among at least two of rat, murine, porcine, bovine,  
 equine, ovine, canine, feline, and human TLR9. The information contained in a multiple  
 sequence alignment of these various TLR9 polypeptide sequences, provided for example in  
 Figure 1, can be used to identify and select individual amino acid positions and even  
 30 individual amino acids to substitute in designing a chimeric TLR9. The substitution or  
 substitutions can be effected using methods known to those of ordinary skill in molecular  
 biology. Nucleic acids encoding the native or chimeric polypeptides of the invention can be  
 inserted into an expression vector and used to express TLR9 polypeptide.

A conservative amino acid substitution shall refer to a substitution of a first amino  
 35 acid for a second amino acid, wherein side chains of the first amino acid and the second  
 amino acid share similar features in terms of hydrophobicity, size, aromaticity, or tendency to  
 alter conformation. For example, conservative amino acid substitutions generally may be  
 made between members within each of the following groups: hydrophobic (A, I, L, M, V),  
 neutral (C, S, T), acidic (D, E), basic (H, K, N, Q, R), and aromatic (F, W, Y). A non-  
 40 conservative amino acid substitution refers to any other amino acid substitution.

- 29 -

An expression vector for TLR9 will include at least a nucleotide sequence coding for a TLR9, or a fragment thereof coding for a functional TLR9 polypeptide, operably linked to a gene expression sequence which can direct the expression of the TLR9 nucleic acid within a eukaryotic or prokaryotic cell. A "gene expression sequence" is any regulatory nucleotide  
5 sequence, such as a promoter sequence or promoter-enhancer combination, which facilitates the efficient transcription and translation of the nucleic acid to which it is operably linked.

With respect to TLR9 nucleic acid, the "gene expression sequence" is any regulatory nucleotide sequence, such as a promoter sequence or promoter-enhancer combination, which facilitates the efficient transcription and translation of the TLR9 nucleic acid to which it is  
10 operably linked. The gene expression sequence may, for example, be a mammalian or viral promoter, such as a constitutive or inducible promoter. Constitutive mammalian promoters include, but are not limited to, the promoters for the following genes: hypoxanthine phosphoribosyl transferase (HPRT), adenosine deaminase, pyruvate kinase,  $\beta$ -actin promoter, and other constitutive promoters. Exemplary viral promoters which function constitutively in  
15 eukaryotic cells include, for example, promoters from the simian virus (e.g., SV40), papillomavirus, adenovirus, human immunodeficiency virus (HIV), Rous sarcoma virus (RSV), cytomegalovirus (CMV), the long terminal repeats (LTR) of Moloney murine leukemia virus and other retroviruses, and the thymidine kinase (TK) promoter of herpes simplex virus. Other constitutive promoters are known to those of ordinary skill in the art.  
20 The promoters useful as gene expression sequences of the invention also include inducible promoters. Inducible promoters are expressed in the presence of an inducing agent. For example, the metallothionein (MT) promoter is induced to promote transcription and translation in the presence of certain metal ions. Other inducible promoters are known to those of ordinary skill in the art.

25 In general, the gene expression sequence shall include, as necessary, 5' non-transcribing and 5' non-translating sequences involved with the initiation of transcription and translation, respectively, such as a TATA box, capping sequence, CAAT sequence, and the like. Especially, such 5' non-transcribing sequences will include a promoter region which includes a promoter sequence for transcriptional control of the operably joined nucleic acid  
30 coding sequence for a TLR9 polypeptide. The gene expression sequences optionally include enhancer sequences or upstream activator sequences as desired.

- 30 -

Generally a nucleic acid coding sequence and a gene expression sequence are said to be “operably linked” when they are covalently linked in such a way as to place the transcription and/or translation of the nucleic acid coding sequence under the influence or control of the gene expression sequence. Thus the TLR9 nucleic acid coding sequence and the gene expression sequence are said to be “operably linked” when they are covalently linked in such a way as to place the transcription and/or translation of the TLR9 nucleic acid coding sequence under the influence or control of the gene expression sequence. If it is desired that the TLR9 sequence be translated into a functional protein, two DNA sequences are said to be operably linked if induction of a promoter in the 5' gene expression sequence results in the transcription of the TLR9 sequence and if the nature of the linkage between the two DNA sequences does not (1) result in the introduction of a frame-shift mutation, (2) interfere with the ability of the promoter region to direct the transcription of the TLR9 sequence, or (3) interfere with the ability of the corresponding RNA transcript to be translated into a protein. Thus, a gene expression sequence would be operably linked to a TLR9 nucleic acid sequence if the gene expression sequence were capable of effecting transcription of that TLR9 nucleic acid sequence such that the resulting transcript might be translated into the desired TLR9 protein or polypeptide.

A “TLR9 ligand” as used herein refers to a molecule that specifically binds a TLR9 polypeptide. In one embodiment the TLR9 ligand specifically binds a TLR9 polypeptide corresponding to at least a ligand-binding portion of the extracellular domain of TLR9. In most instances a TLR9 ligand will also induce TLR9 signaling when contacted with TLR9 under suitable conditions. TLR9 signaling refers to TLR/IL-1R signal transduction mediated through the TLR9, as described in further detail elsewhere herein. As mentioned above, CpG nucleic acids have been reported to be TLR9 ligands, but TLR9 ligands may include other entities as well, including, for example, small molecules. As also previously mentioned, there appears to be a species-specific preference for at least certain TLR9s and certain CpG motifs. As used herein, a species-preferred CpG DNA refers to a particular CpG DNA that is optimized for signal induction by a TLR9 of a particular species. A CpG DNA that is optimized for signal induction by a TLR9 of a particular species refers to a CpG DNA having a sequence that preferentially binds to and/or induces signaling by TLR9 of that species. For example, a human-preferred CpG DNA shall refer to a CpG DNA that optimally stimulates human TLR9 to signal through its TIR domain. Likewise, a murine-preferred CpG DNA



- 31 -

shall refer to a CpG DNA that optimally stimulates murine TLR9 to signal through its TIR domain. Examples of human-preferred and murine-preferred CpG DNA are ODN 2006 (SEQ ID NO:58) and 1668 (SEQ ID NO:60), respectively.

5 The binding and species specificity of TLR9s are believed to be influenced by key amino acids present in the extracellular domain of TLR9. Key amino acids in a TLR9 as used herein refer to those amino acids which contribute significantly to ligand binding and ligand specificity of a particular TLR9 polypeptide.

10 A "CpG nucleic acid" or a "CpG immunostimulatory nucleic acid" as used herein is a nucleic acid containing at least one unmethylated CpG dinucleotide (cytosine-guanine dinucleotide sequence, i.e., "CpG DNA" or DNA containing a 5' cytosine followed by 3' guanine and linked by a phosphate bond) which activates a component of the immune system. The entire CpG nucleic acid can be unmethylated or portions may be unmethylated but at least the C of the 5' CG 3' must be unmethylated.

In one embodiment a CpG nucleic acid is represented by at least the formula:

15 
$$5'\text{-N}_1\text{X}_1\text{CGX}_2\text{N}_2\text{-3'}$$

wherein  $\text{X}_1$  and  $\text{X}_2$  are nucleotides, N is any nucleotide, and  $\text{N}_1$  and  $\text{N}_2$  are nucleic acid sequences composed of from about 0-25 N's each. In some embodiments  $\text{X}_1$  is adenine, guanine, or thymine and/or  $\text{X}_2$  is cytosine, adenine, or thymine. In other embodiments  $\text{X}_1$  is cytosine and/or  $\text{X}_2$  is guanine.

20 Nucleic acids having modified backbones, such as phosphorothioate backbones, also fall within the class of immunostimulatory nucleic acids. U.S. Pat. Nos. 5,723,335 and 5,663,153 issued to Hutcherson, et al. and related PCT publication WO95/26204 describe immune stimulation using phosphorothioate oligonucleotide analogues. These patents describe the ability of the phosphorothioate backbone to stimulate an immune response in a  
25 non-sequence specific manner.

An immunostimulatory nucleic acid molecule, including for example a CpG DNA, may be double-stranded or single-stranded. Generally, double-stranded molecules may be more stable *in vivo*, while single-stranded molecules may have increased activity. The terms "nucleic acid" and "oligonucleotide" refer to multiple nucleotides (i.e., molecules comprising  
30 a sugar (e.g., ribose or deoxyribose) linked to a phosphate group and to an exchangeable organic base, which is either a substituted pyrimidine (e.g., cytosine (C), thymine (T) or uracil (U)) or a substituted purine (e.g., adenine (A) or guanine (G)) or a modified base. As

- 32 -

used herein, the terms "nucleic acid" and "oligonucleotide" refer to oligoribonucleotides as well as oligodeoxyribonucleotides. The terms shall also include polynucleosides (i.e., a polynucleotide minus the phosphate) and any other organic base-containing polymer. The terms "nucleic acid" and "oligonucleotide" also encompass nucleic acids or oligonucleotides with a covalently modified base and/or sugar. For example, they include nucleic acids having backbone sugars which are covalently attached to low molecular weight organic groups other than a hydroxyl group at the 2' position and other than a phosphate group at the 5' position. Thus modified nucleic acids may include a 2'-O-alkylated ribose group. In addition, modified nucleic acids may include sugars such as arabinose instead of ribose. Thus the nucleic acids may be heterogeneous in backbone composition thereby containing any possible combination of polymer units linked together such as peptide-nucleic acids (which have amino acid backbone with nucleic acid bases). In some embodiments the nucleic acids are homogeneous in backbone composition.

The substituted purines and pyrimidines of the immunostimulatory nucleic acids include standard purines and pyrimidines such as cytosine as well as base analogs such as C-5 propyne substituted bases. Wagner RW et al. (1996) *Nat Biotechnol* 14:840-4. Purines and pyrimidines include but are not limited to adenine, cytosine, guanine, thymine, 5-methylcytosine, 2-aminopurine, 2-amino-6-chloropurine, 2,6-diaminopurine, hypoxanthine, and other naturally and non-naturally occurring nucleobases, substituted and unsubstituted aromatic moieties.

The immunostimulatory nucleic acid is a linked polymer of bases or nucleotides. As used herein with respect to linked units of a nucleic acid, "linked" or "linkage" means two entities are bound to one another by any physicochemical means. Any linkage known to those of ordinary skill in the art, covalent or non-covalent, is embraced. Such linkages are well known to those of ordinary skill in the art. Natural linkages, which are those ordinarily found in nature connecting the individual units of a nucleic acid, are most common. The individual units of a nucleic acid may be linked, however, by synthetic or modified linkages.

Whenever a nucleic acid is represented by a sequence of letters it will be understood that the nucleotides are in 5' to 3' (or equivalent) order from left to right and that "A" denotes adenine, "C" denotes cytosine, "G" denotes guanine, "T" denotes thymidine, and "U" denotes uracil unless otherwise noted.

- 33 -

Immunostimulatory nucleic acid molecules useful according to the invention can be obtained from natural nucleic acid sources (e.g., genomic nuclear or mitochondrial DNA or cDNA), or are synthetic (e.g., produced by oligonucleotide synthesis). Nucleic acids isolated from existing nucleic acid sources are referred to herein as native, natural, or isolated nucleic acids. The nucleic acids useful according to the invention may be isolated from any source, including eukaryotic sources, prokaryotic sources, nuclear DNA, mitochondrial DNA, etc. Thus, the term nucleic acid encompasses both synthetic and isolated nucleic acids.

The immunostimulatory nucleic acids can be produced on a large scale in plasmids, (see *Molecular Cloning: A Laboratory Manual*, J. Sambrook, et al., eds., Second Edition, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, 1989) and separated into smaller pieces or administered whole. After being administered to a subject the plasmid can be degraded into oligonucleotides. One skilled in the art can purify viral, bacterial, eukaryotic, etc. nucleic acids using standard techniques, such as those employing restriction enzymes, exonucleases or endonucleases.

For use in the instant invention, the immunostimulatory nucleic acids can be synthesized *de novo* using any of a number of procedures well known in the art. For example, the  $\beta$ -cyanoethyl phosphoramidite method (Beaucage SL and Caruthers MH, *Tetrahedron Let* 22:1859 (1981)); nucleoside H-phosphonate method (Garegg et al., *Tetrahedron Let* 27:4051-4054 (1986); Froehler et al., *Nucl Acid Res* 14:5399-5407 (1986); Garegg et al., *Tetrahedron Let* 27:4055-4058 (1986); Gaffney et al., *Tetrahedron Let* 29:2619-2622 (1988)). These chemistries can be performed by a variety of automated oligonucleotide synthesizers available in the market.

The immunostimulatory nucleic acid may be any size of at least 6 nucleotides but in some embodiments are in the range of between 6 and 100 or in some embodiments between 8 and 35 nucleotides in size. Immunostimulatory nucleic acids can be produced on a large scale in plasmids. These may be administered in plasmid form or alternatively they can be degraded into oligonucleotides before administration.

A "stabilized immunostimulatory nucleic acid" shall mean a nucleic acid molecule that is relatively resistant to *in vivo* degradation (e.g., via an exo- or endo-nuclease).

Stabilization can be a function of length or secondary structure. Nucleic acids that are tens to hundreds of kbs long are relatively resistant to *in vivo* degradation. For shorter nucleic acids, secondary structure can stabilize and increase their effect. For example, if the 3' end of an

- 34 -

oligonucleotide has self-complementarity to an upstream region, so that it can fold back and form a sort of stem loop structure, then the oligonucleotide becomes stabilized and therefore exhibits more activity.

Some stabilized immunostimulatory nucleic acids have a modified backbone. It has  
5 been demonstrated that modification of the oligonucleotide backbone provides enhanced activity of the immunostimulatory nucleic acids when administered *in vivo*. Nucleic acids, including at least two phosphorothioate linkages at the 5' end of the oligonucleotide and multiple phosphorothioate linkages at the 3' end, preferably 5, may provide maximal activity and protect the oligonucleotide from degradation by intracellular exo- and endo-nucleases.  
10 Other modified oligonucleotides include phosphodiester modified oligonucleotide, combinations of phosphodiester and phosphorothioate oligonucleotide, methylphosphonate, methylphosphorothioate, phosphorodithioate, and combinations thereof. Each of these combinations and their particular effects on immune cells is discussed in more detail in U.S. Pat. Nos. 6,194,388 and 6,207,646, the entire contents of which are incorporated herein by  
15 reference. It is believed that these modified oligonucleotides may show more stimulatory activity due to enhanced nuclease resistance, increased cellular uptake, increased protein binding, and/or altered intracellular localization. Both phosphorothioate and phosphodiester nucleic acids are active in immune cells.

Other stabilized immunostimulatory nucleic acids include: nonionic DNA analogs,  
20 such as alkyl- and aryl-phosphates (in which the charged phosphonate oxygen is replaced by an alkyl or aryl group), phosphodiester and alkylphosphotriesters, in which the charged oxygen moiety is alkylated. Oligonucleotides which contain diol, such as tetraethyleneglycol or hexaethyleneglycol, at either or both termini have also been shown to be substantially resistant to nuclease degradation.

25 Phosphorothioate nucleic acid molecules may be synthesized using automated techniques employing either phosphoramidate or H-phosphonate chemistries. Aryl- and alkyl-phosphonates can be made, e.g., as described in U.S. Pat. No. 4,469,863; and alkylphosphotriesters (in which the charged oxygen moiety is alkylated as described in U.S. Pat. No. 5,023,243 and European Patent No. 092,574) can be prepared by automated solid  
30 phase synthesis using commercially available reagents. Methods for making other DNA backbone modifications and substitutions have been described. Uhlmann E and Peyman A (1990) *Chem Rev* 90:544; Goodchild J (1990) *Bioconjugate Chem* 1:165.



- 35 -

Other sources of immunostimulatory nucleic acids useful according to the invention include standard viral and bacterial vectors, many of which are commercially available. In its broadest sense, a "vector" is any nucleic acid material which is ordinarily used to deliver and facilitate the transfer of nucleic acids to cells. The vector as used herein may be an empty  
 5 vector or a vector carrying a gene which can be expressed. In the case when the vector is carrying a gene the vector generally transports the gene to the target cells with reduced degradation relative to the extent of degradation that would result in the absence of the vector. In this case the vector optionally includes gene expression sequences to enhance expression of the gene in target cells such as immune cells, but it is not required that the gene  
 10 be expressed in the cell.

Nucleic acid-binding fragments of TLRs are believed to include the extracytoplasmic (extracellular) domain or subportions thereof, such as those which include at least an MBD motif, a CXXC motif, or both an MBD motif and a CXXC motif.

Both mouse and human TLR9 have an N-terminal extension of approximately 180  
 15 amino acids compared to other TLRs. An insertion also occurs at amino acids 253-268, which is not found in TLRs 1-6 but is present in human TLR7 and human TLR8. This insert has two CXXC motifs which participate in forming a CXXC domain. The CXXC domain resembles a zinc finger motif and is found in DNA-binding proteins and in certain specific CpG binding proteins, e.g., methyl-CpG binding protein-1 (MBD-1). Fujita N et al. (2000)  
 20 *Mol Cell Biol* 20:5107-18. Both human and mouse TLR9 CXXC domains occur at aa 253-268:

CXXC motif:	GNCXXCXXXXXXXXCXXC	SEQ ID NO:62
Human TLR9:	GNCRRCDHAPNPCMEC	SEQ ID NO:63
25 Murine TLR9:	GNCRRCDHAPNPCMIC	SEQ ID NO:64

An additional motif believed to be involved in CpG binding is the MBD motif, also found in MBD-1, listed below as SEQ ID NO:53. Fujita, N et al.(2000) *Mol Cell Biol* 20:5107-18; Ohki I et al. (1999) *EMBO J* 18:6653-61. Amino acids 524-554 of hTLR9 and  
 30 aa 525-555 of mTLR9 correspond to the MBD motif of MBD-1 as shown:

MBD motif:

- 36 -

MBD-1	R-XXXXXXX-R-X-D-X-Y-XXXXXXXXXX-R-S-XXXXXX-Y	SEQ ID NO:65
hTLR9	Q-XXXXXXX-K-X-D-X-Y-XXXXXXXXXX-R-L-XXXXXX-Y	SEQ ID NO:66
mTLR9	Q-XXXXXXX-K-X-D-X-Y-XXXXXXXXXX-Q-L-XXXXXX-Y	SEQ ID NO:67
5 hTLR9	Q-VLDLSRN-K-L-D-L-Y-HEHSFTELP-R-L-EALDLS-Y	SEQ ID NO:68
mTLR9	Q-VLDLSHN-K-L-D-L-Y-HWKSFSLEP-Q-L-QALDLS-Y	SEQ ID NO:69

Although the signaling functions of MBD-1 and TLR9 are quite different, the core D-X-Y is conserved and is believed to be involved in CpG binding.

10 According to another aspect of the invention, a screening method is provided for identifying an immunostimulatory compound. The method according to this aspect of the invention involves contacting a functional TLR9 with a test compound; detecting presence or absence of a response mediated by a TLR9 signal transduction pathway in the presence of the test compound arising as a result of an interaction between the functional TLR9 and the test  
15 compound; and determining the test compound is an immunostimulatory compound when the presence of a response mediated by the TLR9 signal transduction pathway is detected.

An immunostimulatory compound is a natural or synthetic compound that is capable of inducing an immune response when contacted with an immune cell. A TLR9 ligand that is an immunostimulatory compound is a natural or synthetic compound that is capable of  
20 inducing an immune response when contacted with an immune cell that expresses TLR9. A TLR9 ligand that is an immunostimulatory compound is also a natural or synthetic compound that is capable of inducing a TLR/IL-1R signal transduction pathway when contacted with a TLR9. Immunostimulatory compounds include but are not limited to immunostimulatory nucleic acids. The immunostimulatory compound can be, for example, a nucleic acid  
25 molecule, polynucleotide or oligonucleotide, a polypeptide or oligopeptide, a lipid or lipopolysaccharide, a small molecule.

A basis for certain of the screening assays is the presence of a functional TLR9 in a cell. The functional TLR9 in some instances is naturally expressed by a cell. In other instances, expression of the functional TLR9 can involve introduction or reconstitution of a  
30 species-specific TLR9 into a cell or cell line that otherwise lacks the TLR9 or lacks responsiveness to immunostimulatory nucleic acid, resulting in a cell or cell line capable of activating the TLR/IL-1R signaling pathway in response to contact with an

- 37 -

immunostimulatory nucleic acid. In yet other instances, expression of the functional TLR9 can involve introduction of a chimeric or modified TLR9 into a cell or cell line that otherwise lacks the TLR9 or lacks responsiveness to immunostimulatory nucleic acid, resulting in a cell or cell line capable of activating the TLR/IL-1R signaling pathway in response to contact  
5 with an immunostimulatory nucleic acid. Examples of cell lines lacking TLR9 or immunostimulatory nucleic acid responsiveness include, but are not limited to, 293 fibroblasts (ATCC CRL-1573), MonoMac-6, THP-1, U937, CHO, and any TLR9 knock-out. The introduction of the species-specific, chimeric or modified TLR9 into the cell or cell line is preferably accomplished by transient or stable transfection of the cell or cell line with a  
10 TLR9-encoding nucleic acid sequence operatively linked to a gene expression sequence (as described above). Methods for transient and for stable transfection of a cell are well known in the art.

The screening assays can have any of a number of possible readout systems based upon either TLR/IL-1R signaling pathway or other assays useful for assessing response to  
15 immunostimulatory nucleic acids. It has been reported that immune cell activation by CpG immunostimulatory sequences is dependent in some way on endosomal processing.

In certain embodiments, the readout for the screening assay is based on the use of native genes or, alternatively, cotransfected or otherwise co-introduced reporter gene constructs which are responsive to the TLR/IL-1R signal transduction pathway involving  
20 MyD88, TRAF, p38, and/or ERK. Häcker H et al. (1999) *EMBO J* 18:6973-6982. These pathways activate kinases including  $\kappa$ B kinase complex and c-Jun N-terminal kinases. Thus reporter genes and reporter gene constructs particularly useful for the assays can include a reporter gene operatively linked to a promoter sensitive to NF- $\kappa$ B. Examples of such promoters include, without limitation, those for NF- $\kappa$ B, IL-1 $\beta$ , IL-6, IL-8, IL-12 p40, CD80,  
25 CD86, and TNF- $\alpha$ . The reporter gene operatively linked to the TLR-sensitive promoter can include, without limitation, an enzyme (e.g., luciferase, alkaline phosphatase,  $\beta$ -galactosidase, chloramphenicol acetyltransferase (CAT), etc.), a bioluminescence marker (e.g., green-fluorescent protein (GFP, U.S. Pat. No. 5,491,084), blue fluorescent protein, etc.), a surface-expressed molecule (e.g., CD25), and a secreted molecule (e.g., IL-8, IL-12 p40, TNF- $\alpha$ ). In  
30 certain embodiments the reporter is selected from IL-8, TNF- $\alpha$ , NF- $\kappa$ B-luciferase (NF- $\kappa$ B-luc; Häcker H et al. (1999) *EMBO J* 18:6973-6982), IL-12 p40-luc (Murphy TL et al. (1995)

*Mol Cell Biol* 15:5258-5267), and TNF-luc (Häcker H et al. (1999) *EMBO J* 18:6973-6982). At least one of these reporter constructs (NF- $\kappa$ B-luc) is commercially available (Stratagene, La Jolla, CA). In assays relying on enzyme activity readout, substrate can be supplied as part of the assay, and detection can involve measurement of chemiluminescence, fluorescence, color development, incorporation of radioactive label, drug resistance, or other marker of enzyme activity. For assays relying on surface expression of a molecule, detection can be accomplished using FACS analysis or functional assays. Secreted molecules can be assayed using enzyme-linked immunosorbent assay (ELISA) or bioassays. Many such readout systems are well known in the art and are commercially available.

According to one embodiment of this method, comparison can be made to a reference immunostimulatory nucleic acid. The reference immunostimulatory nucleic acid may be any suitably selected immunostimulatory nucleic acid, including a CpG nucleic acid. In certain embodiments the screening method is performed using a plurality of test nucleic acids. In certain embodiments comparison of test and reference responses is based on comparison of quantitative measurements of responses in each instance.

In another aspect the invention provides a screening method for identifying species specificity of an immunostimulatory nucleic acid. The method involves contacting a TLR9 of a first species with a test immunostimulatory nucleic acid; contacting a TLR9 of a second species with the test immunostimulatory nucleic acid; measuring a response mediated by a TLR signal transduction pathway associated with the contacting the TLR9 of the first species with the test immunostimulatory nucleic acid; measuring a response mediated by the TLR signal transduction pathway associated with the contacting the TLR9 of the second species with the test immunostimulatory nucleic acid; and comparing the two responses. The TLR9 may be expressed by a cell or it may be part of a cell-free system. The TLR9 may be part of a complex, with either another TLR or with another protein, e.g., MyD88, IRAK, TRAF, I $\kappa$ B, NF- $\kappa$ B, or functional homologues and derivatives thereof. Thus for example a given ODN can be tested against a panel of human fibroblast 293 fibroblast cells transfected with TLR9 from various species and optionally cotransfected with a reporter construct sensitive to TLR/IL-1R activation pathways. Thus in another aspect, the invention provides a method for screening species selectivity with respect to a given nucleic acid sequence.

Test compounds can include but are not limited to peptide nucleic acids (PNAs), antibodies, polypeptides, carbohydrates, lipids, hormones, and small molecules. Test



- 39 -

compounds can further include variants of a reference immunostimulatory nucleic acid incorporating any one or combination of the substitutions described above. Test compounds can be generated as members of a combinatorial library of compounds.

5 In preferred embodiments, the screening methods can be performed on a large scale and with high throughput by incorporating, e.g., an array-based assay system and at least one automated or semi-automated step. For example, the assays can be set up using multiple-well plates in which cells are dispensed in individual wells and reagents are added in a systematic manner using a multiwell delivery device suited to the geometry of the multiwell plate. Manual and robotic multiwell delivery devices suitable for use in a high throughput screening  
10 assay are well known by those skilled in the art. Each well or array element can be mapped in a one-to-one manner to a particular test condition, such as the test compound. Readouts can also be performed in this multiwell array, preferably using a multiwell plate reader device or the like. Examples of such devices are well known in the art and are available through commercial sources. Sample and reagent handling can be automated to further enhance the  
15 throughput capacity of the screening assay, such that dozens, hundreds, thousands, or even millions of parallel assays can be performed in a day or in a week. Fully robotic systems are known in the art for applications such as generation and analysis of combinatorial libraries of synthetic compounds. See, for example, U.S. Pat. Nos. 5,443,791 and 5,708,158.

20 The following examples are provided for illustrative purposes and are not meant to be limiting in any way.

### Examples

25 Example 1. Cloning and Sequencing of Rat, Porcine, Bovine, Equine, Ovine, Canine, and Feline TLR9

*Cells and Tissues.* Lymphoid tissues, primarily spleen or blood mononuclear cells (PBMC) from five mammalian species were collected: mouse, pig, bovine, rat and horse. Spleen samples were collected in RNeasy<sup>TM</sup> (Qiagen<sup>®</sup>, Austin, TX, USA), stabilized at  
30 4°C overnight and stored at -70°C. Blood samples were centrifuged at 500 x g for 25 min at room temperature and the buffy coat, containing enriched PBMC, was then removed and stored at -70°C. The mouse specimen was used as a comparative positive control.

- 40 -

*First-strand cDNA synthesis.* Total RNA from the spleen and PBMC samples was isolated using a monophasic solution of phenol and guanidine isothiocyanate: TRIzol™ reagent (GIBCO BRL®, Burlington, ON, Canada) according to the manufacturer's instructions. First-strand cDNA was synthesized from the total RNA using  
5 SUPERScript™ II reverse transcriptase (GIBCO BRL®, Burlington, ON, Canada). Approximately 3 µg of total RNA was added to 50 pmoles of oligo(dT) primer [poly T<sub>(18)</sub>]; the mixture was heated to 70°C for 10 min and subsequently chilled on ice. The following was added to the cooled reaction mixture: 1 µl of mixed dNTP stock containing 10 mM each dATP, dCTP, dGTP and dTTP (Amersham Pharmacia Biotech Inc., Baie de Urfe, Quebec) at  
10 neutral pH, 1X first strand buffer (50 mM Tris-HCl pH 8.3/ 75 mM KCl/ 3 mM MgCl<sub>2</sub>) and 2 µl of 0.1 M DTT. The mixture was subsequently heated to 42°C for 2 min, followed by addition of 200 units of SUPERScript™ II reverse transcriptase. The reaction was carried out at 42°C for 50 min, followed by 70°C for 15 min. The first-strand cDNA was used as the template for subsequent polymerase chain reaction (PCR) amplifications.

15 *PCR amplification.* TLR9 gene was PCR amplified from each of the above-mentioned species using primers designed from known mouse and human TLR9 sequence in Genbank: Accession AF314224 and AF259262, respectively. The primers were designed using the primer design software, Clone Manager 5 (Scientific and Educational Software, Durham, NC, USA). TLR9 gene-specific primers used were:

20 forward primer 5'-ACCTTGCCTGCCTTCCTACCCTGTGA-3' (SEQ ID NO:37) and reverse primer 5'-GTCCGTGTGGGCCAGCACAAA-3' (SEQ ID NO:38).

The 2.7 Kbp fragment was PCR amplified using Advantage® 2 DNA polymerase mix (BD Biosciences Clontech, Palo Alto, CA, USA) according to the manufacturer's instructions. PCR reaction volumes of 25 µl contained 15 pmoles of each primer, 0.2 mM of dNTP mix  
25 and 1 µl of reverse transcription reaction. PCR amplification was conducted by initial denaturation at 94°C for 1 min followed by 30 cycles of 94°C denaturation (15 sec), 65°C annealing (45 sec) and 72°C extensions (2 min), with a final extension at 72°C for 5 min.

*Cloning and sequencing.* The PCR amplified fragment was treated with 500 units of T4 DNA polymerase (Amersham Pharmacia Biotech Inc., Baie de Urfe, Quebec) for 15 min  
30 at room temperature prior to cleaning the reaction with QIAquick PCR purification kit (QIAGEN Inc., Mississauga, ON, Canada). The fragment was then ligated to pZEROTM - 2

- 41 -

vector (Invitrogen™ Life Technologies, Burlington, ON, Canada), treated with *Eco RV* restriction enzyme, using T4 DNA Ligase (GIBCO BRL®, Burlington, ON, Canada). *E. coli* TOP 10 chemically competent cells (Invitrogen™ Life Technologies, Burlington, ON, Canada) were used to transform ligated products. Plasmids containing the 2.7 Kbp fragment were sequenced using an automated DNA sequencer, CEQ™ 2000XL DNA analysis system (Beckman Coulter Inc., Fullerton, CA, USA).

Sequences of the 2.7 Kbp fragment were derived from three clones of each species selected from independent PCR reactions to account for errors that may have been incurred during the PCR amplifications and to confirm the sequence data.

Nucleotide sequences of the rat, porcine, bovine, equine, ovine, canine, and feline TLR9 were extended and completed using standard 5' and 3' RACE PCR and primers designed using the sequences obtained from the 2.7 Kbp fragments.

*Results.* Nucleotide sequences of rat, porcine, bovine, equine, canine, and feline TLR9 cDNA obtained by the methods above are provided as SEQ ID NOs 3, 7, 11, 15, 19, 23, and 27, respectively. Deduced amino acid sequences are provided as SEQ ID NOs 1, 5, 9, 13, 17, 21, and 25, respectively. Deduced amino acid sequences of full-length murine and human TLR9 are provided as SEQ ID NOs 29 and 33, respectively.

#### Example 2. Comparison of Aligned Sequences for TLR9 from Various Mammalian Species.

Multiple sequence alignment of deduced amino acid sequences for feline, canine, bovine, mouse, ovine, porcine, horse, human, and rat TLR9 polypeptides was performed using Clustal W 1.82 (see, for example, [www.cmbi.kun.nl/bioinf/tools/clustalw.shtml](http://www.cmbi.kun.nl/bioinf/tools/clustalw.shtml)). In addition, paired sequence alignment of deduced amino acid sequences for murine and human TLR9 polypeptides was performed using Clustal W 1.82. The results of the multiple sequence alignment are presented in **Figure 1**. As will be appreciated from Figure 1, certain amino acids are highly conserved across all species examined. Similarly, certain amino acids differ only by conservative amino acid substitutions among the various species. In addition, it is evident that certain amino acids which are conserved between murine and human TLR9 are not conserved in other species. Furthermore, Figure 1 also indicates that certain amino acids are highly divergent across various species. The information provided by the comparison of multiple species adds significantly to the information available by comparison between only murine and human TLR9 sequences.

- 42 -

The putative transmembrane regions of the TLR9 polypeptides are indicated in boxes in Figure 1. Sequence upstream of each transmembrane region is extracellular domain and is believed to include sequence primarily responsible for binding to TLR9 ligands, including CpG DNA. The extracellular domains of feline, canine, bovine, mouse, ovine, porcine, horse, human, and rat TLR9 correspond to amino acids numbered 1-820, 1-822, 1-818, 1-821, 1-818, 1-819, 1-820, 1-820, and 1-821, respectively, as shown in Figure 1.

Figure 2 presents an evolutionary relatedness tree for six TLR9 polypeptides examined. The cladogram in Figure 2 was prepared using Clustal W (see above). As can be appreciated from this figure, murine and human TLR9 are nearly the most divergent TLR9s in this group. Surprisingly, human and horse TLR9 appear relatively closely related.

### Example 3. Reconstitution of TLR9 Signaling in 293 Fibroblasts.

Mouse TLR9 cDNA (SEQ ID NO:31) and human TLR9 cDNA (SEQ ID NO:35) in pT-Adv vector (from Clontech) were individually cloned into the expression vector pcDNA3.1(-) from Invitrogen using the EcoRI site. Utilizing a "gain of function" assay it was possible to reconstitute human TLR9 (hTLR9) and murine TLR9 (mTLR9) signaling in CpG-DNA non-responsive human 293 fibroblasts (ATCC, CRL-1573). The expression vectors mentioned above were transfected into 293 fibroblast cells using the calcium phosphate method.

Since NF- $\kappa$ B activation is central to the IL-1/TLR signal transduction pathway (Medzhitov R et al. (1998) *Mol Cell* 2:253-258; Muzio M et al. (1998) *J Exp Med* 187:2097-101), cells were transfected with hTLR9 or co-transfected with hTLR9 and an NF- $\kappa$ B-driven luciferase reporter construct. Human fibroblast 293 cells were transiently transfected with hTLR9 and a six-times NF- $\kappa$ B-luciferase reporter plasmid (NF- $\kappa$ B-luc) or with hTLR9 alone. After stimulus with CpG-ODN (2006, 2 $\mu$ M, TCGTCGTTTTGTCGTTTTGTCGTT, SEQ ID NO:58), GpC-ODN (2006-GC, 2 $\mu$ M, TGCTGCTTTTGTGCTTTTGTGCTT, SEQ ID NO:59), LPS (100 ng/ml) or media, NF- $\kappa$ B activation by luciferase readout (8h) or IL-8 production by ELISA (48h) were monitored. Results representative of three independent experiments showed that cells expressing hTLR9 responded to CpG-DNA but not to LPS.

Independently, human fibroblast 293 cells were transiently transfected with mTLR9 and the NF- $\kappa$ B-luc construct or with mTLR9 alone. After stimulation with CpG-ODN (1668, 2 $\mu$ M; TCCATGACGTTTCCTGATGCT, SEQ ID NO:60), GpC-ODN (1668-GC, 2 $\mu$ M;



- 43 -

TCCATGAGCTTCCTGATGCT, SEQ ID NO:61), LPS (100 ng/ml) or media, NF- $\kappa$ B activation by luciferase readout (8h) or IL-8 production by ELISA (48h) were monitored. Results showed that expression of TLR9 (human or mouse) in 293 cells results in a gain of function for CpG-DNA stimulation.

5 To generate stable clones expressing human TLR9, murine TLR9, or either TLR9 with the NF- $\kappa$ B-luc reporter plasmid, 293 cells were transfected in 10 cm plates ( $2 \times 10^6$  cells/plate) with 16  $\mu$ g of DNA and selected with 0.7 mg/ml G418 (PAA Laboratories GmbH, Cölbe, Germany). Clones were tested for TLR9 expression by RT-PCR. The clones were also screened for IL-8 production or NF- $\kappa$ B-luciferase activity after stimulation with  
10 ODN. Four different types of clones were generated.

293-hTLR9-luc:	expressing human TLR9 and 6-fold NF- $\kappa$ B-luciferase reporter
293-mTLR9-luc:	expressing murine TLR9 and 6-fold NF- $\kappa$ B-luciferase reporter
293-hTLR9:	expressing human TLR9
15 293-mTLR9:	expressing murine TLR9

Results indicated that stable clones also responded to CpG-ODN.

Example 4. Similar ODN Sequence Specificity of TLR9 of Human and Equine TLR9.

20  $3 \times 10^6$  293T cells were electroporated with 5  $\mu$ g NF- $\kappa$ B-luc plasmid and 5  $\mu$ g of either horse TLR9-pcDNA3.1 plasmid or humanTLR9-pcDNA3.1 plasmid at 200V, 975  $\mu$ F. After the electroporation the cells were plated in 96-well cell culture plates at  $2.5 \times 10^4$  cells per well and grown overnight at 37°C. The cells were stimulated with the indicated concentration of ODN for 16h, after which the supernatant was removed and the cells lysed in lysis buffer and  
25 frozen for at least 2 hours at -80°C. Luciferase activity was measured by adding Luciferase Assay substrate from Promega. Values are given as fold specific induction over non-stimulated control. Results are shown in **Figure 3**.

As shown in Figure 3, ODN 2006 (TCGTCGTTTTGTCGTTTTGTCGTT; SEQ ID NO:58) has a strong specificity for human TLR9. ODN 1982  
30 (TCCAGGACTTCTCTCAGGTT; SEQ ID NO:70) was the negative control ODN. ODN 5890 (TCCATGACGTTTTTGATGTT; SEQ ID NO:39) has a strong specificity for mouse

- 44 -

TLR9. This experiment demonstrates the similarity of horse TLR9 to human TLR9 in binding specificity, a result predicted by the evolutionary relatedness of horse TLR9 to human TLR9. Mouse TLR9 is more distant from horse TLR9 and human TLR9 in sequence homology, and ODN 5890 was not detected by either human or horse TLR9.

5

Example 5. Non-human, Non-murine Native Mammalian TLR9 Useful in Screening for Human-Preferred CpG DNA.

Native rat, porcine, bovine, equine, and ovine TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006). Rat, porcine, bovine, equine, or ovine TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in this assay are then used as the basis for screening for additional human-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected native rat, porcine, bovine, equine, or ovine TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected native rat, porcine, bovine, equine, or ovine TLR9 polypeptide are contacted with candidate human-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA.

20 Example 6. Chimeric TLR9 Useful in Screening for Human-Preferred CpG DNA.

Chimeric TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006). Chimeric TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in this assay are then used as the basis for screening for additional human-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected chimeric TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected chimeric TLR9 polypeptide are contacted with candidate human-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA.

30

Example 7. Chimeric TLR9 Responsive to Both Human-Preferred and Murine-Preferred CpG DNA.

- 45 -

Chimeric TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006) and also screened for binding or TLR9 signaling activity when contacted with murine-preferred CpG DNA (ODN 1668). Chimeric TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in each of these assays are then used as the basis for screening for additional human-preferred CpG DNA and for screening for additional murine-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected chimeric TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected chimeric TLR9 polypeptide are contacted with candidate human-preferred CpG DNA or candidate murine-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA. Candidate murine-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as murine-preferred CpG DNA.

### Equivalents

The foregoing written specification is considered to be sufficient to enable one skilled in the art to practice the invention. The present invention is not to be limited in scope by examples provided, since the examples are intended as a single illustration of one aspect of the invention and other functionally equivalent embodiments are within the scope of the invention. Various modifications of the invention in addition to those shown and described herein will become apparent to those skilled in the art from the foregoing description and fall within the scope of the appended claims. The advantages of the invention are not necessarily encompassed by each embodiment of the invention.

All references, patents and patent publications that are recited in this application are incorporated in their entirety herein by reference.

We claim:

- 46 -

### Claims

1. An isolated polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:1, SEQ ID NO:5, SEQ ID NO:9, SEQ ID NO:13, and SEQ ID NO:17.

5

2. An isolated polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:2, SEQ ID NO:6, SEQ ID NO:10, SEQ ID NO:14, and SEQ ID NO:18.

10

3. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:1, SEQ ID NO:5, SEQ ID NO:9, SEQ ID NO:13, and SEQ ID NO:17.

15

4. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:2, SEQ ID NO:6, SEQ ID NO:10, SEQ ID NO:14, and SEQ ID NO:18.

5. A vector comprising the nucleic acid of any of claims 3-4.

6. A cell comprising the vector of claim 5.

20

7. An antibody or fragment thereof that binds specifically to the polypeptide of any of claims 1-2.

25

8. A method for identifying key amino acids in a TLR9 of a first species which confer specificity for CpG DNA optimized for TLR9 of the first species, comprising:

aligning protein sequences of TLR9 of a first species, TLR9 of a second species, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for TLR9 of the first species rather than when contacted with a CpG DNA optimized for TLR9 of the second species;

30

generating an initial set of candidate amino acids in the TLR9 of the first species by excluding each amino acid in the TLR9 of the first species which (a) is identical with the



- 47 -

TLR9 of the second species or (b) differs from the TLR9 of the second species only by conservative amino acid substitution;

generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in the TLR9 of the first species which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and

identifying as key amino acids in the TLR9 of the first species each amino acid in the refined set of candidate amino acids.

9. A method for identifying key amino acids in human TLR9 which confer specificity for CpG DNA optimized for human TLR9, comprising:

aligning protein sequences of human TLR9, murine TLR9, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for human TLR9 rather than when contacted with a CpG DNA optimized for murine TLR9;

generating an initial set of candidate amino acids in human TLR9 by excluding each amino acid in human TLR9 which (a) is identical with murine TLR9 or (b) differs from murine TLR9 only by conservative amino acid substitution;

generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in human TLR9 which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and

identifying as key amino acids in human TLR9 each amino acid in the refined set of candidate amino acids.

10. The method according to claim 9, performed iteratively with a plurality of TLR9s derived from different species other than human and mouse, wherein for each TLR9 the refined set of candidate amino acids is assigned a weight, said weight corresponding to a ratio equal to (responsiveness to human-preferred CpG DNA)/(responsiveness to murine-preferred CpG DNA).

- 48 -

11. An isolated polypeptide comprising an amino acid sequence identical to SEQ ID NO:30 except for substitution of at least one key amino acid identified according to the method of any of claims 9 or 10.

5 12. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide according to claim 11.

13. A vector comprising the nucleic acid of claim 12.

10 14. A cell comprising the vector of claim 13.

15. An antibody that binds specifically to the polypeptide of claim 14.

16. A screening method to identify a TLR9 ligand, comprising:  
15 contacting a polypeptide according to any of claims 1, 2, or 11 with a candidate TLR9 ligand;  
measuring a signal in response to the contacting; and  
identifying the candidate TLR9 ligand as a TLR9 ligand when the signal in response to the contacting is consistent with TLR9 signaling.

20

17. The method of claim 16, wherein the signal comprises expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway.

18. The method of claim 17, wherein the reporter gene is operatively linked to a  
25 promoter sensitive to NF- $\kappa$ B.

19. The method of claim 17, wherein the candidate TLR9 ligand is an immunostimulatory nucleic acid.

30 20. The method of claim 19, wherein the immunostimulatory nucleic acid is CpG DNA.

- 49 -

21. A screening method to identify species-specific CpG-motif preference of an isolated polypeptide of claim 2 or claim 11, comprising:

contacting an isolated polypeptide of claim 2 or claim 11 with a CpG DNA comprising a hexamer sequence selected from the group consisting of GACGTT, AACGTT, CACGTT, TACGTT, GGCGTT, GCCGTT, GTCGTT, GATGTT, GAAGTT, GAGGTT,  
5 GACATT, GACCTT, GACTTT, GACGCT, GACGAT, GACGGT, GACGTC, GACGTA, and GACGTG;

measuring a signal in response to the contacting; and

identifying a species-specific CpG-motif preference when the signal in response to the  
10 contacting is consistent with TLR9 signaling.

22. The method of claim 21, wherein the signal comprises expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway.

15 23. The method of claim 17, wherein the reporter gene is operatively linked to a promoter sensitive to NF- $\kappa$ B.

24. The method of claim 21, wherein the CpG DNA is an oligodeoxynucleotide having a sequence selected from the group consisting of

20	TCCATGACGTTTTTGATGTT	(SEQ ID NO:39),
	TCCATAACGTTTTTGATGTT	(SEQ ID NO:40),
	TCCATCACGTTTTTGATGTT	(SEQ ID NO:41),
	TCCATTACGTTTTTGATGTT	(SEQ ID NO:42),
	TCCATGGCGTTTTTGATGTT	(SEQ ID NO:43),
25	TCCATGCCGTTTTTGATGTT	(SEQ ID NO:44),
	TCCATGTCGTTTTTGATGTT	(SEQ ID NO:45),
	TCCATGATGTTTTTGATGTT	(SEQ ID NO:46),
	TCCATGAAGTTTTTGATGTT	(SEQ ID NO:47),
	TCCATGAGGTTTTTGATGTT	(SEQ ID NO:48),
30	TCCATGACATTTTTGATGTT	(SEQ ID NO:49),
	TCCATGACCTTTTTGATGTT	(SEQ ID NO:50),
	TCCATGACTTTTTTGATGTT	(SEQ ID NO:51),
	TCCATGACGCTTTTTGATGTT	(SEQ ID NO:52),
	TCCATGACGATTTTTGATGTT	(SEQ ID NO:53),
35	TCCATGACGGTTTTGATGTT	(SEQ ID NO:54),
	TCCATGACGTCTTTGATGTT	(SEQ ID NO:55),
	TCCATGACGTATTTGATGTT	(SEQ ID NO:56), and
	TCCATGACGTGTTTGATGTT	(SEQ ID NO:57).

Figure 1  
(1/3)

feline	MGPCHGALHPLSLLVQAAALAVALAQGTLPALFLPCELQRHGLVNCDWLFLKSVPHFSA	60
canine	MGPCRGALHPLSLLVQAAALALALAQGTLPALFLPCELQPHGLVNCNWLFLKSVPFSA	60
bovine	MGP-YCAPHPLSLLVQAAALAAALAEGLTLPALFLPCELQPHGQVDCNWLFLKSVPHFSA	59
mouse	MGP-YCAPHPLSLLVQAAALAAALAEGLTLPALFLPCELQPHGQVDCNWLFLKSVPHFSA	59
ovine	MGP-YCAPHPLSLLVQAAALAAALAEGLTLPALFLPCELQPRGKVNWNWLFLKSVPFSA	59
porcine	MGP-RCTLHPLSLLVQVTAALAAALAEGLTLPALFLPCELQPHGLVNCNWLFLKSVPHFSA	59
horse	MGPCHGALQPLSLLVQAAMLAVALAQGTLPALFLPCELQPHGLVNCNWLFLKSVPHFSA	60
human	MGFCRSALHPLSLLVQAIMLAMTLALGTLPALFLPCELQPHGLVNCNWLFLKSVPHFSA	60
rat	MVLCRRTLHPLSLLVQAAVLAEALALGTLPALFLPCELKPHGLVDCNWLFLKSVPHFSA	60
	* : :*****. ** : ** * ** .***** : : * * :***** : ** .	
feline	PRGNVTSLSLYSNRIHHLHDSDFVHLSSLRLNLKWNCPASLSPMHFPCMTIEPHTFL	120
canine	PRGNVTSLSLYSNRIHHLHDYDFVHFVHLRLNLKWNCPASLSPMHFPCMTIEPNTFL	120
bovine	PRANVTSLSLISNRIHHLHDSDFVHLNLRLVNLKWNCPAGLSPMHFPCMTIEPNTFL	119
mouse	PRANVTSLSLISNRIHHLHDSDFVHLNLRLVNLKWNCPAGLSPMHFPCMTIEPNTFL	119
ovine	PRANVTSLSLISNRIHHLHDSDFVHLNLRLVNLKWNCPAGLSPMHFPCMTIEPNTFL	119
porcine	PRANVTSLSLISNRIHHLHDSDFVHLSSLRLNLKWNCPAGLSPMHFPCMTIEPNTFL	119
horse	PRDNVTSLSLISNRIHHLHDSDFVHLNLRLVNLKWNCPAGLSPMHFPCMTIEPNTFL	120
human	PRGNVTSLSLISNRIHHLHDSDFVHLNLRLVNLKWNCPAGLSPMHFPCMTIEPNTFL	120
rat	PRSNITSLSLIANRIHHLHDLDFVHLNLRLVNLKWNCPAGLSPMHFPCMTIEPNTFL	120
	** * :***** :***** : ** . : : :***** .*** : ** . :***** ***	
feline	AVPTLEELNLSYNSITTVPALPSSLVSLSLSRNLIIVLDPANLAGLHSLRFLDGN	180
canine	AVPTLEELNLSYNSITTVPALPSSLVSLSLSRNLIIVLDPANLAGLHSLRFLDGN	180
bovine	AVPTLEELNLSYNGITTVPALPSSLVSLSLSRNLIIVLDPANLAGLHSLRFLDGN	179
mouse	AVPTLEELNLSYNGITTVPALPSSLVSLSLSRNLIIVLDPANLAGLHSLRFLDGN	179
ovine	AVPTLEELNLSYNGITTVPALPSSLVSLSLSRNLIIVLDPANLAGLHSLRFLDGN	179
porcine	AVPTLEELNLSYNSITTVPALPSSLVSLSLSRNLIIVLDPANLAGLHSLRFLDGN	179
horse	AVPTLEELNLSYNGITTVPALPSSLVSLSLSRNLIIVLDPANLAGLHSLRFLDGN	180
human	AVPTLEELNLSYNNITTVPALPSSLVSLSLSRNLIIVLDPANLAGLHSLRFLDGN	180
rat	AMRMLEELNLSYNGITTVPALPSSLVSLSLSRNLIIVLDPANLAGLHSLRFLDGN	180
	* : ** :***** . * ** * . * . * : * . * . : : * : * : * :*****	
feline	KNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLLSYNHIITLAPEDL	240
canine	KNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLLSYNHIITLAPEDL	240
bovine	MNPCPRALEVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLLSYNHIITLAPEDL	239
mouse	MNPCPRALEVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLLSYNHIITLAPEDL	239
ovine	KNPCQAVEVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLLSYNHIITLAPEDL	239
porcine	KNPCQGALEVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLLSYNHIITLAPEDL	239
horse	KNPCGRALEVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLLSYNHIITLAPEDL	240
human	KNPCQALEVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLLSYNHIITLAPEDL	240
rat	KNPCGAVNVTPDAFLGLSNLTHLSLKYNNTAVPRGLPPSLEYLLLSYNHIITLAPEDL	240
	*** * : * . * :***** .***** ***** ** * . * : ***** * : * . ***	
feline	ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLPDTSFHLNHLGLVLDKSSLYNLN	300
canine	ANLTALRVLDVGGNCRRCDHARNPCRECPKGFPHLPDTSFHLNHLGLVLDKSSLYSLD	300
bovine	ANLTALRVLDVGGNCRRCDHARNPCRECPKGFPHLPDTSFHLNHLGLVLDKSSLYKLE	299
mouse	ANLTALRVLDVGGNCRRCDHARNPCRECPKGFPHLPDTSFHLNHLGLVLDKSSLYKLE	299
ovine	ANLTALRVLDVGGNCRRCDHARNPCRECPKGFPHLPDTSFHLNHLGLVLDKSSLYKLE	299
porcine	ANLTALRVLDVGGNCRRCDHARNPCRECPKGFPHLPDTSFHLNHLGLVLDKSSLYNLD	299
horse	ANLTALRVLDVGGNCRRCDHARNPCRECPKGFPHLPDTSFHLNHLGLVLDKSSLYQLN	300
human	ANLTALRVLDVGGNCRRCDHARNPCRECPKGFPHLPDTSFHLNHLGLVLDKSSLYSWLN	300
rat	ANLTSLRMLDVGGNCRRCDHARNPCRECPKGFPHLPDTSFHLNHLGLVLDKSSLYSLN	300
	***** : * :***** : * :***** : * :***** : * :***** : * :*****	
feline	PRWFHALGNLMVLDLSENFLYDCITKTAFQGLAQLRRLNLSFNHKKVSFAHLHLAPSF	360
canine	PRWFHGLGNLMVLDLSENFLYDCITKTAFQGLAQLRRLNLSFNHKKVSFAHLHLAPSF	360
bovine	KDWFRLGLRLQVLDLSENFLYDYITKTTFNDLTQLRRLNLSFNHKKVSFAHLHLAPSF	359
mouse	KDWFRLGLRLQVLDLSENFLYDYITKTTFNDLTQLRRLNLSFNHKKVSFAHLHLAPSF	359
ovine	KDWFRLGLRLQVLDLSENFLYDYITKTTFNDLTQLRRLNLSFNHKKVSFAHLHLAPSF	359
porcine	TRWFRLGLRLQVLDLSENFLYDCITKTAFQGLAQLRRLNLSFNHKKVSFAHLHLAPSF	359
horse	PRWFRLGNLTVLDLSENFLYDCITKTAFQGLAQLRRLNLSFNHKKVSFAHLHLAPSF	360
human	ASWFRLGNLTVLDLSENFLYDCITKTAFQGLAQLRRLNLSFNHKKVSFAHLHLAPSF	360
rat	SKWFRLGNLTVLDLSENFLYDCITKTAFQGLAQLRRLNLSFNHKKVSFAHLHLAPSF	360
	* : * . * ***** . * . * . * . : * : * :***** : * :***** : * :*****	



**Figure 1**  
**(2/3)**

feline	GSLLSLQQLDMHGIFFRSLSETTLRSLVHLPMQLSLHLMNFINQAQLSIFGAFFPGLRYV	420
canine	GSLLSLQELDIHGIFFRSLSKTTLQSLAHLPLMLQRLHLQLNFISQAQLSIFGAFFPGLRYV	420
bovine	GSLVSLEKLDMHGIFFRSLTNITLQSLTRLPKLQSLHLQLNFINQAQLSIFGAFFPSLLEFV	419
mouse	GSLVSLEKLDMHGIFFRSLTNITLQSLTRLPKLQSLHLQLNFINQAQLSIFGAFFPSLLEFV	419
ovine	GGLVSLEKLDMHGIFFRSLTNITLRPLTLQLPKLQSLSLQLNFINQAELSIFGAFFPSLLEFV	419
porcine	GHLRSLKELDMHGIFFRSLSETTLQPLVLQPLMLQTLRLQMNFINQAQLSIFGAFFPGLLYV	419
horse	GSLLSLQELDMHGIFFRSLSQKTLOPLARLPLMLQRLYLQMNFINQAQLGIFKDFFPGLRYI	420
human	GSLVALKELDMHGIFFRSLDETTLRPLARLPLMLQTLRLQMNFINQAQLGIFRAFFPGLRYV	420
rat	KSLVSLQELNMNGIFFRLLNKNTLRWLAGLPKLHTLHLQMNFINQAQLSVFSTFRALRFV	420
	* : * : * : * : * : * : * : * : * : * : * : * : * : * : *	
feline	DLSDNRISGAMELAATGEVDG--GERVRLPSGDLAGPPGTPSSEGFMPCCKTLNFTLD	478
canine	DLSDNRISGAAPAAATGEVEADCGERVWPQSRDLALGPLGTGSEAFMPSCRTLNFTLD	480
bovine	DLSDNRISGAATPAAALGEVDS--RVEVWRLPRGLAPGPLDAVSSKDFMPCSN-LNFTLD	476
mouse	DLSDNRISGAATPAAALGEVDS--RVEVWRLPRGLAPGPLDAVSSKDFMPCSN-LNFTLD	476
ovine	DLSDNRISGAARPVAALGEVDS--GVEVWRWPRGLAPGPLAAVASAKDFMPCSN-LNFTLD	476
porcine	DLSDNRISGAARPVAITREVDG--RERVWLPSRNLAAPRPDLTRSEDMPNCKAFSFTLD	477
horse	DLSDNRISGAVEPVATTGEVDG--GKKVWLTSRDLTGPGLDTPSSEDFMPCKNLSTFDLD	478
human	DLSDNRISGASELTATMGEGDG--GEKVWLQPGDLAPAVDTPSSEDFRPNCTLNFTLD	478
rat	DLSNNRISGPPTLSRVPEKAD-EAEKGVPWPASLTPALPSTPVSKNFMVRCKNLRTMD	479
	***:***** . * . . *: : : * * : **:	
feline	LSRNNLVTIQPEMFARLSRLQCLLLSRNSISQAVNGSQFMPLTSLQVLDLSHNKLDLYHG	538
canine	LSRNNLVTVQPEMFVRLARLQCLGLSHNSISQAVNGSQFVPLSNLRVLDLSHNKLDLYHG	540
bovine	LSRNNLVTIQQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTSLRVLDLSHNKLDLYHG	536
mouse	LSRNNLVTIQQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTSLRVLDLSHNKLDLYHG	536
ovine	LSRNNLVTIQQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTSLRVLDLSYNKLDLYHG	536
porcine	LSRNNLVTIQSEMFAFLSRLECLRLSHNSISQAVNGSQFVPLTSLRVLDLSHNKLDLYHG	537
horse	LSRNNLVTVQPEMFAQLSRLQCLRLSHNSISQAVNGSQFVPLTSLQVLDLSHNKLDLYHG	538
human	LSRNNLVTVQPEMFAQLSHLQCLRLSHNCISQAVNGSQFLPLTGLOVLDLSHNKLDLYHE	538
rat	LSRNNQVTIKPEMFVNLSHLQCLSLSHNCAIAQAVNGSQFLPLTNLKVLDLSYNKLDLYHS	539
	***** **: : ***.:*:** *:*.**:*****:***: *.*****:*****	
feline	RSFTELPRLEALDLSYNSQPFSMQGVGHNLSEFVAQLPALRYLSLAHNDIHSRVSQQLCSA	598
canine	RSFTELPRLEALDLSYNSQPFSMRGVGHNLSEFVAQLPALRYLSLAHNGIHSRVSQQLRSA	600
bovine	RSFTELPQLEALDLSYNSQPFSMQGVGHNLSEFVAQLPSLRYLSLAHNGIHSRVSQKLSSA	596
mouse	RSFTELPQLEALDLSYNSQPFSMQGVGHNLSEFVAQLPSLRYLSLAHNGIHSRVSQKLSSA	596
ovine	RSFTELPQLEALDLSYNSQPFSMQGVGHNLSEFVAQLPSLRYLSLAHNGIHSRVSQKLSSA	596
porcine	RSFTELPRLEALDLSYNSQPFTMQGVGHNLSEFVAQLPALRYLSLAHNDIHSRVSQQLCSA	597
horse	RSFTELPRLEALDLSYNSQPFSMRGVGHNLSEFVAQLPTLRYLSLAHNGIHSRVSQQLCST	598
human	HSFTELPRLEALDLSYNSQPFQMVGHNLFSEFAHLRTLRLSLAHNNIHSQVSQQLCST	598
rat	KSFSELPLQALDLSYNSQPFSMQGIGHNLFSEFLANLSRLQNLSLAHNDIHSRVSSRLYST	599
	:*:***:~:***** ***** *:*:***:***:~* *: *****.****:*~* :	
feline	SLRALDFSGNALSRMWAEGDLYLHFFRGRLSLVRLDLSQNRHLHTLLPRTLNDNLPKSLRLL	658
canine	SLRALDFSGNTLSQMWAEGDLYLRFFQGRLSLVQLDLSQNRHLHTLLPRNLNDNLPKSLRLL	660
bovine	SLRALDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSENHLHTLLPRHLNDNLPKSLRQL	656
mouse	SLRALDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSENHLHTLLPRHLNDNLPKSLRQL	656
ovine	SLRALDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSKNHLHTLLPRHLNDNLPKSLRQL	656
porcine	SLCALDFSGNDLSRMWAEGDLYLRFFQGRLSLVWLDLSQNHHLHTLLPRALNDNLPKSLKHL	657
horse	SLWALDFSGNSLSQMWAEGDLYLRFFQGRLSLIRLDLSQNRHLHTLLPCTLGNLPKSLQLL	658
human	SLRALDFSGNALGHMWAEGDLYLHFFQGRLSGLIWLDLSQNRHLHTLLPQTLRNLPKSLQVL	658
rat	SVEYLDMSGNGVGRMWDEEDLYLYFFQDLRSLIHLDLSQNKHLILRPQNLNYLPKSLTKL	659
	*: ***** :~:** * **** *:~* *: *****:*** * * ***** *	
feline	RLRDNYLAFFNWSSLVLLPRLEALDLAGNQLKALSNGSLPNGTQLQRDLSSNSISFVAS	718
canine	RLRDNYLAFFNWSSLALLPKLEALDLAGNQLKALSNGSLPNGTQLQRDLSGNSIGFVVP	720
bovine	RLRDNNLAFFNWSSLTVLPRLEALDLAGNQLKALSNGSLPPGIRLQKLDVSSNSIGFVIP	716
mouse	RLRDNNLAFFNWSSLTVLPRLEALDLAGNQLKALSNGSLPPGIRLQKLDVSSNSIGFVIP	716
ovine	RLRDNNLAFFNWSSLTVLPQLEALDLAGNQLKALSNGSLPPGIRLQKLDVSSNSIGFVTP	716
porcine	HRLDNNLAFFNWSSLTLLPKLETLDLAGNQLKALSNGSLPSGTQLRRDLSGNSIGFVNP	717
horse	RLRDNYLAFFNWSSLTLLPNLETLDLAGNQLKALSNGSLPSGTQLQRDLVSRNSIIFVVP	718
human	RLRDNYLAFFKWWSLHFLPKLEVLDLAGNQLKALTNGSLPAGTRLRRLDVSCNSISFVAP	718
rat	SFRDNHLSFFNWSSLAFPLNLRDLDLAGNLLKALTNGTLPNGTLQKLDVSSNSIVFVVP	719
	.*** *:***:~* ** .***. ***** *****:***:~* * *:~*~*~* ~* ~*	

**Figure 1**  
**(3/3)**

feline	SFFALATRLRELNLSANALKTVEPSWFGSLAGTLKVLDVTGNPLHCACGAAFVDFLLEVQ	778
canine	SFFALAVRLRELNLSANALKTVEPSWFGSLAGALKVLDTANPLHCACGATFVDFLLEVQ	780
bovine	GFFVRATRILIELNLSANALKTVDPESWFGSLAGTLKILDVSANPLHCACGAAFVDFLLERQ	776
mouse	GFFVRATRILIELNLSANALKTVDPESWFGSLAGTLKILDVSANPLHCACGAAFVDFLLERQ	776
ovine	GFFVLANRLKELNLSANALKTVDPFWFGRLTETLNILDVSANPLHCACGAAFVDFLLEMQ	776
porcine	GFFALAKQLEELNLSANALKTVEPSWFGSMVGNLKVLDVSANPLHCACGATFVGFLLEVQ	777
horse	GFFALATRLRELNLSANALRTEEPSWFEGFLAGSLLEVLDVSANPLHCACGAAFVDFLLQVQ	778
human	GFFSKAKELRELNLSANALKTVDHSWFGPLASALQILDVSANPLHCACGAAFMDFLLEVQ	778
rat	AFFALAVELKEVNLSHNILKTVDRSWFGPIVMNLTVLDVSSNPLHCACGAPFVDLLLEVQ .* * . * *:*** * :*: : *** :. * :****:*****.:*.::**:	779
feline	AAVPGLPGHVCKGSPGQLQGRSIFAQDLRLCLDEALSWDCEFGLSLLTVALGLAVPMLHHL	838
canine	AAVPGLPSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWSVCFSLSLLAVALSLAVPMLHQI	840
bovine	EAVPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETSLSDCFGLSLLMVALGLAVPMLHHL	836
mouse	EAVPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETSLSDCFGLSLLMVALGLAVPMLHHL	836
ovine	AAVPGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETSLSDCFGSLLMVALGLAVPMLHHL	836
porcine	AAVPGLPSRVKCGSPGQLQGHSIFAQDLRLCLDETSLSWNCFGISLLAMALGLVVPMLHHL	837
horse	AAVPGLPSRVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFGLSLLVVALGLAMPMLHHL	838
human	AAVPGLPSRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCEFAISLLAVALGLGVPMHLHL	838
rat	TKVPGLANGVKCSPRQLQGRSIFAQDLRLCLDDVLSRDCEGLSLLAVAVGTVLPLLQHLL	839
****. *. ***** **** *:*****. ** **:*** :*. :*:**:*		
feline	CGWDLWYCFHLCLAWLP RRGR--RGADALPYDAFVVFDKAQSAVADVYNELRVLRLEER	896
canine	CGWDLWYCFHLCLAWLP RRGR--RGVDALAYDAFVVFDKAQS SVADVYNELRVQLEER	898
bovine	CGWDLWYCFHLCLAHLPRRRRQ--RGEDTLLYDAVVVF DKVQSAVADVYNELRVQLEER	894
mouse	CGWDLWYCFHLCLAHLPRRRRQ--RGEDTLLYDAVVVF DKVQSAVADVYNELRVQLEER	894
ovine	CGWDLWYCFHLCLAHLPRRRRQ--RGEDTLLYDAFVVFDKAQSAVADVYNELRVQLEER	894
porcine	CGWDLWYCFHLCLAWLP HRGR--RGADALFYDAFVVFDKAQSAVADVYNELRVQLEER	895
horse	CGWDLWYCFHLGLAWLP RRGWQ--RGADALSYDAFVVFDKAQSAVADVYNELRVLRLEER	896
human	CGWDLWYCFHLCLAWLPWRGRQSGRDEDALPYDAFVVFDKTQSAVADVYNELRGQLEECC	898
rat	CGWDVWYCFHLCLAWLP LLTRGR-RSAQALPYDAFVVFDKAQSAVADVYNELRVLRLEER	898
****:***** ** ** *. ::* ***.*****.:*:*****:*****		
feline	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKMLEFVLAHTDRVSGLLRASFLLAQORL	956
canine	RGRRALRLCLEERDWVPGKTLFENLWASVYSSRKTFVLARTDRVSGLLRASFLLAQORL	958
bovine	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKTMFVL DHTDRVSGLLRASFLLAQORL	954
mouse	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKTMFVL DHTDRVSGLLRASFLLAQORL	954
ovine	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKTMFVL DHTDRVSGLLRASFLLAQORL	954
porcine	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKTFVLAHTDRVSGLLRASFLLAQORL	955
horse	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKMLEFVLAHTDQVSGLLRASFLLAQORL	956
human	RGRWALRLCLEERDWLPGKTLFENLWASVYGSRKTFVLAHTDRVSGLLRASFLLAQORL	958
rat	RGRRALRLCLEERDWLPGQTLEFN LWASIYGSRKTFVLAHTDKVSGLLRSTFLLAQORL	958
*** *****:***:**:*****:*.*** :*** :*:*****:*****		
feline	LED RKDVVLVILRPDAHRSRYVRLRQR LCRQSVLLWPHQPSGQRS FWAQLGTALTRDNQ	1016
canine	LED RKDVVLVILCPDAHRSRYVRLRQR LCRQSVLLWPHQPSGQRS FWAQLGTALTRDNR	1018
bovine	LED RKDVVLVILRPAAYRSRYVRLRQR LCRQSVLLWPHQPSGGSF WANLGIALTRDNR	1014
mouse	LED RKDVVLVILRPAAYRSRYVRLRQR LCRQSVLLWPHQPSGGSF WANLGIALTRDNR	1014
ovine	LED RKDVVLVILRPAAYRSRYVRLRQR LCRQSVLLWPHQPSGGSF WANLGMALTRDNR	1014
porcine	LED RKDVVLVILRPDAYRSRYVRLRQR LCRQSVLLWPHQPRGQGS FWAQLGTALTRDNH	1015
horse	LED RKDVVLVILSPDARRSRYVRLRQR LCRQSVLF WPHQPSGQRS FWAQLGMALTRDNR	1016
human	LED RKDVVLVILSPDGRRSRYVRLRQR LCRQSVLLWPHQPSGQRS FWAQLGMALTRDNH	1018
rat	LED RKDVVLVILRPDAHRSRYVRLRQR LCRQSVLF WPHQPNGQGS FWAQLSTALTRDNH	1018
***** * . *****:***** ** *****:*. *****:		
feline	HFYNQNFCRGPTTA-----	1031
canine	HFYNQNFCRGPTTA-----	1032
bovine	HFYRNFCRGPTTA-----	1029
mouse	HFYRNFCRGPTTA-----	1032
ovine	HFYRNFCRGPTTA-----	1029
porcine	HFYRNFCRGPTTA-----	1030
horse	HFYNQNFCRGPTMAE-----	1031
human	HFYRNFCRGPTAE-----	1032
rat	HFYRNFCRGPTAE-----	1032
*****.*****		

Figure 2





Figure 3



## SEQUENCE LISTING

<110> Coley Pharmaceutical GmbH  
University of Saskatchewan  
Qiagen GmbH

<120> TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES

<130> C1041.70040WO00

<150> US 60/412,479

<151> 2002-09-19

<160> 70

<170> PatentIn version 3.1

<210> 1

<211> 1032

<212> PRT

<213> Rattus norvegicus

<400> 1

Met Val Leu Cys Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
1 5 10 15

Ala Ala Val Leu Ala Glu Ala Leu Ala Leu Gly Thr Leu Pro Ala Phe  
20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Glu Pro Arg Ser Asn  
50 55 60

Ile Thr Ser Leu Ser Leu Ile Ala Asn Arg Ile His His Leu His Asn  
65 70 75 80

Leu Asp Phe Val His Leu Pro Asn Val Arg Gln Leu Asn Leu Lys Trp  
85 90 95

Asn Cys Pro Pro Pro Gly Leu Ser Pro Leu His Phe Ser Cys Arg Met  
100 105 110

Thr Ile Glu Pro Lys Thr Phe Leu Ala Met Arg Met Leu Glu Glu Leu  
115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
130 135 140



Leu Thr Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
145 150 155 160

Ser Ser Leu Ala Gly Leu His Ser Leu Arg Val Leu Phe Met Asp Gly  
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Asn Gly Ala Val Asn Val Thr Pro  
180 185 190

Asp Ala Phe Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
195 200 205

Asn Asn Leu Thr Glu Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
210 215 220

Leu Leu Leu Ser Tyr Asn Leu Ile Val Lys Leu Gly Ala Glu Asp Leu  
225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Met Leu Asp Val Gly Gly Asn Cys Arg  
245 250 255

Arg Cys Asp His Ala Pro Asp Leu Cys Thr Glu Cys Arg Gln Lys Ser  
260 265 270

Leu Asp Leu His Pro Gln Thr Phe His His Leu Ser His Leu Glu Gly  
275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Ser Leu Asn Ser Lys Trp Phe  
290 295 300

Gln Gly Leu Ala Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
305 310 315 320

Tyr Glu Ser Ile Asn Lys Thr Ser Ala Phe Gln Asn Leu Thr Arg Leu  
325 330 335

Arg Lys Leu Asp Leu Ser Phe Asn Tyr Cys Lys Lys Val Ser Phe Ala  
340 345 350

Arg Leu His Leu Ala Ser Ser Phe Lys Ser Leu Val Ser Leu Gln Glu  
355 360 365

Leu Asn Met Asn Gly Ile Phe Phe Arg Leu Leu Asn Lys Asn Thr Leu  
370 375 380

Arg Trp Leu Ala Gly Leu Pro Lys Leu His Thr Leu His Leu Gln Met  
385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Val Phe Ser Thr Phe Arg Ala  
405 410 415

Leu Arg Phe Val Asp Leu Ser Asn Asn Arg Ile Ser Gly Pro Pro Thr  
420 425 430

Leu Ser Arg Val Ala Pro Glu Lys Ala Asp Glu Ala Glu Lys Gly Val  
435 440 445

Pro Trp Pro Ala Ser Leu Thr Pro Ala Leu Pro Ser Thr Pro Val Ser  
450 455 460

Lys Asn Phe Met Val Arg Cys Lys Asn Leu Arg Phe Thr Met Asp Leu  
465 470 475 480

Ser Arg Asn Asn Gln Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu  
485 490 495

Ser His Leu Gln Cys Leu Ser Leu Ser His Asn Cys Ile Ala Gln Ala  
500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Lys Val Leu Asp  
515 520 525

Leu Ser Tyr Asn Lys Leu Asp Leu Tyr His Ser Lys Ser Phe Ser Glu  
530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe  
545 550 555 560

Ser Met Gln Gly Ile Gly His Asn Phe Ser Phe Leu Ala Asn Leu Ser  
565 570 575

Arg Leu Gln Asn Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val  
580 585 590

Ser Ser Arg Leu Tyr Ser Thr Ser Val Glu Tyr Leu Asp Phe Ser Gly  
595 600 605

Asn Gly Val Gly Arg Met Trp Asp Glu Glu Asp Leu Tyr Leu Tyr Phe

610		615		620
Phe Gln Asp Leu Arg Ser Leu Ile His Leu Asp Leu Ser Gln Asn Lys				
625		630		640
Leu His Ile Leu Arg Pro Gln Asn Leu Asn Tyr Leu Pro Lys Ser Leu				
	645		650	655
Thr Lys Leu Ser Phe Arg Asp Asn His Leu Ser Phe Phe Asn Trp Ser				
	660		665	670
Ser Leu Ala Phe Leu Pro Asn Leu Arg Asp Leu Asp Leu Ala Gly Asn				
	675		680	685
Leu Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu				
	690		695	700
Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Phe Val Val Pro Ala				
705		710		720
Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn				
	725		730	735
Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn				
	740		745	750
Leu Thr Val Leu Asp Val Ser Ser Asn Pro Leu His Cys Ala Cys Gly				
	755		760	765
Ala Pro Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly				
	770		775	780
Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Arg Gln Leu Gln Gly Arg				
785		790		800
Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Asp Val Leu Ser				
	805		810	815
Arg Asp Cys Phe Gly Leu Ser Leu Leu Ala Val Ala Val Gly Thr Val				
	820		825	830
Leu Pro Leu Leu Gln His Leu Cys Gly Trp Asp Val Trp Tyr Cys Phe				
	835		840	845

His Leu Cys Leu Ala Trp Leu Pro Leu Leu Thr Arg Gly Arg Arg Ser  
850 855 860

Ala Gln Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln  
865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu  
885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp  
900 905 910

Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr  
915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Lys Val Ser  
930 935 940

Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His  
965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
980 985 990

Leu Phe Trp Pro His Gln Pro Asn Gly Gln Gly Ser Phe Trp Ala Gln  
995 1000 1005

Leu Ser Thr Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg  
1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu  
1025 1030

<210> 2  
<211> 821  
<212> PRT  
<213> Rattus norvegicus

<400> 2

Met Val Leu Cys Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
1 5 10 15



Ala Ala Val Leu Ala Glu Ala Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Glu Pro Arg Ser Asn  
 50 55 60

Ile Thr Ser Leu Ser Leu Ile Ala Asn Arg Ile His His Leu His Asn  
 65 70 75 80

Leu Asp Phe Val His Leu Pro Asn Val Arg Gln Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Pro Gly Leu Ser Pro Leu His Phe Ser Cys Arg Met  
 100 105 110

Thr Ile Glu Pro Lys Thr Phe Leu Ala Met Arg Met Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
 130 135 140

Leu Thr Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Ser Ser Leu Ala Gly Leu His Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Asn Gly Ala Val Asn Val Thr Pro  
 180 185 190

Asp Ala Phe Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Glu Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn Leu Ile Val Lys Leu Gly Ala Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Met Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asp Leu Cys Thr Glu Cys Arg Gln Lys Ser  
 260 265 270

Leu Asp Leu His Pro Gln Thr Phe His His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Ser Leu Asn Ser Lys Trp Phe  
 290 295 300

Gln Gly Leu Ala Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Glu Ser Ile Asn Lys Thr Ser Ala Phe Gln Asn Leu Thr Arg Leu  
 325 330 335

Arg Lys Leu Asp Leu Ser Phe Asn Tyr Cys Lys Lys Val Ser Phe Ala  
 340 345 350

Arg Leu His Leu Ala Ser Ser Phe Lys Ser Leu Val Ser Leu Gln Glu  
 355 360 365

Leu Asn Met Asn Gly Ile Phe Phe Arg Leu Leu Asn Lys Asn Thr Leu  
 370 375 380

Arg Trp Leu Ala Gly Leu Pro Lys Leu His Thr Leu His Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Val Phe Ser Thr Phe Arg Ala  
 405 410 415

Leu Arg Phe Val Asp Leu Ser Asn Asn Arg Ile Ser Gly Pro Pro Thr  
 420 425 430

Leu Ser Arg Val Ala Pro Glu Lys Ala Asp Glu Ala Glu Lys Gly Val  
 435 440 445

Pro Trp Pro Ala Ser Leu Thr Pro Ala Leu Pro Ser Thr Pro Val Ser  
 450 455 460

Lys Asn Phe Met Val Arg Cys Lys Asn Leu Arg Phe Thr Met Asp Leu  
 465 470 475 480

Ser Arg Asn Asn Gln Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu  
 485 490 495

Ser His Leu Gln Cys Leu Ser Leu Ser His Asn Cys Ile Ala Gln Ala  
 500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Lys Val Leu Asp  
 515 520 525

Leu Ser Tyr Asn Lys Leu Asp Leu Tyr His Ser Lys Ser Phe Ser Glu  
 530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe  
 545 550 555 560

Ser Met Gln Gly Ile Gly His Asn Phe Ser Phe Leu Ala Asn Leu Ser  
 565 570 575

Arg Leu Gln Asn Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val  
 580 585 590

Ser Ser Arg Leu Tyr Ser Thr Ser Val Glu Tyr Leu Asp Phe Ser Gly  
 595 600 605

Asn Gly Val Gly Arg Met Trp Asp Glu Glu Asp Leu Tyr Leu Tyr Phe  
 610 615 620

Phe Gln Asp Leu Arg Ser Leu Ile His Leu Asp Leu Ser Gln Asn Lys  
 625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asn Tyr Leu Pro Lys Ser Leu  
 645 650 655

Thr Lys Leu Ser Phe Arg Asp Asn His Leu Ser Phe Phe Asn Trp Ser  
 660 665 670

Ser Leu Ala Phe Leu Pro Asn Leu Arg Asp Leu Asp Leu Ala Gly Asn  
 675 680 685

Leu Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu  
 690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Phe Val Val Pro Ala  
 705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn

725

730

735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn  
 740 745 750

Leu Thr Val Leu Asp Val Ser Ser Asn Pro Leu His Cys Ala Cys Gly  
 755 760 765

Ala Pro Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly  
 770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Arg Gln Leu Gln Gly Arg  
 785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Asp Val Leu Ser  
 805 810 815

Arg Asp Cys Phe Gly  
 820

<210> 3  
 <211> 3099  
 <212> DNA  
 <213> Rattus norvegicus

<400> 3  
 atggttctct gtgcaggac cctgcacccc ttgtctctcc tggtagaggc cgcagtgtctg 60  
 gctgaggctc tggccctggg taccctgcct gccttcctac cctgtgaact gaagcctcat 120  
 ggctggtag actgcaactg gctcttcctg aagtctgtgc ctcacttctc tgccgcagaa 180  
 ccccgttcca acatcaccag cctttccttg atcgccaacc gcatccacca cctgcacaac 240  
 ctgcactttg tccacctgcc caacgtgcga cagctgaacc tcaagtggaa ctgtccgccc 300  
 cctggcctca gccccttgca cttctcctgc cgcattgacca ttgagcccaa aaccttcctg 360  
 gctatgcgca tgctggaaga gctgaacctg agctataacg gtatcaccac tgtgccccgc 420  
 ctgcccagct ccctgacgaa tctgagccta agccacacca acatcctggg actcgatgcc 480  
 agcagcctcg ctggcctgca cagcctgcga gttctcttca tggacgggaa ctgctactac 540  
 aagaaccct gcaacggggc ggtgaacgtg acccggagc ccttcctggg cttgagcaac 600  
 ctcaccact tgtcccttaa gtataacaac ctcacagagg tgccccgcca actgcccccc 660  
 agcctggagt acctcctgct gtcctataac ctcactgtca agctgggggc cgaagaccta 720  
 gccaacctga cctcccttcg aatgcttgat gtgggtggga attgccgtcg ctgtgatcac 780



gcccccgacc tctgtacaga atgccggcag aagtccttg atctgcaccc tcagactttc 840  
 catcacctga gccaccttga aggcctggtg ctgaaggaca gttctctcca ctcgctgaac 900  
 tccaagtggc tccaggggtc gccgaacctc tcggtgctgg acctaagcga gaactttctc 960  
 tacgagagca tcaacaaaac cagcgccttt cagaacctga cccgtctgcg caagctcgac 1020  
 ctgtccttca attactgcaa gaaggtatcg ttcgcccgc tccacctggc aagttccttc 1080  
 aagagcctgg tgctgctgca ggagctgaac atgaacggca tcttcttccg cttactcaac 1140  
 aagaacacgc tcaggtggct ggctggctc cccaagctcc acacgctgca ccttcaaattg 1200  
 aatttcacat accaggcgca gctcagcgtc tttagtagct tccgagccct tcgctttgtg 1260  
 gacctgtcca ataatcgcat cagcgggcct ccaacgctgt ccagagtcgc ccccgaaaag 1320  
 gcagacgagg cggagaaggg ggttccatgg cctgcaagtc tcaccccagc tctcccagc 1380  
 actcccgtct caaagaactt catggctcagg tgtaagaacc tcagattcac catggacctg 1440  
 tctcggaaca accaggtgac tatcaagcca gagatgttcg tcaacctctc ccatctccag 1500  
 tgtctgagcc tgagccacaa ctgcatcgcg caggctgtca atggctctca gttcctgccg 1560  
 ctgaccaacc tgaaggtgct ggacctgtcc tataacaagc tggacctgta ccattcgaaa 1620  
 tcgttcagtg agctcccaca gttgcaggcc ctggacctga gctacaacag ccagccattc 1680  
 agcatgcagg ggataggcca caacttcagt tttctggcca atctgtccag gttacagaac 1740  
 cttagcctgg cacacaatga cattcacagc cgcgtgtcct cagcctcta cagcacctca 1800  
 gtggagtatc tggacttcag cggcaacggc gtggggccgc tgtgggacga ggaggacctt 1860  
 tacctctatt tcttccaaga cctgagaagc ctgattcatc tggacctgtc tcagaataag 1920  
 ctgcacatcc tccggcccca gaacctcaac tacctcccca agagcctgac gaagctgagt 1980  
 ttccgtgaca atcacctctc tttctttaac tggagcagtc tggccttcct gcccaatctg 2040  
 cgagacctgg acctggcagg caatctacta aaggccctga ccaacggcac cctgcctaatt 2100  
 ggcaacgctcc tccagaaact ggatgtcagt agcaacagta tcgtctttgt ggtcccagcc 2160  
 ttctttgtc tggcggtaga gctaaaagag gtcaacctca gccataacat cctcaagact 2220  
 gtggatcgct cctggtttgg gccattgtg atgaacctga cggttctaga cgtgagcagc 2280  
 aacctctgc attgtgcctg cggcgcaccc tttgtagact tactgctgga agtgcagacc 2340  
 aaggtgcctg gcctggctaa cgggtgtgaag tgtggcagtc cccgccagct gcagggccgc 2400  
 agcatctttg cgcaagacct gcggctgtgc ctggatgacg tcctttctcg ggactgcttt 2460  
 ggctttcac tcctggctgt gcccggtggc acgggtgttc ctttactgca gcatctctgc 2520  
 ggctgggacg tctgggtactg tttccatctg tgccctggcat ggctaccttt gctgacctgt 2580

ggccggcgca gcgcccgaagc tctcccttat gatgccttcg tgggtgttcga taaggcgag 2640  
 agcgcggttg ctgactgggt gtataacgag cttcgagtgc ggctagagga gcggcgcggt 2700  
 cgccgagccc tacgcttggtg tctggaggac cgagattggc tgccctggcca gacactcttc 2760  
 gagaacctct gggcctccat ctatggcagc cgcaagactc tgtttgtgct ggcccacacg 2820  
 gacaagggtca gtggcctcct gcgcaccagc ttcttgctgg ctcagcagcg cctgctggag 2880  
 gaccgcaagg acgtgggtggg gttgggtgatc ctgcgccttg atgcccaccg ctcccgtac 2940  
 gtgcgactgc gccagcgctt ctgccgccag agtgtgctct tctggcccca tcagcccaac 3000  
 gggcagggca gcttctgggc ccagctgagt acagccctga ctagggacaa ccaccacttc 3060  
 tataaccgga acttctgccg gggacctaca gcagaatag 3099

<210> 4  
 <211> 2463  
 <212> DNA  
 <213> Rattus norvegicus

<400> 4  
 atggttctct gtcgcaggac cctgcacccc ttgtctctcc tgggtacaggc cgcagtgtg 60  
 gctgaggctc tggcctggg taccctgcct gccttcctac cctgtgaact gaagcctcat 120  
 ggcttggtag actgcaactg gctcttcctg aagtctgtgc ctcacttctc tgccgcagaa 180  
 ccccgttcca acatcaccag cctttccttg atcgccaacc gcatccacca cctgcacaac 240  
 ctcgactttg tccacctgcc caacgtgcga cagctgaacc tcaagtggaa ctgtccgccc 300  
 cctggcctca gcccttgca cttctcctgc cgcattgacca ttgagcccaa aaccttcctg 360  
 gctatgcgca tgctggaaga gctgaacctg agctataacg gtatcaccac tgtgccccgc 420  
 ctgcccagct ccctgacgaa tctgagccta agccacacca acatcctggg actcgatgcc 480  
 agcagcctcg ctggcctgca cagcctgcga gttctcttca tggacgggaa ctgctactac 540  
 aagaaccctt gcaacggggc ggtgaacgtg accccggacg ccttcctggg cttgagcaac 600  
 ctcaccactc tgtcccttaa gtataacaac ctcacagagg tgccccgcca actgcccccc 660  
 agcctggagt acctcctgct gtcctataac ctcacgtca agctgggggc cgaagaccta 720  
 gccaacctga cctcccttcg aatgcttgat gtgggtggga attgccgtcg ctgtgatcac 780  
 gccccgacc tctgtacaga atgccggcag aagtccttg atctgcaccc tcagactttc 840  
 catcacctga gccaccttga aggctgggtg ctgaaggaca gttctctcca ctcgctgaac 900  
 tccaagtggg tccaggggtc ggcgaaacctc tcgggtgctgg acctaaagcga gaactttctc 960  
 tacgagagca tcaacaaaac cagcgccttt cagaacctga cccgtctgcg caagctcgac 1020

ctgtccttca attactgcaa gaaggtatcg ttcgcccgcc tccacctggc aagttccttc 1080  
 aagagcctgg tgcgctgca ggagctgaac atgaacggca tcttcttccg cttactcaac 1140  
 aagaacacgc tcaggtggct ggctggctctg cccaagctcc acacgctgca ctttcaaattg 1200  
 aatttcatca accaggcgca gctcagcgtc tttagtagct tccgagccct tcgctttgtg 1260  
 gacctgtcca ataatcgcat cagcgggcct ccaacgctgt ccagagtcgc ccccgaaaag 1320  
 gcagacgagg cggagaaggg ggttccatgg cctgcaagtc tcaccccagc tctcccagagc 1380  
 actcccgtct caaagaactt catgggtcagg tgtaagaacc tcagattcac catggacctg 1440  
 tctcggaaca accaggtgac tatcaagcca gagatgttcg tcaacctctc ccatctccag 1500  
 tgtctgagcc tgagccacaa ctgcatcgcg caggctgtca atggctctca gttcctgccg 1560  
 ctgaccaacc tgaaggtgct ggacctgtcc tataacaagc tggacctgta ccattcgaaa 1620  
 tcgttcagtg agctcccaca gttgcaggcc ctggacctga gctacaacag ccagccattc 1680  
 agcatgcagg ggataggcca caacttcagt tttctggcca atctgtccag gttacagaac 1740  
 cttagcctgg cacacaatga cattcacagc cgcgtgtcct cagcctcta cagcacctca 1800  
 gtggagtatc tggacttcag cggcaacggt gtggggccgca tgtgggacga ggaggacctt 1860  
 tacctctatt tcttccaaga cctgagaagc ctgattcatc tggacctgtc tcagaataag 1920  
 ctgcacatcc tccggcccca gaacctcaac tacctcccca agagcctgac gaagctgagt 1980  
 ttccgtgaca atcacctctc tttctttaac tggagcagtc tggccttcct gcccaatctg 2040  
 cgagacctgg acctggcagg caatctacta aaggccctga ccaacggcac cctgcctaatt 2100  
 ggcacgctcc tccagaaact ggatgtcagt agcaacagta tcgtctttgt ggtcccagcc 2160  
 ttctttgctc tggcggtaga gctaaaagag gtcaacctca gccataacat cctcaagact 2220  
 gtggatcgct cctgggtttgg gccatttgtg atgaacctga cggttctaga cgtgagcagc 2280  
 aaccctctgc attgtgcctg cgggtgcacc tttgtagact tactgctgga agtgcagacc 2340  
 aaggtgcctg gcctggctaa cgggtgtgaag tgtggcagtc cccgccagct gcagggccgc 2400  
 agcatctttg cgcaagacct gcggctgtgc ctggatgacg tcctttctcg ggactgcttt 2460  
 ggc 2463

<210> 5  
 <211> 1030  
 <212> PRT  
 <213> Sus scrofa

<400> 5

Met Gly Pro Arg Cys Thr Leu His Pro Leu Ser Leu Leu Val Gln Val  
 1 5 10 15  
 Thr Ala Leu Ala Ala Ala Leu Ala Gln Gly Arg Leu Pro Ala Phe Leu  
 20 25 30  
 Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu Phe  
 35 40 45  
 Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Ala Asn Val  
 50 55 60  
 Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80  
 Asp Phe Val His Leu Ser Ser Leu Arg Thr Leu Asn Leu Lys Trp Asn  
 85 90 95  
 Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met Thr  
 100 105 110  
 Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
 115 120 125  
 Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Asp Ser Leu  
 130 135 140  
 Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro Thr  
 145 150 155 160  
 His Leu Thr Gly Leu His Ala Leu Arg Tyr Leu Tyr Met Asp Gly Asn  
 165 170 175  
 Cys Tyr Tyr Lys Asn Pro Cys Gln Gly Ala Leu Glu Val Val Pro Gly  
 180 185 190  
 Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205  
 Asn Leu Thr Glu Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Thr Leu  
 210 215 220  
 Leu Leu Ser Tyr Asn His Ile Val Thr Leu Thr Pro Glu Asp Leu Ala  
 225 230 235 240



Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asp His Pro  
 260 265 270

Lys Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asp Thr Arg Trp Phe Arg  
 290 295 300

Gly Leu Asp Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320

Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Arg Leu Arg  
 325 330 335

Ser Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu His Leu Ala Pro Ser Phe Gly His Leu Arg Ser Leu Lys Glu Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu Gln  
 370 375 380

Pro Leu Val Gln Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly Leu  
 405 410 415

Leu Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ile Thr Arg Glu Val Asp Gly Arg Glu Arg Val Trp Leu Pro  
 435 440 445

Ser Arg Asn Leu Ala Pro Arg Pro Leu Asp Thr Leu Arg Ser Glu Asp  
 450 455 460

Phe Met Pro Asn Cys Lys Ala Phe Ser Phe Thr Leu Asp Leu Ser Arg  
 465 470 475 480

Asn Asn Leu Val Thr Ile Gln Ser Glu Met Phe Ala Arg Leu Ser Arg  
 485 490 495

Leu Glu Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn  
 500 505 510

Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser  
 515 520 525

His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro  
 530 535 540

Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Thr Met  
 545 550 555 560

Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala Leu  
 565 570 575

Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser Gln  
 580 585 590

Gln Leu Cys Ser Ala Ser Leu Cys Ala Leu Asp Phe Ser Gly Asn Asp  
 595 600 605

Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe Gln  
 610 615 620

Gly Leu Arg Ser Leu Val Trp Leu Asp Leu Ser Gln Asn His Leu His  
 625 630 635 640

Thr Leu Leu Pro Arg Ala Leu Asp Asn Leu Pro Lys Ser Leu Lys His  
 645 650 655

Leu His Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu  
 660 665 670

Thr Leu Leu Pro Lys Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln Leu  
 675 680 685

Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Arg Arg  
 690 695 700

Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Asn Pro Gly Phe Phe

705		710		715		720
Ala Leu Ala Lys Gln Leu Glu Glu Leu Asn Leu Ser Ala Asn Ala Leu	725		730		735	
Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Met Val Gly Asn Leu Lys	740		745		750	
Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Thr	755		760		765	
Phe Val Gly Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu Pro	770		775		780	
Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly His Ser Ile	785		790		795	800
Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Trp Asn	805		810		815	
Cys Phe Gly Ile Ser Leu Leu Ala Met Ala Leu Gly Leu Val Val Pro	820		825		830	
Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu	835		840		845	
Cys Leu Ala Trp Leu Pro His Arg Gly Gln Arg Arg Gly Ala Asp Ala	850		855		860	
Leu Phe Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala Val	865		870		875	880
Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg	885		890		895	
Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro	900		905		910	
Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg	915		920		925	
Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser Gly Leu Leu	930		935		940	

Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys  
 945 950 955 960

Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala Tyr Arg Ser Arg  
 965 970 975

Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp  
 980 985 990

Pro His Gln Pro Arg Gly Gln Gly Ser Phe Trp Ala Gln Leu Gly Thr  
 995 1000 1005

Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg Asn Phe Cys  
 1010 1015 1020

Arg Gly Pro Thr Thr Ala Glu  
 1025 1030

<210> 6  
 <211> 819  
 <212> PRT  
 <213> Sus scrofa

<400> 6

Met Gly Pro Arg Cys Thr Leu His Pro Leu Ser Leu Leu Val Gln Val  
 1 5 10 15

Thr Ala Leu Ala Ala Ala Leu Ala Gln Gly Arg Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Ser Leu Arg Thr Leu Asn Leu Lys Trp Asn  
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met Thr  
 100 105 110



Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
 115 120 125

Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Asp Ser Leu  
 130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro Thr  
 145 150 155 160

His Leu Thr Gly Leu His Ala Leu Arg Tyr Leu Tyr Met Asp Gly Asn  
 165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gly Ala Leu Glu Val Val Pro Gly  
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205

Asn Leu Thr Glu Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Thr Leu  
 210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Thr Pro Glu Asp Leu Ala  
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asp His Pro  
 260 265 270

Lys Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asp Thr Arg Trp Phe Arg  
 290 295 300

Gly Leu Asp Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320

Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Arg Leu Arg  
 325 330 335

Ser Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu His Leu Ala Pro Ser Phe Gly His Leu Arg Ser Leu Lys Glu Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu Gln  
 370 375 380

Pro Leu Val Gln Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly Leu  
 405 410 415

Leu Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ile Thr Arg Glu Val Asp Gly Arg Glu Arg Val Trp Leu Pro  
 435 440 445

Ser Arg Asn Leu Ala Pro Arg Pro Leu Asp Thr Leu Arg Ser Glu Asp  
 450 455 460

Phe Met Pro Asn Cys Lys Ala Phe Ser Phe Thr Leu Asp Leu Ser Arg  
 465 470 475 480

Asn Asn Leu Val Thr Ile Gln Ser Glu Met Phe Ala Arg Leu Ser Arg  
 485 490 495

Leu Glu Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn  
 500 505 510

Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser  
 515 520 525

His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro  
 530 535 540

Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Thr Met  
 545 550 555 560

Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala Leu  
 565 570 575

Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser Gln  
 580 585 590

Gln Leu Cys Ser Ala Ser Leu Cys Ala Leu Asp Phe Ser Gly Asn Asp  
 595 600 605

Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe Gln  
 610 615 620

Gly Leu Arg Ser Leu Val Trp Leu Asp Leu Ser Gln Asn His Leu His  
 625 630 635 640

Thr Leu Leu Pro Arg Ala Leu Asp Asn Leu Pro Lys Ser Leu Lys His  
 645 650 655

Leu His Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu  
 660 665 670

Thr Leu Leu Pro Lys Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln Leu  
 675 680 685

Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Arg Arg  
 690 695 700

Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Asn Pro Gly Phe Phe  
 705 710 715 720

Ala Leu Ala Lys Gln Leu Glu Glu Leu Asn Leu Ser Ala Asn Ala Leu  
 725 730 735

Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Met Val Gly Asn Leu Lys  
 740 745 750

Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Thr  
 755 760 765

Phe Val Gly Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu Pro  
 770 775 780

Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly His Ser Ile  
 785 790 795 800

Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Trp Asn  
 805 810 815

Cys Phe Gly

<210> 7  
 <211> 3352  
 <212> DNA  
 <213> Sus scrofa

<400> 7  
 gagcacgaac atccttcact gtagctgctg cccggtctgc cagccagacc ctttgagaa 60  
 gacccactc cctgtcatgg gccccgctg caccctgcac cccctttctc tcctgggtgca 120  
 ggtgacagcg ctggctgcgg ctctggccca gggcaggctg cctgccttc tgccctgtga 180  
 gctccagccc cacggcctgg tgaactgcaa ctggctcttc ctgaagtccg tgccccactt 240  
 ctggcgga ggcggggg ccaacgtcac cagcctctcc ttactctcca accgcatcca 300  
 ccacctgcac gactccgact tcgtccacct gtccagccta cgaactctca acctcaagtg 360  
 gaactgcccg ccggctggcc tcagcccat gcacttccc tgccacatga ccatcgagcc 420  
 caacaccttc ctggcgtgc ccacctgga ggagctgaac ctgagctaca acagcatcac 480  
 gaccgtgcct gccctgccc actccctcgt gtccctgtcg ctgagccgca ccaacatcct 540  
 ggtgctagac cccaccacc tcactggcct acatgccctg cgctacctgt acatggatgg 600  
 caactgctac tacaagaacc cctgccaggg ggcgctggag gtggtgccgg gtgccctcct 660  
 cggcctgggc aacctcacac atctctcact caagtacaac aatctcacgg aggtgccccg 720  
 cagcctgccc ccagcctgg agaccctgct gttgtcctac aaccacattg tcacctgac 780  
 gcctgaggac ctggccaatc tgactgcct gcgcgtgctt gatgtggggg ggaactgccg 840  
 ccgctgtgac catgcccga acccctgcag ggagtggcca aaggaccacc ccaagctgca 900  
 ctctgacacc ttcagccacc tgagccgct cgaaggcctg gtgttgaaag acagttctct 960  
 ctacaacctg gacaccagggt ggttccgagg cctggacagg ctccaagtgc tggacctgag 1020  
 tgagaacttc ctctacgact gcatcacaa gaccacggcc ttccagggcc tggcccgact 1080  
 gcgcagctc aacctgtcct tcaattacca caagaagggt tcctttgccc acctgcacct 1140  
 ggcacctcc tttgggcacc tccggtccct gaaggagctg gacatgcatg gcatcttctt 1200  
 ccgctcgctc agtgagacca cgctccaacc tctggtccaa ctgcctatgc tccagacct 1260  
 gcgcctgcag atgaacttca ttaaccaggc ccagctcagc atctttgggg ccttccttg 1320  
 cctgctgtac gtggacctat cggacaaccg catcagcgga gctgcaaggc cagtggccat 1380  
 tactagggag gtggatggta gggagagggt ctggctgcct tccaggaacc tcgctccacg 1440  
 tccactggac actctccgct cagaggactt catgccaac tgcaaggcct tcagcttcac 1500



cttggacctg tctcggaaca acctggtgac aatccagtcg gagatgtttg ctgcctctc	1560
acgcctcgag tgctgcgcc tgagccacaa cagcatctcc caggcggcca atggctctca	1620
gtttgtgccg ctgaccagcc tgcgggtgct ggacctgtcc cacaacaagc tggacctgta	1680
tcacggggcg tcgttcacgg agctgccgcg cctggaagca ctggacctca gctacaatag	1740
ccagcccttt accatgcagg gtgtgggcca caacctcagc ttcgtggccc agctgcccgc	1800
cctgcgctac ctacgcctgg cgcacaatga catccatagc cgagtgtccc agcagctctg	1860
tagcgctca ctgtgcgcc tggactttag cggcaacgat ctgagccgga tgtgggctga	1920
gggagacctc tatctccgct tcttccaagg cctaagaagc ctagtctggc tggacctgtc	1980
ccagaaccac ctgcacaccc tcctgccacg tgccctggac aacctcccca aaagcctgaa	2040
gcatctgcat ctccgtgaca ataacctggc cttcttcaac tggagcagcc tgaccctcct	2100
gccaagctg gaaaccctgg acttggctgg aaaccagctg aaggccctaa gcaatggcag	2160
cctgccatct ggcacccagc tgcggaggct ggacctcagt ggcaacagca tcggctttgt	2220
gaacctggc ttctttgccc tggccaagca gttagaagag ctcaacctca gcgccaatgc	2280
cctcaagaca gtggagccct cctggtttgg ctcgatggtg ggcaacctga aagtcctaga	2340
cgtgagcgcc aacctctgc actgtgcctg tggggcgacc ttcgtgggct tcctgctgga	2400
ggtacaggct gccgtgcctg ggctgcccag ccgcgtcaag tgtggcagtc cggggcagct	2460
ccagggccat agcatctttg cgcaagacct gcgcctctgc ctggatgaga ccctctcgtg	2520
gaactgtttt ggcattctgc tgcctggccat ggccctgggc ctggttgtgc ccatgctgca	2580
ccacctctgc ggctgggacc tctggtactg cttccacctg tgccctggcct ggctgcccc	2640
ccgagggcag cggcggggcg cagacgcctt gttctatgat gccttcgtgg tctttgacaa	2700
agctcagagt gctgtggccg actgggtgta caacgagctg cgggtgcagc tggaggagcg	2760
ccgtggggcg cgcgcactgc gcctgtgcct ggaggagcga gactgggttac ctggcaagac	2820
gctcttcgag aacctgtggg cctcagtcta cagcagccgc aagacctgt ttgtgctggc	2880
ccacacggac cgtgtcagcg gcctcttgcg tgccagtttc ctgctggccc agcagcgct	2940
gctggaggac cgcaaggacg ttgtagtgct ggtgatcctg cgcgccgatg cctaccgctc	3000
ccgctacgtg cggctgcgcc agcgctctg ccgccagagt gtctctctct ggccccacca	3060
gccccgtggg cagggcagct tctgggcca gctgggcaca gccctgacca gggacaacca	3120
ccacttctat aaccggaact tctgccgggg cccacgaca gccgaatagc actgagtgc	3180
agcccagttg cccagcccc cctggatttg cctctctgcc tgggggtgccc caacctgctt	3240
tgctcagcca caccactgct ctgctccctg tccccaccc cccccccag cctggcatgt	3300

aacatgtgcc caataaatgc taccggaggg ccaagaaaaa aaaaaaaaaa aa 3352

<210> 8  
 <211> 2457  
 <212> DNA  
 <213> Sus scrofa

<400> 8  
 atggggcccc gctgcaccct gcaccccctt tctctcctgg tgcaggtgac agcgctggct 60  
 gcggctctgg ccagggcag gctgcctgcc ttctgccct gtgagctcca gccccacggc 120  
 ctggtgaact gcaactggct cttcctgaag tccgtgcccc acttctcggc ggcagcgccc 180  
 cgggccaacg tcaccagcct ctcttactc tccaaccgca tccaccacct gcacgactcc 240  
 gacttcgtcc acctgtccag cctacgaact ctcaacctca agtggaactg cccgccggct 300  
 ggctcagcc ccattgcaact cccctgccac atgaccatcg agcccaacac cttcctggcc 360  
 gtgcccaccc tggaggagct gaacctgagc tacaacagca tcacgaccgt gcctgccctg 420  
 cccgactccc tcgtgtccct gtgcctgagc cgcaccaaca tcctgggtgt agaccccacc 480  
 cacctcactg gcctacatgc cctgcgctac ctgtacatgg atggcaactg ctactacaag 540  
 aaccctgcc agggggcgct ggaggtgggtg ccgggtgccc tcctcggcct gggcaacctc 600  
 acacatctct cactcaagta caacaatctc acggaggtgc cccgcagcct gccccccagc 660  
 ctggagaccc tgctgttgct ctacaaccac attgtcacc tgacgcctga ggacctggcc 720  
 aatctgactg ccctgcgcgt gcttgatgtg ggggggaact gccgccgtg tgacctgcc 780  
 cgcaaccct gcagggagt cccaaaggac caccccaagc tgcactctga caccttcagc 840  
 cacctgagcc gcctcgaagg cctgggtgtg aaagacagt ctctctacaa cctggacacc 900  
 aggtgggtcc gaggcctgga caggctccaa gtgctggacc tgagtgagaa cttcctctac 960  
 gactgcatca ccaagaccac ggccttccag ggctggccc gactgcgcag cctcaacctg 1020  
 tccttcaatt accacaagaa ggtgtccttt gccacctgc acctggcacc ctcttttggg 1080  
 cacctccggt ccctgaagga gctggacatg catggcatct tcttccgctc gctcagtga 1140  
 accacgctcc aacctctggt ccaactgcct atgctccaga ccctgcgcct gcagatgaac 1200  
 ttcattaacc agggccagct cagcatcttt ggggccttcc ctggcctgct gtacgtggac 1260  
 ctatcggaca accgcatcag cggagctgca aggcagtg cctattactag ggaggtggat 1320  
 ggtagggaga gggctctggct gccttccagg aacctcgctc cacgtccact ggacactctc 1380  
 cgctcagagg acttcatgcc aaactgcaag gccttcagct tcaccttga cctgtctcgg 1440  
 aacaacctgg tgacaatcca gtcggagatg ttgctcgcc tctcacgcct cgagtgcctg 1500

```

cgctgagcc acaacagcat ctcccaggcg gtcaatggct ctcagtttgt gccgctgacc 1560
agcctgcggg tgctggacct gtcccacaac aagctggacc tgtatcacgg gcgctcggtc 1620
acggagctgc cgcgcctgga agcactggac ctcagctaca atagccagcc ctttaccatg 1680
caggggtgtg gccacaacct cagcttcgtg gccagctgc ccgccctgcg ctacctcagc 1740
ctggcgcaca atgacatcca tagccgagtg tcccagcagc tctgtagcgc ctcactgtgc 1800
gccctggact ttagcggcaa cgatctgagc cggatgtggg ctgagggaga cctctatctc 1860
cgcttcttcc aaggcctaag aagcctagtc tggctggacc tgtcccagaa ccacctgcac 1920
acctcctgc cacgtgccct ggacaacctc cccaaaagcc tgaagcatct gcatctccgt 1980
gacaataacc tggccttctt caactggagc agcctgacct tcctgcccac gctggaaacc 2040
ctggacttgg ctggaaacca gctgaaggcc ctaagcaatg gcagcctgcc atctggcacc 2100
cagctgcgga ggctggacct cagtggcaac agcatcggct ttgtgaacct tggcttcttt 2160
gccttgcca agcagttaga agagctcaac ctcagcgcca atgccctcaa gacagtggag 2220
ccctcctggt ttggctcgat ggtgggcaac ctgaaagtcc tagacgtgag cgccaaccct 2280
ctgcactgtg cctgtggggc gaccttcgtg ggcttcctgc tggaggtaca ggctgccgtg 2340
cctgggctgc ccagccgcgt caagtgtggc agtccggggc agctccaggg ccatagcatc 2400
tttgcgcaag acctgcgcct ctgcctggat gagacctct cgtggaactg ttttggc 2457

```

```

<210> 9
<211> 1029
<212> PRT
<213> Bos taurus

```

```

<400> 9

```

```

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala
1           5           10          15

```

```

Ala Ala Leu Ala Ala Ala Leu Ala Glu Gly Thr Leu Pro Ala Phe Leu
20          25          30

```

```

Pro Cys Glu Leu Gln Pro His Gly Gln Val Asp Cys Asn Trp Leu Phe
35          40          45

```

```

Leu Lys Ser Val Pro His Phe Ser Ala Gly Ala Pro Arg Ala Asn Val
50          55          60

```

```

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser
65          70          75          80

```

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr  
100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu  
130 135 140

Val Ser Leu Ser Leu Ser His Thr Ser Ile Leu Val Leu Gly Pro Thr  
145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn  
165 170 175

Cys Tyr Tyr Met Asn Pro Cys Pro Arg Ala Leu Glu Val Ala Pro Gly  
180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu  
210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu Ala  
225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro  
260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg  
290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr

305		310		315		320
Asp Tyr Ile Thr Lys Thr Thr Ile Phe Asn Asp Leu Thr Gln Leu Arg	325	330	335			
Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His	340	345	350			
Leu His Leu Ala Ser Ser Phe Gly Ser Leu Val Ser Leu Glu Lys Leu	355	360	365			
Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Ile Thr Leu Gln	370	375	380			
Ser Leu Thr Arg Leu Pro Lys Leu Gln Ser Leu His Leu Gln Leu Asn	385	390	395	400		
Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu	405	410	415			
Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Thr Pro	420	425	430			
Ala Ala Ala Leu Gly Glu Val Asp Ser Arg Val Glu Val Trp Arg Leu	435	440	445			
Pro Arg Gly Leu Ala Pro Gly Pro Leu Asp Ala Val Ser Ser Lys Asp	450	455	460			
Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn	465	470	475	480		
Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu	485	490	495			
Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly	500	505	510			
Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser His	515	520	525			
Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln	530	535	540			



Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln  
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg  
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys  
 580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu  
 595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly  
 610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Glu Asn His Leu His Thr  
 625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu  
 645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
 660 665 670

Val Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Ile Arg Leu Gln Lys Leu  
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Ile Pro Gly Phe Phe Val  
 705 710 715 720

Arg Ala Thr Arg Leu Ile Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
 725 730 735

Thr Val Asp Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu Lys Ile  
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
 755 760 765

Val Asp Phe Leu Leu Glu Arg Gln Glu Ala Val Pro Gly Leu Ser Arg  
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
785 790 795 800

Thr Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
805 810 815

Phe Gly Leu Ser Leu Leu Met Val Ala Leu Gly Leu Ala Val Pro Met  
820 825 830

Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu Cys  
835 840 845

Leu Ala His Leu Pro Arg Arg Arg Arg Gln Arg Gly Glu Asp Thr Leu  
850 855 860

Leu Tyr Asp Ala Val Val Val Phe Asp Lys Val Gln Ser Ala Val Ala  
865 870 875 880

Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg Gly  
885 890 895

Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro Gly  
900 905 910

Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg Lys  
915 920 925

Thr Met Phe Val Leu Asp His Thr Asp Arg Val Ser Gly Leu Leu Arg  
930 935 940

Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys Asp  
945 950 955 960

Val Val Val Leu Val Ile Leu Arg Pro Ala Ala Tyr Arg Ser Arg Tyr  
965 970 975

Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp Pro  
980 985 990

His Gln Pro Ser Gly Gln Gly Ser Phe Trp Ala Asn Leu Gly Ile Ala  
995 1000 1005

Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Arg Asn Phe Cys Arg  
1010 1015 1020

Gly Pro Thr Thr Ala Glu  
1025

<210> 10  
<211> 818  
<212> PRT  
<213> Bos taurus

<400> 10

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Glu Gly Thr Leu Pro Ala Phe Leu  
20 25 30

Pro Cys Glu Leu Gln Pro His Gly Gln Val Asp Cys Asn Trp Leu Phe  
35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr  
100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu  
130 135 140

Val Ser Leu Ser Leu Ser His Thr Ser Ile Leu Val Leu Gly Pro Thr  
145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn  
165 170 175

Cys Tyr Tyr Met Asn Pro Cys Pro Arg Ala Leu Glu Val Ala Pro Gly  
180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu  
 210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu Ala  
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro  
 260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg  
 290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320

Asp Tyr Ile Thr Lys Thr Thr Ile Phe Asn Asp Leu Thr Gln Leu Arg  
 325 330 335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu His Leu Ala Ser Ser Phe Gly Ser Leu Val Ser Leu Glu Lys Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Ile Thr Leu Gln  
 370 375 380

Ser Leu Thr Arg Leu Pro Lys Leu Gln Ser Leu His Leu Gln Leu Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
 405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Thr Pro

420	425	430
Ala Ala Ala Leu Gly Glu Val Asp Ser Arg Val Glu Val Trp Arg Leu		
435	440	445
Pro Arg Gly Leu Ala Pro Gly Pro Leu Asp Ala Val Ser Ser Lys Asp		
450	455	460
Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn		
465	470	475
		480
Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu		
485	490	495
Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly		
500	505	510
Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser His		
515	520	525
Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln		
530	535	540
Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln		
545	550	555
		560
Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg		
565	570	575
Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys		
580	585	590
Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu		
595	600	605
Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly		
610	615	620
Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Glu Asn His Leu His Thr		
625	630	635
		640
Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu		
645	650	655



Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
 660 665 670

Val Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Ile Arg Leu Gln Lys Leu  
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Ile Pro Gly Phe Phe Val  
 705 710 715 720

Arg Ala Thr Arg Leu Ile Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
 725 730 735

Thr Val Asp Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu Lys Ile  
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
 755 760 765

Val Asp Phe Leu Leu Glu Arg Gln Glu Ala Val Pro Gly Leu Ser Arg  
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
 785 790 795 800

Thr Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
 805 810 815

Phe Gly

<210> 11

<211> 3191

<212> DNA

<213> Bos taurus

<400> 11

gggaagtggg cgccaagcat ccttcctgc agctgcctcc caacctgccc gccagaccct 60  
 ctggagaagc cgcattccct gtcattgggc cctactgtgc cccgcacccc ctttctctcc 120  
 tgggtgcaggc ggcggcactg gcagcggccc tggccgaggg caccctgcct gccttcctgc 180  
 cctgtgagct ccagccccat ggtcagggtgg actgcaactg gctgttcctg aagtctgtgc 240  
 cgcacttttc ggctggagcc ccccgggcca atgtcaccag cctctcctta atctccaacc 300

gcatccacca cttgcatgac tctgacttcg tccacctgtc caacctgcgg gtcctcaacc	360
tcaagtggaa ctgcccgcg gccggcctca gcccacatgca ctccccctgc cgtatgacca	420
tcgagcccaa caccttcctg gctgtgcca ccctggagga gctgaacctg agctacaacg	480
gcatcacgac cgtgcctgcc ctgcccagtt ccctcgtgtc cctgtcgctg agccacacca	540
gcatcctggg gctaggcccc acccacttca ccggcctgca cgccctgcgc tttctgtaca	600
tggacggcaa ctgctactac atgaaccct gcccgcgggc cctggagggtg gccccaggcg	660
ccctcctcgg cctgggcaac ctcacgcacc tgtcgtcaa gtacaacaac ctcacggagg	720
tgccccgcg cctgcccccc agcctggaca ccctgctgct gtcctacaac cacattgtca	780
ccctggcacc cgaggacctg gccaacctga ctgccctgcg cgtgcttgac gtgggtggga	840
actgccgcg ctgcgaccat gcccgcaacc cctgcaggga gtgcccagaag aacttcccca	900
agctgcaccc tgacaccttc agtcacctga gccgcctcga aggcctgggtg ttgaaggaca	960
gttctctcta caaactagag aaagattggg tccgcggcct gggcaggctc caagtgctcg	1020
acctgagtga gaacttcctc tatgactaca tcaccaagac caccatcttc aacgacctga	1080
cccagctgcg cagactcaac ctgtccttca attaccacaa gaagggtgtc ttcgcccacc	1140
tgcacctagc gtccctcctt gggagtctgg tgtccctgga gaagctggac atgcacggca	1200
tcttcttccg ctccctcacc aacatcacgc tccagtcgtc gacccggctg cccaagctcc	1260
agagtctgca tctgcagctg aacttcatca accaggccca gctcagcatc tttggggcct	1320
tcccagacct gctcttcgtg gacctgtcgg acaaccgcat cagcggagcc gcgacgccag	1380
cggccgcctt gggggagggtg gacagcaggg tggaagtctg gcgattgcc aggggcctcg	1440
ctccaggccc gctggacgcc gtcagctcaa aggacttcat gccaagctgc aacctcaact	1500
tcaccttgga cctgtcacgg aacaacctgg tgacaatcca gcaagagatg tttacccgcc	1560
tctcccgctt ccagtgcctg cgcctgagcc acaacagcat ctgcgaggcg gttaatggct	1620
cccagttcgt gccgctgacc agcctgcgag tgctcgacct gtcccacaac aagctggacc	1680
tgtaccatgg gcgctcatc acggagctgc cgcagctgga ggcactggac ctcagctaca	1740
acagccagcc cttcagcatg cagggcgtgg gccacaacct cagcttcgtg gccagctgc	1800
cctccctgcg ctacctcagc cttgcgcaca atggcatcca cagccgcgtg tcacagaagc	1860
tcagcagcgc ctcgttgcgc gccctggact tcagcggcaa ctccctgagc cagatgtggg	1920
ccgagggaga cctctatctc tgctttttca aaggcttgag gaacctggtc cagctggacc	1980
tgtccgagaa ccatctgcac accctcctgc ctcgtcacct ggacaacctg cccaagagcc	2040

tgcggcagct gcgtctccgg gacaataacc tggccttctt caactggagc agcctgaccg 2100  
 tcctgccccg gctggaagcc ctggatctgg caggaaacca gctgaaggcc ctgagcaacg 2160  
 gcagcctgcc gcctggcatc cggctccaga agctggacgt gagcagcaac agcatcggct 2220  
 tcgtgatccc eggcttcttc gtccgcgcga ctccggctgat agagcttaac ctcagcgcca 2280  
 atgccctgaa gacagtggat ccctcctggg tcgggttcctt agcagggacc ctgaaaatcc 2340  
 tagacgtgag cgccaacccg ctccactgcg cctgcggggc ggcctttgtg gacttcctgc 2400  
 tggagagaca ggaggccgtg cccgggctgt ccaggcgcgt cacatgtggc agtccggggc 2460  
 agctccaggg ccgcagcatc ttcacacagg acctgcgcct ctgcctggat gagaccctct 2520  
 ccttggactg ctttggcctc tcaactgctaa tgggtggcgt gggcctggca gtgcccattg 2580  
 tgcaccacct ctgtggctgg gacctctggg actgcttcca cctgtgtctg gccattttgc 2640  
 cccgacggcg gcggcagcgg ggcgaggaca ccctgctcta tgatgccgtc gtgggtcttcg 2700  
 acaaggtgca gagtgcagtg gctgattggg tgtacaacga gctccgcgtg cagctggagg 2760  
 agcgcggggg gcgcggggcg ctccgcctct gcctggagga gcgagactgg ctccctggta 2820  
 agacgctctt cgagaacctg tgggcctcgg tctacagcag ccgcaagacc atgttcgtgc 2880  
 tggaccacac ggaccgggtc agcggcctcc tgcgcgccag cttcctgctg gccagcagc 2940  
 gcctgttgga ggaccgcaag gacgtcgtag tgctgggtgat cctgcgcccc gccgcctatc 3000  
 ggtcccgccta cgtgcggctg cgccagcgcc tctgccgcca gacgctctc ctctggcccc 3060  
 accagcccag tggccagggt agtttctggg ccaacctggg catagccctg accagggaca 3120  
 accgtcactt ctataaccgg aacttctgcc ggggccccac gacagccgaa tagcacagag 3180  
 tgactgcccc g 3191

<210> 12  
 <211> 2454  
 <212> DNA  
 <213> Bos taurus

<400> 12  
 atgggcccct actgtgcccc gcaccccctt tctctcctgg tgcaggcggc ggcactggca 60  
 gcggccctgg ccgagggcac cctgcctgcc ttctgacct gtgagctcca gcccattggt 120  
 caggtggact gcaactggct gttcctgaag tctgtgccgc acttttcggc tggagcccc 180  
 cgggccaatg tcaccagcct ctcttaatc tccaaccgca tccaccactt gcatgactct 240  
 gacttcgtcc acctgtccaa cctgcgggtc ctcaacctca agtggaaactg cccgccggcc 300  
 ggctcagcc ccatgcactt ccctgccgt atgaccatcg agcccaacac cttcctggct 360

gtgcccaccc	tggaggagct	gaacctgagc	tacaacggca	tcacgaccgt	gcctgccctg	420
cccagttccc	tcgtgtccct	gtcgctgagc	cacaccagca	tcctgggtgct	aggccccacc	480
cacttcaccg	gcctgcacgc	cctgcgcttt	ctgtacatgg	acggcaactg	ctactacatg	540
aacccttgcc	cgcgggccct	ggaggtggcc	ccaggcgccc	tcctcggcct	gggcaacctc	600
acgcacctgt	cgctcaagta	caacaacctc	acggaggtgc	cccgccgcct	gccccccagc	660
ctggacaccc	tgctgctgtc	ctacaaccac	attgtcaccc	tggcaccgga	ggacctggcc	720
aacctgactg	ccctgcgcgct	gcttgacgtg	ggtgggaact	gccgccgctg	cgaccatgcc	780
cgcaaccctt	gcagggagtg	cccaaagaac	ttccccaagc	tgcaccctga	caccttcagt	840
cacctgagcc	gcctcgaagg	cctgggtgttg	aaggacagtt	ctctctacaa	actagagaaa	900
gattgggttcc	gcggcctggg	caggctccaa	gtgctcgacc	tgagtgagaa	cttcctctat	960
gactacatca	ccaagaccac	catcttcaac	gacctgaccc	agctgcgag	actcaacctg	1020
tccttcaatt	accacaagaa	ggtgtccttc	gccacctgc	acctagcgtc	ctcctttggg	1080
agtctggtgt	ccctggagaa	gctggacatg	cacggcatct	tcttccgctc	cctcaccaac	1140
atcacgctcc	agtcgctgac	ccggctgccc	aagctccaga	gtctgcatct	gcagctgaac	1200
ttcatcaacc	aggcccagct	cagcatcttt	ggggccttcc	cgagcctgct	cttcgtggac	1260
ctgtcggaca	accgcatcag	cggagccgcg	acgccagcgg	ccgccctggg	ggaggtggac	1320
agcaggggtgg	aagtctggcg	attgcccagg	ggcctcgctc	caggcccgtc	ggacgccgtc	1380
agctcaaagg	acttcatgcc	aagctgcaac	ctcaacttca	ccttggacct	gtcacggaac	1440
aacctggtga	caatccagca	agagatgttt	acccgcctct	cccgccctca	gtgcctgcgc	1500
ctgagccaca	acagcatctc	gcaggcggtt	aatggctccc	agttcgtgcc	gctgaccagc	1560
ctgcgagtgc	tcgacctgtc	ccacaacaag	ctggacctgt	accatgggcg	ctcattcacg	1620
gagctgccgc	agctggaggc	actggacctc	agctacaaca	gccagccctt	cagcatgcag	1680
ggcgtggggc	acaacctcag	cttcgtggcc	cagctgccct	ccctgcgcta	cctcagcctt	1740
gcgcacaatg	gcatccacag	ccgcgtgtca	cagaagctca	gcagcgctc	gttgcgcgcc	1800
ctggacttca	gcggcaactc	cctgagccag	atgtgggccc	aggagacct	ctatctctgc	1860
tttttcaaag	gcttgaggaa	cctgggtccag	ctggacctgt	ccgagaacca	tctgcacacc	1920
ctcctgcctc	gtcacctgga	caacctgccc	aagagcctgc	ggcagctgcg	tctccgggac	1980
aataacctgg	ccttcttcaa	ctggagcagc	ctgaccgtcc	tgccccggct	ggaagccctg	2040
gatctggcag	gaaaccagct	gaaggccctg	agcaacggca	gcctgccgcc	tggcatccgg	2100
ctccagaagc	tggacgtgag	cagcaacagc	atcggcttcg	tgatccccgg	cttcttcgtc	2160

cgcgcgactc ggctgataga gcttaacctc agcgccaatg ccctgaagac agtggatccc 2220  
 tcctggttcg gttccttagc agggaccctg aaaatcctag acgtgagcgc caaccgctc 2280  
 cactgcgcct gcggggcggc ctttgtggac ttctgctgg agagacagga ggccgtgccc 2340  
 gggctgtcca ggcgcgtcac atgtggcagt ccgggccagc tccagggccg cagcatcttc 2400  
 acacaggacc tgcgcctctg cctggatgag accctctcct tggactgctt tggc 2454

<210> 13  
 <211> 1031  
 <212> PRT  
 <213> Equus caballus

<400> 13

Met Gly Pro Cys His Gly Ala Leu Gln Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Met Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Pro Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Asp Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Ser Asp Phe Ala Gln Leu Ser Asn Leu Gln Lys Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met  
 100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
 130 135 140

Leu Val Ser Leu Ile Leu Ser Arg Thr Asn Ile Leu Gln Leu Asp Pro  
 145 150 155 160



Thr Ser Leu Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gly Arg Ala Leu Glu Val Ala Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Thr Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Val Glu Cys Pro His Lys Phe  
 260 265 270

Pro Gln Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Gln Leu Asn Pro Arg Trp Phe  
 290 295 300

Arg Gly Leu Gly Asn Leu Thr Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu Thr Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Gln Lys Thr Leu  
 370 375 380

Gln Pro Leu Ala Arg Leu Pro Met Leu Gln Arg Leu Tyr Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Lys Asp Phe Pro Gly  
 405 410 415  
 Leu Arg Tyr Ile Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Val Glu  
 420 425 430  
 Pro Val Ala Thr Thr Gly Glu Val Asp Gly Gly Lys Lys Val Trp Leu  
 435 440 445  
 Thr Ser Arg Asp Leu Thr Pro Gly Pro Leu Asp Thr Pro Ser Ser Glu  
 450 455 460  
 Asp Phe Met Pro Ser Cys Lys Asn Leu Ser Phe Thr Leu Asp Leu Ser  
 465 470 475 480  
 Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser  
 485 490 495  
 Arg Leu Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val  
 500 505 510  
 Asn Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
 515 520 525  
 Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
 530 535 540  
 Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
 545 550 555 560  
 Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Thr  
 565 570 575  
 Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser  
 580 585 590  
 Gln Gln Leu Cys Ser Thr Ser Leu Trp Ala Leu Asp Phe Ser Gly Asn  
 595 600 605  
 Ser Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe  
 610 615 620  
 Gln Gly Leu Arg Ser Leu Ile Arg Leu Asp Leu Ser Gln Asn Arg Leu  
 625 630 635 640

His Thr Leu Leu Pro Cys Thr Leu Gly Asn Leu Pro Lys Ser Leu Gln  
                                 645                                650                                655

Leu Leu Arg Leu Arg Asn Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser  
                                 660                                665                                670

Leu Thr Leu Leu Pro Asn Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln  
                                 675                                680                                685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Gln  
                                 690                                695                                700

Arg Leu Asp Val Ser Arg Asn Ser Ile Ile Phe Val Val Pro Gly Phe  
 705                                710                                715                                720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
                                 725                                730                                735

Leu Arg Thr Glu Glu Pro Ser Trp Phe Gly Phe Leu Ala Gly Ser Leu  
                                 740                                745                                750

Glu Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
                                 755                                760                                765

Ala Phe Val Asp Phe Leu Leu Gln Val Gln Ala Ala Val Pro Gly Leu  
                                 770                                775                                780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser  
 785                                790                                795                                800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Lys Ser Leu Ser Trp  
                                 805                                810                                815

Asp Cys Phe Gly Leu Ser Leu Leu Val Val Ala Leu Gly Leu Ala Met  
                                 820                                825                                830

Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His  
                                 835                                840                                845

Leu Gly Leu Ala Trp Leu Pro Arg Arg Gly Trp Gln Arg Gly Ala Asp  
                                 850                                855                                860

Ala Leu Ser Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala

865                                      870                                      875                                      880  
 Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu Glu Arg  
    885                                      890                                      895  
 Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu  
    900                                      905                                      910  
 Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser  
    915                                      920                                      925  
 Arg Lys Met Leu Phe Val Leu Ala His Thr Asp Gln Val Ser Gly Leu  
    930                                      935                                      940  
 Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg  
 945                                      950                                      955                                      960  
 Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Ala Arg Arg Ser  
    965                                      970                                      975  
 Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Phe  
    980                                      985                                      990  
 Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln Leu Gly  
    995                                      1000                                      1005  
 Met Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln Asn Phe  
    1010                                      1015                                      1020  
 Cys Arg Gly Pro Thr Met Ala Glu  
    1025                                      1030  
  
 <210> 14  
 <211> 820  
 <212> PRT  
 <213> Equus caballus  
  
 <400> 14  
  
 Met Gly Pro Cys His Gly Ala Leu Gln Pro Leu Ser Leu Leu Val Gln  
 1                                      5                                      10                                      15  
  
 Ala Ala Met Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Pro Phe  
    20                                      25                                      30  
  
 Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu

35	40	45																	
Phe	Leu	Lys	Ser	Val	Pro	His	Phe	Ser	Ala	Ala	Ala	Pro	Arg	Asp	Asn				
50						55					60								
Val	Thr	Ser	Leu	Ser	Leu	Leu	Ser	Asn	Arg	Ile	His	His	Leu	His	Asp				
65					70					75					80				
Ser	Asp	Phe	Ala	Gln	Leu	Ser	Asn	Leu	Gln	Lys	Leu	Asn	Leu	Lys	Trp				
				85					90					95					
Asn	Cys	Pro	Pro	Ala	Gly	Leu	Ser	Pro	Met	His	Phe	Pro	Cys	His	Met				
			100					105					110						
Thr	Ile	Glu	Pro	Asn	Thr	Phe	Leu	Ala	Val	Pro	Thr	Leu	Glu	Glu	Leu				
		115					120					125							
Asn	Leu	Ser	Tyr	Asn	Gly	Ile	Thr	Thr	Val	Pro	Ala	Leu	Pro	Ser	Ser				
130						135					140								
Leu	Val	Ser	Leu	Ile	Leu	Ser	Arg	Thr	Asn	Ile	Leu	Gln	Leu	Asp	Pro				
145					150					155					160				
Thr	Ser	Leu	Thr	Gly	Leu	His	Ala	Leu	Arg	Phe	Leu	Tyr	Met	Asp	Gly				
				165					170					175					
Asn	Cys	Tyr	Tyr	Lys	Asn	Pro	Cys	Gly	Arg	Ala	Leu	Glu	Val	Ala	Pro				
			180					185					190						
Gly	Ala	Leu	Leu	Gly	Leu	Gly	Asn	Leu	Thr	His	Leu	Ser	Leu	Lys	Tyr				
		195					200					205							
Asn	Asn	Leu	Thr	Thr	Val	Pro	Arg	Ser	Leu	Pro	Pro	Ser	Leu	Glu	Tyr				
210						215					220								
Leu	Leu	Leu	Ser	Tyr	Asn	His	Ile	Val	Thr	Leu	Ala	Pro	Glu	Asp	Leu				
225					230					235					240				
Ala	Asn	Leu	Thr	Ala	Leu	Arg	Val	Leu	Asp	Val	Gly	Gly	Asn	Cys	Arg				
				245					250					255					
Arg	Cys	Asp	His	Ala	Arg	Asn	Pro	Cys	Val	Glu	Cys	Pro	His	Lys	Phe				
			260					265					270						



Pro Gln Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Gln Leu Asn Pro Arg Trp Phe  
 290 295 300

Arg Gly Leu Gly Asn Leu Thr Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu Thr Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Gln Lys Thr Leu  
 370 375 380

Gln Pro Leu Ala Arg Leu Pro Met Leu Gln Arg Leu Tyr Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Lys Asp Phe Pro Gly  
 405 410 415

Leu Arg Tyr Ile Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Val Glu  
 420 425 430

Pro Val Ala Thr Thr Gly Glu Val Asp Gly Gly Lys Lys Val Trp Leu  
 435 440 445

Thr Ser Arg Asp Leu Thr Pro Gly Pro Leu Asp Thr Pro Ser Ser Glu  
 450 455 460

Asp Phe Met Pro Ser Cys Lys Asn Leu Ser Phe Thr Leu Asp Leu Ser  
 465 470 475 480

Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser  
 485 490 495

Arg Leu Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val  
 500 505 510

Asn Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
 545 550 555 560

Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Thr  
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser  
 580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Trp Ala Leu Asp Phe Ser Gly Asn  
 595 600 605

Ser Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe  
 610 615 620

Gln Gly Leu Arg Ser Leu Ile Arg Leu Asp Leu Ser Gln Asn Arg Leu  
 625 630 635 640

His Thr Leu Leu Pro Cys Thr Leu Gly Asn Leu Pro Lys Ser Leu Gln  
 645 650 655

Leu Leu Arg Leu Arg Asn Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser  
 660 665 670

Leu Thr Leu Leu Pro Asn Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln  
 675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Gln  
 690 695 700

Arg Leu Asp Val Ser Arg Asn Ser Ile Ile Phe Val Val Pro Gly Phe  
 705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
 725 730 735

Leu Arg Thr Glu Glu Pro Ser Trp Phe Gly Phe Leu Ala Gly Ser Leu  
 740 745 750

Glu Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
755 760 765

Ala Phe Val Asp Phe Leu Leu Gln Val Gln Ala Ala Val Pro Gly Leu  
770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser  
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Lys Ser Leu Ser Trp  
805 810 815

Asp Cys Phe Gly  
820

<210> 15  
<211> 3391  
<212> DNA  
<213> Equus caballus

<400> 15  
ctctgttctc tgagctgttg ccgcgtgaag ggactgagag cacaagcat cctcctctgc 60  
agctgctgcc cagtgtgcca gctggaccct ctggatcatc tcccactccc tgtcatgggc 120  
ccttgccatg gtgcctgca gccctgtct ctctgggtgc aggcggccat gctggccgtg 180  
gctctggccc aaggcaccct gcctcccttc ctgccctgtg agctccagcc ccacggcctg 240  
gtgaactgca actggctgtt cctgaagtcc gtgccccact tctcagcagc agcaccgccg 300  
gacaatgtca ccagcctttc cttgctctcc aaccgcatcc accacctcca cgactccgac 360  
tttgcccaac tgtccaacct gcagaaactc aacctcaaat ggaactgccc gccagccggc 420  
ctcagcccca tgcacttccc ctgccacatg accatcgagc ccaacacttt cctggctgta 480  
cccaccctgg aggagctgaa cctgagctac aacggcatca cgactgtgcc tgccctgccc 540  
agctccctcg tgtccctgat cctgagccgc accaacatcc tgcagctaga cccaccagc 600  
ctcacgggccc tgcattgccct gcgcttccta tacatggatg gcaactgcta ctacaagaac 660  
ccctgcgggc gggccctgga ggtggcccca ggccgctcc ttggcctggg caacctcacc 720  
cacctgtcac tcaagtacaa caacctcaca acggtgcccc gcagcctgcc ccctagcctg 780  
gagtacctgc tggtgtccta caaccacatt gtcaccctgg cacctgagga cctggccaat 840  
ctgactgccc tgcgtgtgct cgatgtgggt ggaaactgcc gccgctgtga ccatgcacgc 900  
aaccctgcg tggagtgccc acataaatc cccagctgc actccgacac cttcagccac 960

ctaagccgcc	tagaaggcct	cgtgttgaag	gatagttctc	tctaccagct	gaaccccaga	1020
tggttccgtg	gcctgggcaa	cctcacagtg	ctcgacctga	gtgagaactt	cctctacgac	1080
tgcatcacca	aaaccaaggc	attccagggc	ctggcccagc	tgccaagact	caacttgtcc	1140
ttcaattacc	ataagaaggt	gtccttcgcc	cacctgacgc	tggcacccctc	cttcggggagc	1200
ctgctctccc	tgcaggaact	ggacatgcat	ggcatcttct	tccgctcact	cagccagaag	1260
acgctccage	cactggccccg	cctgcccattg	ctccagcgtc	tgtatctgca	gatgaacttc	1320
atcaaccagg	cccagctcgg	catcttcaag	gacttccttg	gtctgcgcta	catagacctg	1380
tcagacaacc	gcatcagtgg	agctgtggag	ccggtggcca	ccacagggga	ggtggatggt	1440
gggaagaagg	tctggctgac	atccagggac	ctcactccag	gccactgga	cacccccagc	1500
tctgaggact	tcatgccaa	ctgcaagaac	ctcagcttca	ccttggacct	gtcacggaac	1560
aacctggtaa	cagtccagcc	agagatgttt	gccagctct	cgcgcctcca	gtgcctgcgc	1620
ctgagccaca	acagcatctc	gcaggcggtc	aatggctcac	agttcgtgcc	actgaccagc	1680
ctgcagggtg	tggacctgtc	ccataacaaa	ctggacctgt	accatgggcg	ctcgtttacg	1740
gagctgccgc	gactggaggc	cctggacctc	agctacaaca	gccagccctt	cagcatgcgg	1800
ggtgtgggcc	acaacctcag	ctttgtggcc	cagctgcca	ccctgcgcta	cctcagcctg	1860
gcacacaatg	gcatccacag	ccgtgtgtcc	cagcagctct	gcagcacctc	gctgtgggcc	1920
ctggacttca	gcggcaattc	cctgagccag	atgtgggctg	aggagacct	ctatctccgc	1980
ttcttccaag	gcctgagaag	cctaattcgg	ctagacctgt	cccagaatcg	tctgcatacc	2040
ctcctgccat	gcaccctggg	caacctcccc	aagagcttgc	agctgctgcg	tctccgtaac	2100
aattacctgg	ccttcttcaa	ttggagcagc	ctgacctcc	tgcccaacct	ggaaaccttg	2160
gacctggctg	gaaaccagct	gaaggctctg	agcaatggca	gcctgccttc	tggcacccag	2220
ctccagaggc	tggacgtcag	caggaacagc	atcatcttcg	tggcccttg	cttctttgct	2280
ctggccacga	ggctgcgaga	gctcaacctc	agtgccaacg	ccctcaggac	agaggagccc	2340
tcctggtttg	gtttcctagc	aggctccctt	gaagtcctag	atgtgagcgc	caacctctg	2400
cactgcgctt	gtggggcagc	ctttgtggac	ttcctgctgc	aggttcaggc	tgccgtgcct	2460
ggtctgcca	gccgcgtcaa	gtgtggcagt	ccgggccagc	tccagggccg	cagcatcttc	2520
gcacaagacc	tgcgcctctg	cctggacaag	tcctctctct	gggactgttt	tggctctctca	2580
ttgctggttg	tggccctggg	cctggccattg	cctatgttgc	accacctctg	cggctgggac	2640
ctctgggtact	gcttccacct	gggcctggcc	tggctgcccc	ggcgggggtg	gcagcggggc	2700

gcggatgccc tgagctatga tgcctttgtg gtcttcgaca aggcacagag cgcagtggcc 2760  
 gactgggtgt acaatgaact gcgggtgcgg ctagaggagc gccgtgggcg ccgggcgctc 2820  
 cgctgtgtc tggaggagcg tgactggcta cctggcaaga cgctgttcga aaacctgtgg 2880  
 gcctcagtct acagcagccg caagatgctg tttgtgctgg cccacacgga ccaggtcagt 2940  
 ggctctttgc gtgccagctt cctgctggcc cagcagcgctc tgctggagga ccgcaaggac 3000  
 gttgtggtgc tggtaatcct gagccctgac gcccgccgtt cccgttacgt gcggctgcgc 3060  
 cagcgcctct gccgccagag tgcctcttc tggccccacc agcctagtgg ccagcgcagc 3120  
 ttctgggccc agctaggcat ggccctgacc agggacaacc gccacttcta taaccagaac 3180  
 ttctgccggg gcccgacgat ggctgagtag cacagagtga cagcctggca tgtacaaccc 3240  
 ccagccctga ccttgccctct ctgcctatga tgcccagtct gcctcactct gtgacgcccc 3300  
 tgctctgcct ccgccaccct caccctggc atacagcagg cactcaataa atgccactgg 3360  
 caggccaaac agccaaaaaa aaaaaaaaaa a 3391

<210> 16  
 <211> 2460  
 <212> DNA  
 <213> Equus caballus

<400> 16  
 atggggcctt gccatggtgc cctgcagccc ctgtctctcc tgggtgcaggc ggccatgctg 60  
 gccgtggctc tggcccaagg caccctgcct cccttcctgc cctgtgagct ccagccccac 120  
 ggctggtga actgcaactg gctgttcctg aagtccgtgc cccacttctc agcagcagca 180  
 ccccgggaca atgtcaccag cctttccttg ctctccaacc gcatccacca cctccacgac 240  
 tccgactttg cccaactgtc caacctgcag aaactcaacc tcaaattggaa ctgcccggca 300  
 gccggcctca gcccctatgca cttcccctgc cacatgacca tcgagcccaa cactttcctg 360  
 gctgtacca ccttggagga gctgaacctg agctacaacg gcatcacgac tgtgcctgcc 420  
 ctgcccagct ccctcggtgc cctgatcctg agccgcacca acatcctgca gctagacccc 480  
 accagcctca cgggcctgca tgccctgcgc ttctataca tggatggcaa ctgctactac 540  
 aagaaccctt gcgggcgggc cctggaggtg gcccagggc ccctccttgg cctgggcaac 600  
 ctcaccacc tgctactcaa gtacaacaac ctcaaacgg tgccccgcag cctgccccct 660  
 agcctggagt acctgctgtt gtctacaac cacattgtca ccctggcacc tgaggacctg 720  
 gccaatctga ctgccctgcg tgtgctcgat gtgggtggaa actgccggcg ctgtgaccat 780  
 gcacgcaacc cctgcgtgga gtgccacat aaattcccc agctgcactc cgacaccttc 840

```

agccacctaa gccgcctaga aggcctcgtg ttgaaggata gttctctcta ccagctgaac      900
cccagatggg tccgtggcct gggcaacctc acagtgctcg acctgagtga gaacttcctc      960
tacgactgca tcacaaaaac caaggcattc cagggcctgg cccagctgcg aagactcaac     1020
ttgtccttca attaccataa gaagggtgcc ttgcgccacc tgacgctggc accctccttc     1080
gggagcctgc tctccctgca ggaactggac atgcatggca tcttcttccg ctcactcagc     1140
cagaagacgc tccagccact ggccccgctg cccatgctcc agcgtctgta tctgcagatg     1200
aacttcacat accaggccca gctcggcatc ttcaaggact tcctgggtct gcgctacata     1260
gacctgtcag acaaccgcat cagtggagct gtggagccgg tggccaccac aggggaggtg     1320
gatgggtggga agaaggctctg gctgacatcc agggacctca ctccaggccc actggacacc     1380
cccagctctg aggacttcac gccaaagtgc aagaacctca gcttcacctt ggacctgtca     1440
cggaacaacc tggtaacagt ccagccagag atgtttgccc agctctcgcg cctccagtgc     1500
ctgcgcctga gccacaacag catctcgcag gcggtcaatg gctcacagtt cgtgccactg     1560
accagcctgc aggtgctgga cctgtcccat aacaaactgg acctgtacca tgggcgctcg     1620
tttacggagc tgccgcgact ggaggccctg gacctcagct acaacagcca gcccttcagc     1680
atgcgggggtg tgggccacaa cctcagcttt gtggcccagc tgcccaccct gcgctacctc     1740
agcctggcac acaatggcat ccacagccgt gtgtcccagc agctctgcag cacctcgtcg     1800
tgggccctgg acttcagcgg caattccctg agccagatgt gggctgaggg agacctctat     1860
ctccgcttct tccaaggcct gagaagccta atccggctag acctgtccca gaatcgtctg     1920
cataccctcc tgccatgcac cctgggcaac ctccccaaga gcttgcagct gctgcgtctc     1980
cgtaacaatt acctggcctt cttcaattgg agcagcctga ccctcctgcc caacctggaa     2040
acctggacc tggctggaaa ccagctgaag gctctgagca atggcagcct gccttctggc     2100
accagctcc agaggctgga cgtcagcagg aacagcatca tcttcgtggg ccctggcttc     2160
tttgctctgg ccacgaggct gcgagagctc aacctcagtg ccaacgccct caggacagag     2220
gagccctcct ggtttggttt cctagcaggc tcccttgaag tcctagatgt gagcgccaac     2280
cctctgcact gcgcctgtgg ggcagccttt gtggacttcc tgctgcaggt tcaggctgcc     2340
gtgcctggtc tgcccagccg cgtcaagtgt ggcagtccgg gccagctcca gggccgcagc     2400
atcttcgcac aagacctgcg cctctgcctg gacaagtccc tctcctggga ctgttttggt     2460

```

<210> 17  
<211> 1029  
<212> PRT  
<213> Ovis aries



&lt;400&gt; 17

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
 1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro Arg Gly Lys Val Asn Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro Arg Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr  
 100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
 115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu  
 130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Ser Ile Leu Val Leu Gly Pro Thr  
 145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn  
 165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Val Glu Val Ala Pro Gly  
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu  
 210 215 220

Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu Ala  
 225 230 235 240  
 Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255  
 Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro  
 260 265 270  
 Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285  
 Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg  
 290 295 300  
 Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320  
 Asp Tyr Ile Thr Lys Thr Thr Ile Phe Arg Asn Leu Thr Gln Leu Arg  
 325 330 335  
 Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350  
 Leu Gln Leu Ala Pro Ser Phe Gly Gly Leu Val Ser Leu Glu Lys Leu  
 355 360 365  
 Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Thr Thr Leu Arg  
 370 375 380  
 Pro Leu Thr Gln Leu Pro Lys Leu Gln Ser Leu Ser Leu Gln Leu Asn  
 385 390 395 400  
 Phe Ile Asn Gln Ala Glu Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
 405 410 415  
 Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430  
 Val Ala Ala Leu Gly Glu Val Asp Ser Gly Val Glu Val Trp Arg Trp  
 435 440 445  
 Pro Arg Gly Leu Ala Pro Gly Pro Leu Ala Ala Val Ser Ala Lys Asp  
 450 455 460

Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn  
 465 . 470 475 480

Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu  
 485 490 495

Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly  
 500 505 510

Ser Gln Phe Val Pro Leu Thr Arg Leu Arg Val Leu Asp Leu Ser Tyr  
 515 520 525

Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln  
 530 535 540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln  
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg  
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys  
 580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu  
 595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly  
 610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Lys Asn His Leu His Thr  
 625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu  
 645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
 660 665 670

Val Leu Pro Gln Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Thr Arg Leu Gln Lys Leu  
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Thr Pro Gly Phe Phe Val  
705 710 715 720

Leu Ala Asn Arg Leu Lys Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
725 730 735

Thr Val Asp Pro Phe Trp Phe Gly Arg Leu Thr Glu Thr Leu Asn Ile  
740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
755 760 765

Val Asp Phe Leu Leu Glu Met Gln Ala Ala Val Pro Gly Leu Ser Arg  
770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
785 790 795 800

Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
805 810 815

Phe Gly Phe Ser Leu Leu Met Val Ala Leu Gly Leu Ala Val Pro Met  
820 825 830

Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu Cys  
835 840 845

Leu Ala His Leu Pro Arg Arg Arg Arg Gln Arg Gly Glu Asp Thr Leu  
850 855 860

Leu Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala Val Ala  
865 870 875 880

Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg Gly  
885 890 895

Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro Gly  
900 905 910

Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg Lys  
915 920 925

Thr Met Phe Val Leu Asp His Thr Asp Arg Val Ser Gly Leu Leu Arg

930

935

940

Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys Asp  
 945 950 955 960

Val Val Val Leu Val Ile Leu Arg Pro Ala Ala Tyr Arg Ser Arg Tyr  
 965 970 975

Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp Pro  
 980 985 990

His Gln Pro Ser Gly Gln Gly Ser Phe Trp Ala Asn Leu Gly Met Ala  
 995 1000 1005

Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Arg Asn Phe Cys Arg  
 1010 1015 1020

Gly Pro Thr Thr Ala Glu  
 1025

<210> 18  
 <211> 818  
 <212> PRT  
 <213> Ovis aries

<400> 18

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
 1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro Arg Gly Lys Val Asn Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro Arg Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr

- 53 -



Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu Gln Leu Ala Pro Ser Phe Gly Gly Leu Val Ser Leu Glu Lys Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Thr Thr Leu Arg  
 370 375 380

Pro Leu Thr Gln Leu Pro Lys Leu Gln Ser Leu Ser Leu Gln Leu Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Glu Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
 405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ala Leu Gly Glu Val Asp Ser Gly Val Glu Val Trp Arg Trp  
 435 440 445

Pro Arg Gly Leu Ala Pro Gly Pro Leu Ala Ala Val Ser Ala Lys Asp  
 450 455 460

Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn  
 465 470 475 480

Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu  
 485 490 495

Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly  
 500 505 510

Ser Gln Phe Val Pro Leu Thr Arg Leu Arg Val Leu Asp Leu Ser Tyr  
 515 520 525

Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln  
 530 535 540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln  
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg  
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys  
 580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu  
 595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly  
 610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Lys Asn His Leu His Thr  
 625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu  
 645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
 660 665 670

Val Leu Pro Gln Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Thr Arg Leu Gln Lys Leu  
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Thr Pro Gly Phe Phe Val  
 705 710 715 720

Leu Ala Asn Arg Leu Lys Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
 725 730 735

Thr Val Asp Pro Phe Trp Phe Gly Arg Leu Thr Glu Thr Leu Asn Ile  
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
 755 760 765

Val Asp Phe Leu Leu Glu Met Gln Ala Ala Val Pro Gly Leu Ser Arg  
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
 785 790 795 800

Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
 805 810 815

Phe Gly

<210> 19  
 <211> 3199  
 <212> DNA  
 <213> Ovis aries

<400> 19  
 gtcggcacgg gaagtgagcg ccaagcatcc ttccctgcag ctgccgccca acttgcccgc 60  
 cagaccctct ggagaagccg cattccctgc catgggcccc tactgtgccc cgcaccccct 120  
 ttctctcctg gtgcaggcgg cggcgctggc agcagccctg gcccagggca ccctgcctgc 180  
 cttcctgccc tgtgagctcc agccccgggg taaggtgaac tgcaactggc tgttcctgaa 240  
 gtctgtgccc cgcttttcgg ccggagcccc ccgggccaat gtcaccagcc tctccttaat 300  
 ctccaaccgc atccaccact tgcacgactc tgacttcgtc cacctgtcca acctgcgggt 360  
 cctcaacctc aagtggaact gcccgccggc cggcctcagc cccatgcact tcccctgccg 420  
 catgaccatc gagccaaca ccttcctggc tgtgcccacc ctggaggagc tgaacctgag 480  
 ctacaatggc atcacgaccg tgccctgcct gccagttct ctcgtatccc tgctcgtgag 540  
 ccgcaccagc atcctgggtg taggccccac ccacttcacc ggcctgcacg ccctgcgctt 600  
 tctgtacatg gacggcaact gctactataa gaaccctgc cagcaggccg tggagggtggc 660  
 cccaggcgcc ctccctggcc tgggcaacct cacgcacctg tcgctcaagt acaacaacct 720  
 cacggaggtg ccccgccgcc tgccccccag cctggacacc ctgctgctgt cctacaacca 780  
 catcatcacc ctggcaccgg aggacctggc caatctgact gccctgcgtg tgcttgatgt 840  
 gggcggggaa tgccgcgct gcgaccacgc ccgcaacccc tgcagggagt gcccaaagaa 900  
 cttccccaag ctgcacctg acaccttcag ccacctgagc cgcctcgaag gcctgggtgtt 960  
 gaaggacagt tctctctaca aactagagaa agactgggtc cgcggcctgg gcaggctcca 1020  
 agtgctcgac ctgagtgaga acttcctcta tgactacatc accaagacca ccatcttcag 1080  
 gaacctgacc cagctgcgca gactcaacct gtccttcaat taccacaaga aggtgtcctt 1140  
 cgcccacctg caactggcac cctcctttgg gggcctgggtg tccctggaga agctggacat 1200  
 gcacggcatc ttcttccgct ccctcaccaa caccacgctc cggccgctga ccagctgcc 1260  
 caagctccag agtctgagtc tgcagctgaa cttcatcaac caggccgagc tcagcatctt 1320  
 tggggccttc ccgagcctgc tcttcgtgga cctgtcggac aaccgcatca gcggagctgc 1380  
 gaggccggtg gccgccctcg gggaggtgga cagcggggtg gaagtctggc ggtggcccag 1440

gggcctcgct ccaggcccgc tggccgccgt cagcgcaaag gacttcatgc caagctgcaa 1500  
 cctcaacttc accttggacc tgtcacggaa caacctgggtg acgatccagc aggagatggt 1560  
 taccgcctc tcccgcctcc agtgccctgc cctgagccac aacagcatct cgcaggcggt 1620  
 taatggctcg cagttcgtgc cgctgaccgc cctgcgagtg ctcgacctgt cctacaacaa 1680  
 gctggacctg taccatgggc gctcgttcac ggagctgccg cagctggagg cactggacct 1740  
 cagctacaac agccagccct tcagcatgca gggcgtgggc cacaacctca gcttcgtggc 1800  
 ccagctgccg tccctgcgt acctcagcct tgcgcacaaac ggcattccaca gccgcgtgtc 1860  
 acagaagctc agcagcgcct cgctgcgcgc cctggacttc agcggcaact ccctgagcca 1920  
 gatgtgggccc gagggagacc tctatctctg cttcttcaaa ggcttgagga acctgggtcca 1980  
 gctggacctg tccaagaacc acctgcacac cctcctgcct cgtcacctgg ataacctgcc 2040  
 caagagcctg cggcagctgc gtctccggga caataacctg gccttcttca actggagcag 2100  
 cctgactggt ctgccccagc tggaagccct ggatctggcg ggaaaccagc tgaaggccct 2160  
 gagcaacggc agcctgccac ctggcacccg gctccagaag ctggacgtga gcagcaacag 2220  
 catcggcttt gtgacccttg gcttctttgt ccttgccaac cggctgaaag agcttaacct 2280  
 cagcgccaac gccctgaaga cagtggatcc cttctgggtc ggctcgcttaa cagagacct 2340  
 gaatatccta gacgtgagcg ccaaccgcct ccactgtgcc tgcggggcgg cctttgtgga 2400  
 cttcctgctg gagatgcagg cggccgtgcc tgggctgtcc aggcgcgtca cgtgtggcag 2460  
 tccgggccag ctccagggcc gcagcatctt cgcacaggac ctgcgcctct gcctggatga 2520  
 gacctctcc ttggactgct ttggcttctc gctgctaatg gtggcgctgg gcctggcggt 2580  
 gcccatgctg caccacctct gtggctggga cctgtggtac tgcttccacc tgtgtctggc 2640  
 ccatttgccc cgacggcggc ggcagcgggg cgaggacacc ctgctctacg atgccttcgt 2700  
 ggtcttcgac aaggcgcaga gtgcagtggc cgactgggtg tacaacgagc tccgcgtgca 2760  
 gctggaggag cgcgcggggc gccgggcgct ccgcctctgc ctggaggagc gagactggct 2820  
 ccctggcaag acgctcttcg agaacctgtg ggctcggtc tacagcagcc gtaagaccat 2880  
 gttcgtgctg gaccacacgg accgggtcag tggcctcctg cgcgccagct tcctgctggc 2940  
 ccagcagcgc ctgttggagg accgcaagga tgtcgtgggt ctggtgatcc tgcgccccgc 3000  
 cgctaccgg tccgctacg tgcggctgcg ccagcgctc tgccgccaga gcgtcctcct 3060  
 ctggccccac cagcccagtg gccagggtag cttctgggccc aacctgggca tggccctgac 3120  
 cagggacaac cgccacttct ataaccggaa cttctgccgg ggccccacga cagccgaata 3180

gcacagagtg actgcccag

3199

&lt;210&gt; 20

&lt;211&gt; 2454

&lt;212&gt; DNA

&lt;213&gt; Ovis aries

&lt;400&gt; 20

atggggcccct actgtgcccc gcaccccctt tctctcctgg tgcaggcggc ggcgctggca	60
gcagccctgg cccagggcac cctgcctgcc ttcttgccct gtgagctcca gccccggggt	120
aaggtgaact gcaactggct gttcctgaag tctgtgcgc gcttttcggc cggagcccc	180
cgggccaatg tcaccagcct ctcttaata tccaaccgca tccaccactt gcacgactct	240
gacttcgtcc acctgtccaa cctgcgggtc ctcaacctca agtggaaactg cccgccggcc	300
ggcctcagcc ccatgcactt cccctgccgc atgaccatcg agcccaacac cttcctggct	360
gtgcccaccc tggaggagct gaacctgagc tacaatggca tcacgaccgt gcctgccctg	420
cccagttctc tcgtatccct gtcgctgagc cgcaccagca tcctgggtgct aggccccacc	480
cacttcaccg gcctgcacgc cctgcgcttt ctgtacatgg acggcaactg ctactataag	540
aaccctgcc agcaggccgt ggaggtggcc ccaggcgccc tccttggcct gggcaacctc	600
acgcacctgt cgctcaagta caacaacctc acggaggtgc cccgccgcct gccccccagc	660
ctggacaccc tgctgctgtc ctacaaccac atcatcacc tggcaccga ggacctggcc	720
aatctgactg ccctgcgtgt gcttgatgtg ggcgggaact gccgccgctg cgaccacgcc	780
cgcaaccctt gcagggagtgc cccaaagaac ttccccaagc tgcacctga caccttcagc	840
cacctgagcc gcctcgaagg cctgggtgtg aaggacagtt ctctctacaa actagagaaa	900
gactgggtcc gcggcctggg caggctccaa gtgctcgacc tgagtgagaa cttcctctat	960
gactacatca ccaagaccac catcttcagg aacctgacct agctgcgcag actcaacctg	1020
tccttcaatt accacaagaa ggtgtccttc gccacctgc aactggcacc ctcttttggg	1080
ggcctgggtg ccctggagaa gctggacatg cacggcatct tcttccgctc cctcaccaac	1140
accacgctcc ggccgctgac ccagctgccc aagctccaga gtctgagtct gcagctgaac	1200
ttcatcaacc aggccgagct cagcatcttt ggggccttcc cgagcctgct cttcgtggac	1260
ctgtcggaca accgcatcag cggagctgcg aggcgggtgg ccgccctcgg ggaggtggac	1320
agcgggggtg aagtctggcg gtggcccagg ggcctcgctc caggcccgtt ggccgccgtc	1380
agcgcaaagg acttcatgcc aagctgcaac ctcaacttca ccttggacct gtcacggaac	1440
aacctgggtga cgatccagca ggagatgttt acccgctct cccgcctcca gtgcctgcgc	1500

ctgagccaca acagcatctc gcaggcggtt aatggctcgc agttcgtgcc gctgacccgc 1560  
 ctgcgagtgc tcgacctgtc ctacaacaag ctggacctgt accatgggcg ctcgttcacg 1620  
 gagctgccgc agctggaggg actggacctc agctacaaca gccagccctt cagcatgcag 1680  
 ggctgtgggc acaacctcag cttcgtggcc cagctgccgt ccctgcgcta cctcagcctt 1740  
 , gcgcacaacg gcatccacag ccgcgtgtca cagaagctca gcagcgcctc gctgcgcgcc 1800  
 ctggacttca gcggcaactc cctgagccag atgtggggcg agggagacct ctatctctgc 1860  
 ttcttcaaag gcttgaggaa cctgggtccag ctggacctgt ccaagaacca cctgcacacc 1920  
 ctctgcctc gtcacctgga taacctgccc aagagcctgc ggcagctgcg tctccgggac 1980  
 aataacctgg ccttcttcaa ctggagcagc ctgactgttc tgccccagct ggaagccctg 2040  
 gatctggcgg gaaaccagct gaaggccctg agcaacggca gcctgccacc tggcaccggg 2100  
 ctccagaagc tggacgtgag cagcaacagc atcggctttg tgacccttg cttctttgtc 2160  
 cttgccaaac ggctgaaaga gcttaacctc agcgccaacg ccctgaagac agtggatccc 2220  
 ttctggttcg gtcgcttaac agagaccctg aatatacctag acgtgagcgc caaccgctc 2280  
 cactgtgcct gcggggcggc ctttgtggac ttctgtctgg agatgcaggc ggccgtgcct 2340  
 gggctgtcca ggcgcgtcac gtgtggcagt ccgggccagc tccagggccg cagcatcttc 2400  
 gcacaggacc tgcgcctctg cctggatgag accctctcct tggactgctt tggc 2454

<210> 21

<211> 1032

<212> PRT

<213> Canis familiaris

<400> 21

Met Gly Pro Cys Arg Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Ala Leu Ala Leu Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Pro Arg Gly Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80



Tyr Asp Phe Val His Phe Val His Leu Arg Arg Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
 100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Asp Leu  
 115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
 130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
 145 150 155 160

Ala Thr Leu Ala Gly Leu Tyr Ala Leu Arg Phe Leu Phe Leu Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Leu Gln Val Ala Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Gly Phe  
 260 265 270

Pro Gln Leu His Pro Asn Thr Phe Gly His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Arg Asp Ser Ser Leu Tyr Ser Leu Asp Pro Arg Trp Phe  
 290 295 300

His Gly Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320



545		550		555		560
Phe Ser Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu						
	565			570		575
Pro Ala Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg						
	580			585		590
Val Ser Gln Gln Leu Arg Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser						
	595			600		605
Gly Asn Thr Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg						
	610			615		620
Phe Phe Gln Gly Leu Arg Ser Leu Val Gln Leu Asp Leu Ser Gln Asn						
	625			630		635
						640
Arg Leu His Thr Leu Leu Pro Arg Asn Leu Asp Asn Leu Pro Lys Ser						
				645		650
						655
Leu Arg Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp						
	660			665		670
Ser Ser Leu Ala Leu Leu Pro Lys Leu Glu Ala Leu Asp Leu Ala Gly						
	675			680		685
Asn Gln Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln						
	690			695		700
Leu Gln Arg Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Val Pro						
	705			710		715
						720
Ser Phe Phe Ala Leu Ala Val Arg Leu Arg Glu Leu Asn Leu Ser Ala						
	725			730		735
Asn Ala Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly						
	740			745		750
Ala Leu Lys Val Leu Asp Val Thr Ala Asn Pro Leu His Cys Ala Cys						
	755			760		765
Gly Ala Thr Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro						
	770			775		780

Gly Leu Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly  
 785 790 795 800

Arg Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu  
 805 810 815

Ser Trp Val Cys Phe Ser Leu Ser Leu Leu Ala Val Ala Leu Ser Leu  
 820 825 830

Ala Val Pro Met Leu His Gln Leu Cys Gly Trp Asp Leu Trp Tyr Cys  
 835 840 845

Phe His Leu Cys Leu Ala Trp Leu Pro Arg Arg Gly Arg Arg Arg Gly  
 850 855 860

Val Asp Ala Leu Ala Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln  
 865 870 875 880

Ser Ser Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu  
 885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp  
 900 905 910

Trp Val Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr  
 915 920 925

Ser Ser Arg Lys Thr Leu Phe Val Leu Ala Arg Thr Asp Arg Val Ser  
 930 935 940

Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Cys Pro Asp Ala His  
 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
 980 985 990

Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln  
 995 1000 1005

Leu Gly Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln  
 1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Thr Ala  
 1025 1030

<210> 22  
 <211> 822  
 <212> PRT  
 <213> Canis familiaris

<400> 22

Met Gly Pro Cys Arg Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Ala Leu Ala Leu Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Pro Arg Gly Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Tyr Asp Phe Val His Phe Val His Leu Arg Arg Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
 100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Asp Leu  
 115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
 130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
 145 150 155 160

Ala Thr Leu Ala Gly Leu Tyr Ala Leu Arg Phe Leu Phe Leu Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Leu Gln Val Ala Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Gly Phe  
 260 265 270

Pro Gln Leu His Pro Asn Thr Phe Gly His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Arg Asp Ser Ser Leu Tyr Ser Leu Asp Pro Arg Trp Phe  
 290 295 300

His Gly Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Tyr Gly Leu Ala Arg Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu His Leu Ala Ser Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365

Leu Asp Ile His Gly Ile Phe Phe Arg Ser Leu Ser Lys Thr Thr Leu  
 370 375 380

Gln Ser Leu Ala His Leu Pro Met Leu Gln Arg Leu His Leu Gln Leu  
 385 390 395 400

Asn Phe Ile Ser Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Glu  
 420 425 430



Pro Ala Ala Ala Thr Gly Glu Val Glu Ala Asp Cys Gly Glu Arg Val  
 435 440 445

Trp Pro Gln Ser Arg Asp Leu Ala Leu Gly Pro Leu Gly Thr Pro Gly  
 450 455 460

Ser Glu Ala Phe Met Pro Ser Cys Arg Thr Leu Asn Phe Thr Leu Asp  
 465 470 475 480

Leu Ser Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Val Arg  
 485 490 495

Leu Ala Arg Leu Gln Cys Leu Gly Leu Ser His Asn Ser Ile Ser Gln  
 500 505 510

Ala Val Asn Gly Ser Gln Phe Val Pro Leu Ser Asn Leu Arg Val Leu  
 515 520 525

Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr  
 530 535 540

Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro  
 545 550 555 560

Phe Ser Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu  
 565 570 575

Pro Ala Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg  
 580 585 590

Val Ser Gln Gln Leu Arg Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser  
 595 600 605

Gly Asn Thr Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg  
 610 615 620

Phe Phe Gln Gly Leu Arg Ser Leu Val Gln Leu Asp Leu Ser Gln Asn  
 625 630 635 640

Arg Leu His Thr Leu Leu Pro Arg Asn Leu Asp Asn Leu Pro Lys Ser  
 645 650 655

Leu Arg Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp

660

665

670

Ser Ser Leu Ala Leu Leu Pro Lys Leu Glu Ala Leu Asp Leu Ala Gly  
 675 680 685

Asn Gln Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln  
 690 695 700

Leu Gln Arg Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Val Pro  
 705 710 715 720

Ser Phe Phe Ala Leu Ala Val Arg Leu Arg Glu Leu Asn Leu Ser Ala  
 725 730 735

Asn Ala Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly  
 740 745 750

Ala Leu Lys Val Leu Asp Val Thr Ala Asn Pro Leu His Cys Ala Cys  
 755 760 765

Gly Ala Thr Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro  
 770 775 780

Gly Leu Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly  
 785 790 795 800

Arg Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu  
 805 810 815

Ser Trp Val Cys Phe Ser  
 820

<210> 23

<211> 3334

<212> DNA

<213> Canis familiaris

<400> 23

aggaaggggc tgtgagctcc aagcatcctt tctgcagct gctgcccagc ctgccagcca 60  
 gaccctctgg agaagcccc gctccctgtc atgggccctt gccgtggcgc cctgcacccc 120  
 ctgtctctcc tgggtgcaggc tgccgcgcta gccctggccc tggcccaggg caccctgcct 180  
 gccttcctgc cctgtgagct ccagccccat ggcctgggtga actgcaactg gctgttcctc 240  
 aagtcctgtc cccgcttctc ggcagctgca ccccgcggtg acgtcaccag cctttccttg 300

tactccaacc gcatccacca cctccatgac tatgactttg tccacttcgt ccacctgcgg	360
cgtctcaatc tcaagtggaa ctgcccgcgc gccagcctca gcccacatgca ctttccctgt	420
cacatgacca ttgagcccaa caccttcctg gctgtgcccc ccctagagga cctgaatctg	480
agctataaca gcatcacgac tgtgcccgcg ctgcccagtt cgcttggtgtc cctgtccctg	540
agccgcacca acatcctggg gctggaccct gccaccctgg caggccttta tgccctgcgc	600
ttcctgttcc tggatggcaa ctgctactac aagaaccctt gccagcaggc cctgcagggtg	660
gcccaggtg ccctcctggg cctgggcaac ctcacacacc tgtcactcaa gtacaacaac	720
ctcacctgtg tgccgcgggg cctgcccccc agcctggagt acctgctctt gtccctacaac	780
cacatcatca ccctggcacc tgaggacctg gccaatctga ctgccctgcg tgcctctgat	840
gtgggtggga actgtcgccg ctgtgaccat gcccgtaacc cctgcaggga gtgcccgaag	900
ggcttcccc agctgcaccc caacaccttc ggccacctga gccacctcga aggcctgggtg	960
ttgagggaca gctctctcta cagcctggac ccaggtggg tccatggcct gggcaacctc	1020
atgggtgctg acctgagtga gaacttcctg tatgactgca tcaccaaacc caaagccttc	1080
tacggcctgg ccggtctgcg cagactcaac ctgtccttca attatcataa gaagggtgtc	1140
tttgeccacc tgcactctggc atcctccttc gggagcctac tgtccctgca ggagctggac	1200
atacatggca tcttcttccg ctgctcagc aagaccacgc tccagtcgct ggcccacctg	1260
cccatgctcc agcgtctgca tctgcagttg aactttatca gccaggccca gctcagcatc	1320
ttcggcgctt tccctggact gcggtacgtg gacttgctag acaaccgcat cagtggagct	1380
gcagagcccg cggctgccac aggggaggta gaggcagact gtggggagag agtctggcca	1440
cagtcccggg accttgctct gggcccactg ggcacccccg gctcagaggc cttcatgccg	1500
agctgcagga ccctcaactt caccttggac ctgtctcgga acaacctagt gactgttcag	1560
ccggagatgt ttgtccggct ggcgcgcctc cagtgcctgg gcctgagcca caacagcatc	1620
tcgcaggcgg tcaatggctc gcagttcgtg cctctgagca acctgcgggt gctggacctg	1680
tcccataaca agctggacct gtaccacggg cgctcgttca cggagctgcc gcggctggag	1740
gccttggacc tcagctacaa cagccagccc ttcagcatgc ggggcgtggg ccacaatctc	1800
agctttgtgg cacagctgcc agccctgcgc tacctcagcc tggcgcacaa tggcatccac	1860
agccgcgtgt ccagcagct ccgcagcgcc tcgctccggg ccctggactt cagtggcaat	1920
acctgagcc agatgtgggc cgaggagac ctctatctcc gcttcttcca aggcctgaga	1980
agcctgggtc agctggacct gtcccagaat cgctgcata ccctcctgcc acgcaacctg	2040
gacaacctcc ccaagagcct gcggctcctg cggctccgtg acaattacct ggctttcttc	2100

aactggagca gcctggccct cctacccaag ctggaagccc tggacctggc gggaaaccag 2160  
ctgaaggccc tgagcaatgg cagcttgccc aacggcacc agctccagag gctggacctc 2220  
agcggcaaca gcatcggctt cgtgggtcccc agcttttttg ccctggccgt gaggcttcga 2280  
gagctcaacc tcagcgccaa cgccctcaag acggtggagc cctcctgggt ttggttcctg 2340  
gcgggtgccc tgaaagtcct agacgtgacc gccaaacctt tgcattgccc ttgcggcgca 2400  
accttcgtgg acttcttgct ggaggtgcag gctgcgggtgc ccggcctgcc tagccgtgtc 2460  
aagtgcggca gcccgggcca gctccagggc cgcagcatct tcgcacagga cctgcgcctc 2520  
tgcttgagc aagcgtctc ctgggtctgt ttcagcctct cgtgctggc tgtggccctg 2580  
agcctggctg tgcccatgct gcaccagctc tgtggctggg acctctggta ctgcttcac 2640  
ctgtgcctgg cctggctgcc ccggcggggg cggcggcggg gtgtggatgc cctggcctat 2700  
gacgccttcg tggctcttga caaggcgcag agctcgggtg cggactgggt gtacaatgag 2760  
ctgcgggtac agctagagga gcgcctggg cgcggggcgc tacgcctgtg tctggaggaa 2820  
cgtgactggg taccgggcaa aacctcttc gagaacctct gggcctcagt ttacagcagc 2880  
cgcaagacgc tgtttgtgct ggcccgcacg gacagagtca gcggcctcct gcgtgccagc 2940  
ttcctgctgg cccaacagcg cctgctggag gaccgcaagg acgtcgtggg gctgggtgatc 3000  
ctgtgccccg acgcccaccg ctcccgtat gtgcggctgc gccagcgcct ctgccgccag 3060  
agtgtcctcc tctggcccca ccagcccagt ggccagcgca gcttctgggc ccagctgggc 3120  
acggccctga ccagggacaa ccgccacttc tacaaccaga acttctgccg gggccccacg 3180  
acagcctgat aggcagacag ccagcacct tcgcgcccc acacctgcc tgtctgtctg 3240  
ggatgcccga cctgctgggt ctacaccgcc gctctgtctc ccctacacc agccctggca 3300  
taaagcgacc gctcaataaa tgctgctggg agac 3334

<210> 24  
<211> 2466  
<212> DNA  
<213> Canis familiaris

<400> 24  
atgggcccct gccgtggcgc cctgcacccc ctgtctctcc tgggtgcaggc tgccgcgcta 60  
gccctggccc tggcccaggg caccctgcct gccttcctgc cctgtgagct ccagcccat 120  
ggcctgggtga actgcaactg gctgttcctc aagtccgtgc ccgcttctc ggcagctgca 180  
ccccgcggta acgtcaccag cctttccttg tactccaacc gcatccacca cctccatgac 240  
tatgactttg tccacttcgt ccacctgagg cgtctcaatc tcaagtggaa ctgcccgc 300

gccagcctca gcccocatgca ctttcctgt cacatgacca ttgagcccaa caccttcctg 360  
 gctgtgcca ccctagagga cctgaatctg agctataaca gcatcacgac tgtgcccgcc 420  
 ctgcccagtt cgcttgtgtc cctgtccctg agccgcacca acatcctggt gctggaccct 480  
 gccaccctgg caggccttta tgccctgcg ctcctgttcc tggatggcaa ctgctactac 540  
 aagaaccct gccagcaggc cctgcaggtg gcccaggtg ccctcctggg cctgggcaac 600  
 ctcacacacc tgtcactcaa gtacaacaac ctcaccgtgg tgccgcgggg cctgcccccc 660  
 agcctggagt acctgctctt gtccataaac cacatcatca ccctggcacc tgaggacctg 720  
 gccaatctga ctgccctgcg tgcctcgat gtgggtggga actgtcgccg ctgtgaccat 780  
 gcccgtaacc cctgcaggga gtgcccgaag ggcttcccc agctgcacc caacaccttc 840  
 ggccacctga gccacctga aggcctggtg ttgagggaca gctctctcta cagcctggac 900  
 cccaggtggt tccatggcct gggcaacctc atggtgctgg acctgagtga gaacttcctg 960  
 tatgactgca tcacaaaac caaagccttc tacggcctgg cccggctgcg cagactcaac 1020  
 ctgtccttca attatcataa gaagggtgtc tttgccacc tgcatctggc atcctccttc 1080  
 gggagcctac tgtccctgca ggagctggac atacatggca tcttcttccg ctgctcagc 1140  
 aagaccacgc tccagtcgtt ggccacctg cccatgctcc agcgtctgca tctgcagttg 1200  
 aactttatca gccaggccca gctcagcatc ttcggcgctt ccctggact gcggtacgtg 1260  
 gacttgtcag acaaccgcat cagtggagct gcagagcccg cggctgccac aggggaggta 1320  
 gaggcagact gtggggagag agtctggcca cagtcccggg accttgctct gggccactg 1380  
 ggcacccccg gctcagaggc cttcatgccc agctgcagga ccctcaactt caccttggac 1440  
 ctgtctcgga acaacctagt gactgttcag ccggagatgt ttgtccggct ggcgcgcctc 1500  
 cagtgcctgg gcctgagcca caacagcatc tcgcaggcgg tcaatggctc gcagttcgtg 1560  
 cctctgagca acctgcgggt gctggacctg tcccataaca agctggacct gtaccacggg 1620  
 cgctcgttca cggagctgcc gcggctggag gccttggacc tcagctacaa cagccagccc 1680  
 ttcagcatgc ggggcgtggg ccacaatctc agctttgtgg cacagctgcc agccctgccc 1740  
 tacctcagcc tggcgcaaca tggcatccac agccgcgtgt cccagcagct ccgcagcgcc 1800  
 tcgctccggg ccctggactt cagtggcaat accctgagcc agatgtgggc cgaggagac 1860  
 ctctatctcc gcttcttcca aggcctgaga agcctggttc agctggacct gtcccagaat 1920  
 cgctgcata ccctcctgcc acgcaacctg gacaacctcc ccaagagcct gcggctcctg 1980  
 cggctccgtg acaattacct ggctttcttc aactggagca gcctggccct cctaccaag 2040

ctggaagccc tggacctggc gggaaaccag ctgaaggccc tgagcaatgg cagcttgccc 2100  
 aacggcaccc agctccagag gctggacctc agcggcaaca gcatcggctt cgtgggtcccc 2160  
 agctttttttg ccctggccgt gaggttcga gagctcaacc tcagcgccaa cgccctcaag 2220  
 acggtggagc cctcctgggt tggttccctg gcgggtgccc tgaaagtcct agacgtgacc 2280  
 gccaaccctt tgcattgcgc ttgcggcgca accttcgtgg acttcttgct ggaggtgcag 2340  
 gctgcgggtgc ccggcctgcc tagccgtgtc aagtgcggca gcccgggcca gctccagggc 2400  
 cgcagcatct tcgcacagga cctgcgcctc tgcttgacg aagcgctctc ctgggtctgt 2460  
 ttcagc 2466

<210> 25  
 <211> 1031  
 <212> PRT  
 <213> Felis catus

<400> 25

Met Gly Pro Cys His Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Ala Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Arg His Gly Leu Val Asn Cys Asp Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Gly Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Ser Leu Arg Arg Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
 100 105 110

Thr Ile Glu Pro His Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
 130 135 140



Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
 145 150 155 160

Ala Asn Leu Ala Gly Leu His Ser Leu Arg Phe Leu Phe Leu Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Pro Gln Ala Leu Gln Val Ala Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Ala Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Met Glu Cys Pro Lys Gly Phe  
 260 265 270

Pro His Leu His Pro Asp Thr Phe Ser His Leu Asn His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asn Pro Arg Trp Phe  
 290 295 300

His Ala Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu His Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Gln  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu  
 370 375 380

Arg Ser Leu Val His Leu Pro Met Leu Gln Ser Leu His Leu Gln Met  
385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Met Glu  
420 425 430

Leu Ala Ala Ala Thr Gly Glu Val Asp Gly Gly Glu Arg Val Arg Leu  
435 440 445

Pro Ser Gly Asp Leu Ala Leu Gly Pro Pro Gly Thr Pro Ser Ser Glu  
450 455 460

Gly Phe Met Pro Gly Cys Lys Thr Leu Asn Phe Thr Leu Asp Leu Ser  
465 470 475 480

Arg Asn Asn Leu Val Thr Ile Gln Pro Glu Met Phe Ala Arg Leu Ser  
485 490 495

Arg Leu Gln Cys Leu Leu Leu Ser Arg Asn Ser Ile Ser Gln Ala Val  
500 505 510

Asn Gly Ser Gln Phe Met Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
545 550 555 560

Met Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala  
565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser  
580 585 590

Gln Gln Leu Cys Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
595 600 605

Ala Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe

610		615		620
Arg Gly Leu Arg Ser Leu Val Arg Leu Asp Leu Ser Gln Asn Arg Leu				
625		630		640
His Thr Leu Leu Pro Arg Thr Leu Asp Asn Leu Pro Lys Ser Leu Arg				
	645		650	655
Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser				
	660		665	670
Leu Val Leu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln				
	675		680	685
Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln Leu Gln				
	690		695	700
Arg Leu Asp Leu Ser Ser Asn Ser Ile Ser Phe Val Ala Ser Ser Phe				
705		710		720
Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala				
	725		730	735
Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu				
	740		745	750
Lys Val Leu Asp Val Thr Gly Asn Pro Leu His Cys Ala Cys Gly Ala				
	755		760	765
Ala Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu				
	770		775	780
Pro Gly His Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser				
785		790		800
Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp				
	805		810	815
Asp Cys Phe Gly Leu Ser Leu Leu Thr Val Ala Leu Gly Leu Ala Val				
	820		825	830
Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His				
	835		840	845

Leu Cys Leu Ala Trp Leu Pro Arg Arg Gly Arg Arg Arg Gly Ala Asp  
 850 855 860

Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala  
 865 870 875 880

Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu Glu Arg  
 885 890 895

Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu  
 900 905 910

Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser  
 915 920 925

Arg Lys Met Leu Phe Val Leu Ala His Thr Asp Arg Val Ser Gly Leu  
 930 935 940

Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg  
 945 950 955 960

Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His Arg Ser  
 965 970 975

Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu  
 980 985 990

Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln Leu Gly  
 995 1000 1005

Thr Ala Leu Thr Arg Asp Asn Gln His Phe Tyr Asn Gln Asn Phe  
 1010 1015 1020

Cys Arg Gly Pro Thr Thr Ala Glu  
 1025 1030

<210> 26  
 <211> 820  
 <212> PRT  
 <213> Felis catus

<400> 26

Met Gly Pro Cys His Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Ala Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
                   20                                  25                                  30

Leu Pro Cys Glu Leu Gln Arg His Gly Leu Val Asn Cys Asp Trp Leu  
                   35                                  40                                  45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Gly Asn  
           50                                  55                                  60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
 65                                  70                                  75                                  80

Ser Asp Phe Val His Leu Ser Ser Leu Arg Arg Leu Asn Leu Lys Trp  
                                   85                                  90                                  95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
                   100                                  105                                  110

Thr Ile Glu Pro His Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
           115                                  120                                  125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
           130                                  135                                  140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
 145                                  150                                  155                                  160

Ala Asn Leu Ala Gly Leu His Ser Leu Arg Phe Leu Phe Leu Asp Gly  
                                   165                                  170                                  175

Asn Cys Tyr Tyr Lys Asn Pro Cys Pro Gln Ala Leu Gln Val Ala Pro  
                   180                                  185                                  190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
           195                                  200                                  205

Asn Asn Leu Thr Ala Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
           210                                  215                                  220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
 225                                  230                                  235                                  240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
                   245                                  250                                  255

Arg Cys Asp His Ala Arg Asn Pro Cys Met Glu Cys Pro Lys Gly Phe  
 260 265 270

Pro His Leu His Pro Asp Thr Phe Ser His Leu Asn His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asn Pro Arg Trp Phe  
 290 295 300

His Ala Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu His Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Gln  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu  
 370 375 380

Arg Ser Leu Val His Leu Pro Met Leu Gln Ser Leu His Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Met Glu  
 420 425 430

Leu Ala Ala Ala Thr Gly Glu Val Asp Gly Gly Glu Arg Val Arg Leu  
 435 440 445

Pro Ser Gly Asp Leu Ala Leu Gly Pro Pro Gly Thr Pro Ser Ser Glu  
 450 455 460

Gly Phe Met Pro Gly Cys Lys Thr Leu Asn Phe Thr Leu Asp Leu Ser  
 465 470 475 480

Arg Asn Asn Leu Val Thr Ile Gln Pro Glu Met Phe Ala Arg Leu Ser  
 485 490 495



Arg Leu Gln Cys Leu Leu Leu Ser Arg Asn Ser Ile Ser Gln Ala Val  
500 505 510

Asn Gly Ser Gln Phe Met Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
545 550 555 560

Met Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala  
565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser  
580 585 590

Gln Gln Leu Cys Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
595 600 605

Ala Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe  
610 615 620

Arg Gly Leu Arg Ser Leu Val Arg Leu Asp Leu Ser Gln Asn Arg Leu  
625 630 635 640

His Thr Leu Leu Pro Arg Thr Leu Asp Asn Leu Pro Lys Ser Leu Arg  
645 650 655

Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser  
660 665 670

Leu Val Leu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln  
675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln Leu Gln  
690 695 700

Arg Leu Asp Leu Ser Ser Asn Ser Ile Ser Phe Val Ala Ser Ser Phe  
705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala

725

730

735

Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu  
 740 745 750

Lys Val Leu Asp Val Thr Gly Asn Pro Leu His Cys Ala Cys Gly Ala  
 755 760 765

Ala Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu  
 770 775 780

Pro Gly His Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser  
 785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp  
 805 810 815

Asp Cys Phe Gly  
 820

<210> 27  
 <211> 3235  
 <212> DNA  
 <213> Felis catus

<400> 27  
 agggctctgcg agctccaggc attcttctct gccatcgctg cccagtctgc catccagacc 60  
 ctctggagaa gccccactc cctgtcatgg gccctgcca tggcgccctg caccctgtgt 120  
 ctctcctgggt gcaggctgcc gcgctggccg tggccctggc ccagggcacc ctgcctgcct 180  
 ttctgccctg tgagctccag cgccacggcc tgggtgaattg cgactggctg ttcctcaagt 240  
 ccgtgcccc a tttctcggcg gcagcgcccc gtggtaacgt caccagcctt tcctgtact 300  
 ccaaccgcat ccaccacctc cactgactccg actttgtcca cctgtccagc ctgcggcgtc 360  
 tcaacctcaa atggaactgc ccaccgcca gcctcagccc catgcacttc ccctgtcaca 420  
 tgaccattga gccccacacc ttcctggccg tgcccaccct ggaggagctg aacctgagct 480  
 acaacagcat cactgacagta cccgccctgc ccagttccct cgtgtccctg tccttgagcc 540  
 gtaccaacat cctgggtgctg gaccctgcca acctcgcagg gctgcactcc ctgcgctttc 600  
 tgttctctgga tggcaactgc tactacaaga acccctgccc gcaggccctg caggtggccc 660  
 cgggcgccct ccttggcctg ggcaacctta cgcacctgtc actcaagtac aacaacctca 720  
 ctgcggtgcc ccgcggcctg cccccagcc tggagtacct gctattgtcc tacaaccaca 780

tcatcacccct ggcacctgag gacctggcca acctgaccgc cctgcgtgtg ctcgatgtgg	840
gtgggaactg ccgtcgctgt gaccacgccc gcaaccctg tatggagtgc cccaagggct	900
tcccgcacct gcacctgac accttcagcc acctgaacca cctcgaaggc ctggtgttga	960
aggacagctc tctctacaac ctgaacccca gatgggttcca tgccctgggc aacctcatgg	1020
tgctggacct gagtgagaac ttctatatg actgcatcac caaaaccaca gccttccagg	1080
gcctggccca gctgcgcaga ctcaacttgt ctttcaatta ccacaagaag gtgtcctttg	1140
cccacctgca tctggcgccc tcttcggga gcctgctctc cctgcagcag ctggacatgc	1200
atggcatctt cttccgctcg ctacgcgaga ccacgctccg gtcgctggtc cacctgcca	1260
tgctccagag tctgcacctg cagatgaact tcatcaatca ggcccagctc agcatcttcg	1320
gggccttccc tggcctgcga tacgtggacc tgtcagacaa ccgcataagt ggagccatgg	1380
agctggcggc tgccacgggg gaggtggatg gtggggagag agtccggctg ccatctgggg	1440
acctagctct gggcccaccg ggcacccta gctccgaggg cttcatgcca ggctgcaaga	1500
ccctcaactt caccttggac ctgtcacgga acaacctagt gacaatccag ccagagatgt	1560
ttgcccggct ctgcgcctc cagtgcctgc tcttgagccg caacagcatc tcgcaggcag	1620
tcaacggctc acaatttatg ccgctgacca gcctgcaggt gctggacctg tcccataaca	1680
agctggacct gtaccatggg cgctctttca cggagctgcc gcggctggag gccctggacc	1740
tcagctacaa cagccagccc ttcagcatgc agggcgtggg tcacaacctc agctttgtgg	1800
cacagctgcc ggccctgcgc tatctcagcc tggcgcacaa cgacatccac agccgtgtgt	1860
cccagcagct ctgcagcgcc tcgctgcggg ccttggactt cagcggcaat gccttgagcc	1920
ggatgtgggc cgagggagac ctgtatctcc acttcttccg aggcctgagg agcctgggcc	1980
ggttggatct gtcccagaat cgcctgcata ccctcttgcc acgcacctg gacaacctcc	2040
ccaagagcct gcggctgctg cgtctccgtg acaattatct ggctttcttc aactggagca	2100
gcctggctct cctccccagg ctggaagccc tggacctggc gggaaaccag ctgaaggccc	2160
tgagcaacgg cagcttgctt aatggaacct agctccagag gctggacctc agcagcaaca	2220
gtatcagctt cgtggcctcc agcttttttg ctctggccac caggctgcga gagctcaacc	2280
tcagtgccaa cgcctcaag acggtggagc cctcctgggt cggttctcta gcgggcaccc	2340
tgaaagtcct agatgtgact ggcaaccccc tgcaactgcgc ctgtggggcg gccttcgtgg	2400
acttcttgct ggaggtgcag gctgcagtgc ccggcctgcc aggccacgtc aagtgtggca	2460
gtccaggtca gctccagggc cgcagcatct ttgcgcagga tctgcgcctc tgccctggatg	2520
aggccctctc ctgggactgt tttggcctct cgtgctgac cgtggccctg ggccctggccg	2580

tgcccatgct gcaccacctc tgtggctggg acctctggta ctgcttccac ctgtgcctgg 2640  
 cctggctgcc ccggcggggg cggcggcggg gcgcggatgc cctgccctac gatgcctttg 2700  
 tggctcttcga caaggcacag agcgcggtgg ccgactgggt gtacaacgag ctgcgggtac 2760  
 ggctagagga gcgccgtgga cggcgagcgc tccgcctgtg cctggaggaa cgtgactggc 2820  
 tacccggtaa aacgctcttt gagaacctgt gggcctcagt ttacagcagc cgcaagatgc 2880  
 tgtttgtgct ggcccacaca gacaggggtca gcggcctctt gcgcgccagc tttctgctgg 2940  
 cccagcagcg cctgctggag gaccgcaagg acgttgtggg gctggatgat ctgcgccccg 3000  
 acgcccaccg ctcccgctat gtgcggctgc gccagcgcct ctgccgccag agcgtcctcc 3060  
 tctggcccca ccagcccagt ggccagcgcg gcttctgggc ccagctgggc acggccctga 3120  
 ccagggacaa ccagcacttc tataaccaga acttctgccg gggccccacg acggcagagt 3180  
 gaccgcccag caccccaagc ctctacacc ttgcctgtct gcctgggatg ccggg 3235

<210> 28  
 <211> 2460  
 <212> DNA  
 <213> Felis catus

<400> 28  
 atggggcccct gccatggcgc cctgcacccc ctgtctctcc tgggtgcaggc tgccgcgctg 60  
 gccgtggccc tggcccaggg caccctgcct gcctttctgc cctgtgagct ccagcgccac 120  
 ggcctgggtga attgcgactg gctgttcctc aagtccgtgc cccacttctc ggcggcagcg 180  
 ccccggtgga acgtcaccag cctttccctg tactccaacc gcateccacca cctccacgac 240  
 tccgactttg tccacctgtc cagcctgcgg cgtctcaacc tcaaattggaa ctgcccaccc 300  
 gccagcctca gcccacatgca cttcccctgt cacatgacca ttgagcccca caccttcctg 360  
 gccgtgcca ccctggagga gctgaacctg agctacaaca gcatcacgac agtaccgccc 420  
 ctgcccagtt cctcgtgtc cctgtccttg agccgtacca acatcctggg gctggaccct 480  
 gccaacctcg cagggtgca ctccctgcgc tttctgttcc tggatggcaa ctgctactac 540  
 aagaaccctt gccgcaggc cctgcagggt gcccggggcg cctccttg cctgggcaac 600  
 cttacgcacc tgtcactcaa gtacaacaac ctactgcgg tgccccgcgg cctgcccccc 660  
 agcctggagt acctgctatt gtcctacaac cacatcatca ccctggcacc tgaggacctg 720  
 gccaacctga ccgccctgcg tgtgctcgat gtgggtggga actgccgtcg ctgtgaccac 780  
 gcccgcaacc cctgtatgga gtgcccacag ggcttccgcg acctgcaccc tgacaccttc 840  
 agccacctga accacctga aggcctgggt ttgaaggaca gctctctcta caacctgaac 900

```

cccagatggg tccatgccct gggcaacctc atgggtgctgg acctgagtga gaacttccta    960
tatgactgca tcacaaaaac cacagccttc cagggcctgg cccagctgcg cagactcaac    1020
ttgtctttca attaccacaa gaagggtgtcc tttgcccacc tgcattctggc gccctccttc    1080
gggagcctgc tctccctgca gcagctggac atgcatggca tcttcttccg ctcgctcagc    1140
gagaccacgc tccggtcgct ggtccacctg cccatgctcc agagtctgca cctgcagatg    1200
aacttcatca atcaggccca gctcagcatc ttcggggcct tccttggcct gcgatacgtg    1260
gacctgtcag acaaccgcat aagtggagcc atggagctgg cggctgccac gggggaggtg    1320
gatgggtggg agagagtccg gctgccatct ggggacctag ctctggggcc accgggcacc    1380
cctagctccg agggcttcat gccaggctgc aagaccctca acttcacctt ggacctgtca    1440
cggaacaacc tagtgacaat ccagccagag atgtttgccc ggctctcgcg cctccagtgc    1500
ctgctcctga gccgcaacag catctcgagc gcagtcaacg gctcacaatt tatgccgctg    1560
accagcctgc aggtgctgga cctgtcccat aacaagctgg acctgtacca tgggcgctct    1620
ttcacggagc tgccgcggct ggaggccctg gacctcagct acaacagcca gcccttcagc    1680
atgcagggcg tgggtcacia cctcagcttt gtggcacagc tgccggccct gcgctatctc    1740
agcctggcgc acaacgacat ccacagccgt gtgtcccagc agctctgcag cgcctcgctg    1800
cgggccttgg acttcagcgg caatgccttg agccggatgt gggccgaggg agacctgtat    1860
ctccacttct tccgaggcct gaggagcctg gtccgggttg atctgtccca gaatcgctg    1920
cataccctct tgccacgcac cctggacaac ctccccaaga gcctgcggct gctgcgtctc    1980
cgtgacaatt atctggcttt cttcaactgg agcagcctgg tcctcctccc caggctggaa    2040
gccctggacc tggcgggaaa ccagctgaag gccctgagca acggcagctt gcctaattga    2100
accagctcc agaggctgga cctcagcagc aacagtatca gcttcgtggc ctccagcttt    2160
tttgctctgg ccaccaggct gcgagagctc aacctcagtg ccaacgccct caagacgggtg    2220
gagccctcct ggttcgggttc tctagcgggc accctgaaag tcctagatgt gactggcaac    2280
cccctgcact gcgcctgtgg ggcggccttc gtggacttct tgctggaggt gcaggctgca    2340
gtgcccggcc tgccaggcca cgtcaagtgt ggcagtccag gtcagctcca gggccgcagc    2400
atctttgcgc aggatctgcg cctctgcctg gatgaggccc tctcctggga ctgttttggc    2460

```

```

<210> 29
<211> 1032
<212> PRT
<213> Mus musculus

```

&lt;400&gt; 29

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn  
 50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met  
 100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
 130 135 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu



225		230		235		240
Ala Asn Leu Thr Ser Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg						
	245			250		255
Arg Cys Asp His Ala Pro Asn Pro Cys Ile Glu Cys Gly Gln Lys Ser						
	260			265		270
Leu His Leu His Pro Glu Thr Phe His His Leu Ser His Leu Glu Gly						
	275			280		285
Leu Val Leu Lys Asp Ser Ser Leu His Thr Leu Asn Ser Ser Trp Phe						
	290			295		300
Gln Gly Leu Val Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu						
305		310		315		320
Tyr Glu Ser Ile Asn His Thr Asn Ala Phe Gln Asn Leu Thr Arg Leu						
	325			330		335
Arg Lys Leu Asn Leu Ser Phe Asn Tyr Arg Lys Lys Val Ser Phe Ala						
	340			345		350
Arg Leu His Leu Ala Ser Ser Phe Lys Asn Leu Val Ser Leu Gln Glu						
	355			360		365
Leu Asn Met Asn Gly Ile Phe Phe Arg Ser Leu Asn Lys Tyr Thr Leu						
	370			375		380
Arg Trp Leu Ala Asp Leu Pro Lys Leu His Thr Leu His Leu Gln Met						
385		390		395		400
Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Thr Phe Arg Ala						
	405			410		415
Leu Arg Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Pro Ser Thr						
	420			425		430
Leu Ser Glu Ala Thr Pro Glu Glu Ala Asp Asp Ala Glu Gln Glu Glu						
	435			440		445
Leu Leu Ser Ala Asp Pro His Pro Ala Pro Leu Ser Thr Pro Ala Ser						
	450			455		460

Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu  
 465 470 475 480

Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu  
 485 490 495

Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala  
 500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp  
 515 520 525

Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu  
 530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe  
 545 550 555 560

Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Ala His Leu Ser  
 565 570 575

Met Leu His Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val  
 580 585 590

Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly  
 595 600 605

Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe  
 610 615 620

Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn  
 625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu  
 645 650 655

Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr  
 660 665 670

Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn  
 675 680 685

Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu  
 690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala  
 705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn  
 725 730 735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn  
 740 745 750

Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly  
 755 760 765

Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly  
 770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg  
 785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser  
 805 810 815

Trp Asp Cys Phe Gly Leu Ser Leu Leu Ala Val Ala Val Gly Met Val  
 820 825 830

Val Pro Ile Leu His His Leu Cys Gly Trp Asp Val Trp Tyr Cys Phe  
 835 840 845

His Leu Cys Leu Ala Trp Leu Pro Leu Leu Ala Arg Ser Arg Arg Ser  
 850 855 860

Ala Gln Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln  
 865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu  
 885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp  
 900 905 910

Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr  
 915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser  
 930 935 940

Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His  
 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
 980 985 990

Leu Phe Trp Pro Gln Gln Pro Asn Gly Gln Gly Gly Phe Trp Ala Gln  
 995 1000 1005

Leu Ser Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln  
 1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu  
 1025 1030

<210> 30  
 <211> 821  
 <212> PRT  
 <213> Mus musculus

<400> 30

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn  
 50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met  
 100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
 130 135 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asn Pro Cys Ile Glu Cys Gly Gln Lys Ser  
 260 265 270

Leu His Leu His Pro Glu Thr Phe His His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Thr Leu Asn Ser Ser Trp Phe  
 290 295 300

Gln Gly Leu Val Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Glu Ser Ile Asn His Thr Asn Ala Phe Gln Asn Leu Thr Arg Leu  
 325 330 335

Arg Lys Leu Asn Leu Ser Phe Asn Tyr Arg Lys Lys Val Ser Phe Ala

340	345	350
Arg Leu His Leu Ala Ser Ser Phe Lys Asn Leu Val Ser Leu Gln Glu		
355	360	365
Leu Asn Met Asn Gly Ile Phe Phe Arg Ser Leu Asn Lys Tyr Thr Leu		
370	375	380
Arg Trp Leu Ala Asp Leu Pro Lys Leu His Thr Leu His Leu Gln Met		
385	390	395
Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Thr Phe Arg Ala		
405	410	415
Leu Arg Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Pro Ser Thr		
420	425	430
Leu Ser Glu Ala Thr Pro Glu Glu Ala Asp Asp Ala Glu Gln Glu Glu		
435	440	445
Leu Leu Ser Ala Asp Pro His Pro Ala Pro Leu Ser Thr Pro Ala Ser		
450	455	460
Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu		
465	470	475
Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu		
485	490	495
Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala		
500	505	510
Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp		
515	520	525
Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu		
530	535	540
Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe		
545	550	555
Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Ala His Leu Ser		
565	570	575



Met Leu His Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val  
580 585 590

Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly  
595 600 605

Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe  
610 615 620

Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn  
625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu  
645 650 655

Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr  
660 665 670

Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn  
675 680 685

Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu  
690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala  
705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn  
725 730 735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn  
740 745 750

Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly  
755 760 765

Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly  
770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg  
785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser  
805 810 815

Trp Asp Cys Phe Gly  
820

<210> 31

<211> 3200

<212> DNA

<213> Mus musculus

<400> 31

```

tgtcagaggg agcctcggga gaatcctcca tctcccaaca tggttctccg tcgaaggact      60
ctgcaccctt tgtccctcct ggtacaggct gcagtgctgg ctgagactct ggccttgggt      120
accctgcctg ccttcctacc ctgtgagctg aagcctcatg gcctgggtgga ctgcaattgg      180
ctgttcctga agtctgtacc ccgtttctct gcggcagcat cctgctccaa catcaccgcg      240
ctctccttga tctccaaccg tatccaccac ctgcacaact ccgacttcgt ccacctgtcc      300
aacctgcggc agctgaacct caagtggaa tgtccacca ctggccttag cccctgcac      360
ttctcttgcc acatgaccat tgagcccaga accttcctgg ctatgcgtac actggaggag      420
ctgaacctga gctataatgg tatcaccact gtgccccgac tgcccagctc cctgggtgaat      480
ctgagcctga gccacaccaa catcctgggt ctagatgcta acagcctcgc cggcctatac      540
agcctgcgcg ttctcttcat ggacgggaac tgctactaca agaaccctg cacaggagcg      600
gtgaagggtga cccagggcgc cctcctgggc ctgagcaatc tcacccatct gtctctgaag      660
tataacaacc tcacaaaggt gccccgcaa ctgcccccca gcctggagta cctcctgggtg      720
tcctataacc tcattgtcaa gctggggcct gaagacctgg ccaatctgac ctcccttcga      780
gtacttgatg tgggtgggaa ttgccgtcgc tgcgaccatg cccccaatcc ctgtatagaa      840
tgtggccaaa agtccctcca cctgcaccct gagaccttcc atcacctgag ccactctggaa      900
ggcctgggtgc tgaaggacag ctctctccat aactgaact cttcctgggt ccaaggtctg      960
gtcaacctct cggtgctgga cctaagcgag aactttctct atgaaagcat caaccacacc     1020
aatgcctttc agaacctaac ccgcctgcgc aagctcaacc tgtccttcaa ttaccgcaag     1080
aaggtatcct ttgccgcct ccacctggca agttccttca agaacctggg gtcactgcag     1140
gagctgaaca tgaacggcat cttcttccgc tcgctcaaca agtacacgct cagatggctg     1200
gccgatctgc ccaaactcca cactctgcat cttcaaata acttcatcaa ccaggcacag     1260
ctcagcatct ttggtacctt ccgagccctt cgctttgtgg acttgtcaga caatcgcatc     1320
agtgggcctt caacgctgtc agaagccacc cctgaagagg cagatgatgc agagcaggag     1380
gagctgttgt ctgcggatcc tcaccagct ccactgagca cccctgcttc taagaacttc     1440

```

atggacaggt gtaagaactt caagttcacc atggacctgt ctcggaacaa cctgggtgact	1500
atcaagccag agatgtttgt caatctctca cgcctccagt gtcttagcct gagccacaac	1560
tccattgcac aggctgtcaa tggctctcag ttcttgccgc tgactaatct gcaggtgctg	1620
gacctgtccc ataacaaact ggacttgtac cactggaaat cgttcagtga gctaccacag	1680
ttgcaggccc tggacctgag ctacaacagc cagcccttta gcatgaaggg tataggccac	1740
aatttcagtt ttgtggccca tctgtccatg ctacacagcc ttagcctggc acacaatgac	1800
attcataccc gtgtgtcctc acatctcaac agcaactcag tgaggtttct tgacttcagc	1860
ggcaacggta tgggcccgc atgtggatgag gggggccttt atctccattt cttccaaggc	1920
ctgagtggcc tgctgaagct ggacctgtct caaaataacc tgcatatcct ccggccccag	1980
aaccttgaca acctcccca gagcctgaag ctgctgagcc tccgagacaa ctacctatct	2040
ttctttaact ggaccagtct gtccttcctg cccaacctgg aagtcctaga cctggcaggc	2100
aaccagctaa aggccctgac caatggcacc ctgcctaata gcaccctcct ccagaaactg	2160
gatgtcagca gcaacagtat cgtctctgtg gtcccagcct tcttcgctct ggcggtcgag	2220
ctgaaagagg tcaacctcag ccacaacatt ctcaagacgg tggatcgctc ctgggttggg	2280
cccattgtga tgaacctgac agttctagac gtgagaagca accctctgca ctgtgcctgt	2340
ggggcagcct tcgtagactt actgttggag gtgcagacca aggtgcctgg cctggctaata	2400
ggtgtgaagt gtggcagccc cggccagctg cagggccgta gcatcttcgc acaggacctg	2460
cggctgtgcc tggatgaggt cctctcttgg gactgctttg gcctttcact cttggctgtg	2520
gccgtgggca tgggtgggtgcc tatactgcac catctctgcg gctgggacgt ctggtactgt	2580
tttcatctgt gcctggcatg gctacctttg ctggcccgca gccgacgcag cgccaagct	2640
ctcccctatg atgccttcgt ggtgttcgat aaggcacaga gcgcagttgc ggactgggtg	2700
tataacgagc tgcgggtgcg gctggaggag cggcgcggtc gccgagccct acgcttgtgt	2760
ctggaggacc gagattggct gcctggccag acgctcttcg agaacctctg ggcttccatc	2820
tatgggagcc gcaagactct atttgtgctg gccacacgg accgcgtcag tggcctcctg	2880
cgcaccagct tcctgctggc tcagcagcgc ctggttgaag accgcaagga cgtggtggtg	2940
ttggtgatcc tgcgtccgga tgcccaccgc tcccgtatg tgcgactgcg ccagcgtctc	3000
tgccgccaga gtgtgctctt ctggccccag cagcccaacg ggcagggggg cttctgggcc	3060
cagctgagta cagccctgac tagggacaac cgccacttct ataaccagaa cttctgccgg	3120
ggacctacag cagaatagct cagagcaaca gctggaaaca gctgcatctt catgcctggg	3180
tcccaggttg ctctgcctgc	3200

<210> 32  
 <211> 2463  
 <212> DNA  
 <213> Mus musculus

<400> 32  
 atgggttctcc gtcgaaggac tctgcacccc ttgtccctcc tggtagaggc tgcagtgctg 60  
 gctgagactc tggccctggg taccctgcct gccttcctac cctgtgagct gaagcctcat 120  
 ggccctgggtg actgcaattg gctgttcctg aagtctgtac cccgtttctc tgcggcagca 180  
 tcctgctcca acatcacccg cctctccttg atctccaacc gtatccacca cctgcacaac 240  
 tccgacttcg tccacctgtc caacctgcgg cagctgaacc tcaagtggaa ctgtccaccc 300  
 actggcctta gccccctgca cttctcttgc cacatgacca ttgagcccag aaccttcctg 360  
 gctatgctga cactggagga gctgaacctg agctataatg gtatcaccac tgtgccccga 420  
 ctgcccagct ccctgggtgaa tctgagcctg agccacacca acatcctggg tctagatgct 480  
 aacagcctcg ccggcctata cagcctgcgc gttctcttca tggacgggaa ctgctactac 540  
 aagaaccctt gcacaggagc ggtgaagggtg accccaggcg ccctcctggg cctgagcaat 600  
 ctcacccatc tgtctctgaa gtataacaac ctcacaaagg tgccccgcca actgcccccc 660  
 agcctggagt acctcctggg gtccctataac ctcatgttca agctggggcc tgaagacctg 720  
 gccaatctga cctcccttcg agtacttgat gtgggtggga attgccgtcg ctgcgaccat 780  
 gcccccaatc cctgtataga atgtggccaa aagtccctcc acctgcaccc tgagaccttc 840  
 catcacctga gccatctgga aggcctgggtg ctgaaggaca gctctctcca tacactgaac 900  
 tcttcctggg tccaaggtct ggtcaacctc tcgggtgctgg acctaaagca gaactttctc 960  
 tatgaaagca tcaaccacac caatgccttt cagaacctaa cccgcctgcg caagctcaac 1020  
 ctgtccttca attaccgcaa gaaggatatc tttgccccgc tccacctggc aagttccttc 1080  
 aagaacctgg tgtcactgca ggagctgaac atgaacggca tcttcttccg ctgctcaac 1140  
 aagtacacgc tcagatggct ggccgatctg cccaaactcc aactctgca tcttcaaagt 1200  
 aacttcatca accaggcaca gctcagcatc tttggtacct tccgagccct tcgctttgtg 1260  
 gacttgtcag acaatcgcat cagtgggcct tcaacgctgt cagaagccac ccctgaagag 1320  
 gcagatgatg cagagcagga ggagctgttg tctgcggatc ctcaccacgc tccactgagc 1380  
 acccctgctt ctaagaactt catggacagg tgtaagaact tcaagttcac catggacctg 1440  
 tctcgggaaca acctgggtgac tatcaagcca gagatgtttg tcaatctctc acgcctccag 1500  
 tgtcttagcc tgagccacaa ctccattgca caggctgtca atggctctca gttcctgccg 1560

```

ctgactaatc tgcaggtgct ggacctgtcc cataacaaac tggacttgta ccactggaaa 1620
tcgttcagtg agctaccaca gttgcaggcc ctggacctga gctacaacag ccagcccttt 1680
agcatgaagg gtataggcca caatttcagt tttgtggccc atctgtccat gctacacagc 1740
cttagcctgg cacacaatga cattcatacc cgtgtgtcct cacatctcaa cagcaactca 1800
gtgaggtttc ttgacttcag cggcaacggt atgggccgca tgtgggatga ggggggcctt 1860
tatctccatt tcttccaagg cctgagtggc ctgctgaagc tggacctgtc tcaaaataac 1920
ctgcatatcc tccggcccca gaaccttgac aacctcccca agagcctgaa gctgctgagc 1980
ctccgagaca actacctatc tttctttaac tggaccagtc tgtccttcct gcccaacctg 2040
gaagtcctag acctggcagg caaccagcta aaggccctga ccaatggcac cctgcctaata 2100
ggcacctcc tccagaaact ggatgtcagc agcaacagta tcgtctctgt ggtcccagcc 2160
ttcttcgctc tggcggtcga gctgaaagag gtcaacctca gccacaacat tctcaagacg 2220
gtggatcgct cctggtttgg gccatttgtg atgaacctga cagttctaga cgtgagaagc 2280
aaccctctgc actgtgcctg tggggcagcc ttcgtagact tactgttgga ggtgcagacc 2340
aagggtcctg gcctggctaa tgggtgtgaag tgtggcagcc ccggccagct gcagggccgt 2400
agcatcttcg cacaggacct gcggctgtgc ctggatgagg tcctctcttg ggactgcttt 2460
ggc 2463

```

```

<210> 33
<211> 1032
<212> PRT
<213> Homo sapiens

```

```

<400> 33

```

```

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln
1          5          10          15

```

```

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe
20          25          30

```

```

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
35          40          45

```

```

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn
50          55          60

```

```

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp
65          70          75          80

```

Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp  
                     85                                    90                                    95

Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met  
                     100                                    105                                    110

Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
                     115                                    120                                    125

Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser  
                     130                                    135                                    140

Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser  
                     145                                    150                                    155                                    160

Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly  
                     165                                    170                                    175

Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro  
                     180                                    185                                    190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
                     195                                    200                                    205

Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr  
                     210                                    215                                    220

Leu Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu  
                     225                                    230                                    235                                    240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
                     245                                    250                                    255

Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe  
                     260                                    265                                    270

Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
                     275                                    280                                    285

Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe  
                     290                                    295                                    300

Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu



305		310		315		320
Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu						
	325			330		335
Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala						
	340			345		350
His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu						
	355			360		365
Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu						
	370			375		380
Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met						
	385			390		400
Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly						
	405			410		415
Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu						
	420			425		430
Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Gly Glu Lys Val Trp Leu						
	435			440		445
Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu						
	450			455		460
Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser						
	465			470		475
Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser						
	485			490		495
His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val						
	500			505		510
Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu						
	515			520		525
Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu						
	530			535		540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly  
 545 550 555 560

Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr  
 565 570 575

Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser  
 580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
 595 600 605

Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe  
 610 615 620

Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu  
 625 630 635 640

His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln  
 645 650 655

Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser  
 660 665 670

Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg  
 675 680 685

Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg  
 690 695 700

Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe  
 705 710 715 720

Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
 725 730 735

Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu  
 740 745 750

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
 755 760 765

Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu  
 770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser  
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp  
805 810 815

Asp Cys Phe Ala Leu Ser Leu Leu Ala Val Ala Leu Gly Leu Gly Val  
820 825 830

Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His  
835 840 845

Leu Cys Leu Ala Trp Leu Pro Trp Arg Gly Arg Gln Ser Gly Arg Asp  
850 855 860

Glu Asp Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Thr Gln  
865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Gly Gln Leu Glu  
885 890 895

Glu Cys Arg Gly Arg Trp Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp  
900 905 910

Trp Leu Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr  
915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser  
930 935 940

Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Gly Arg  
965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
980 985 990

Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln  
995 1000 1005

Leu Gly Met Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg  
1010 1015 1020

Asn Phe Cys Gln Gly Pro Thr Ala Glu  
1025 1030

<210> 34  
<211> 820  
<212> PRT  
<213> Homo sapiens

<400> 34

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln  
1 5 10 15

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn  
50 55 60

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp  
65 70 75 80

Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp  
85 90 95

Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met  
100 105 110

Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
115 120 125

Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser  
130 135 140

Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser  
145 150 155 160

Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly  
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro  
180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe  
 260 265 270

Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe  
 290 295 300

Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu  
 325 330 335

Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala  
 340 345 350

His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu  
 370 375 380

Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu

420	425	430
Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Gly Glu Lys Val Trp Leu		
435	440	445
Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu		
450	455	460
Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser		
465	470	475
480		
Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser		
485	490	495
His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val		
500	505	510
Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu		
515	520	525
Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu		
530	535	540
Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly		
545	550	555
560		
Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr		
565	570	575
Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser		
580	585	590
Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn		
595	600	605
Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe		
610	615	620
Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu		
625	630	635
640		
His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln		
645	650	655



Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser  
 660 665 670

Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg  
 675 680 685

Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg  
 690 695 700

Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe  
 705 710 715 720

Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
 725 730 735

Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu  
 740 745 750

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
 755 760 765

Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu  
 770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser  
 785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp  
 805 810 815

Asp Cys Phe Ala  
 820

<210> 35

<211> 3352

<212> DNA

<213> Homo sapiens

<400> 35

aggctggtat aaaaatctta cttcctctat tctctgagcc gctgctgccc ctgtgggaag 60

ggacctcgag tgtgaagcat ccttcctgt agctgctgtc cagtctgccc gccagaccct 120

ctggagaagc ccctgcccc cagcatgggt ttctgccgca gcgccctgca cccgctgtct 180

ctcctggtgc aggccatcat gctggccatg accctggccc tgggtacctt gcctgccttc 240

ctaccctgtg agctccagcc ccacggcctg gtgaactgca actggctggt cctgaagtct 300

gtgccccact tctccatggc agcacccegt ggcaatgtca ccagcctttc cttgtcctcc	360
aaccgcatcc accacctcca tgattctgac ttgcccacc tgcccagcct gcggcatctc	420
aacctcaagt ggaactgccc gccggttggc ctcagcccca tgcacttccc ctgccacatg	480
accatcgagc ccagcacctt cttggctgtg cccaccctgg aagagctaaa cctgagctac	540
aacaacatca tgactgtgcc tgcgctgcc aaatccctca tatccctgtc cctcagccat	600
accaacatcc tgatgctaga ctctgccagc ctcgccggcc tgcattgccct gcgcttccta	660
ttcatggacg gcaactgtta ttacaagaac ccctgcaggc aggcactgga ggtggccccg	720
ggtgccctcc ttggcctggg caacctcacc cacctgtcac tcaagtacaa caacctcact	780
gtggtgcccc gcaacctgcc ttccagcctg gagtatctgc tgttgtccta caaccgcatc	840
gtcaaactgg cgctgagga cctggccaat ctgaccgccc tgcgtgtgct cgatgtgggc	900
ggaaattgcc gccgctgcga ccacgctccc aaccctgca tggagtgcc tcgtcacttc	960
ccccagctac atcccgatac cttcagccac ctgagccgtc ttgaaggcct ggtgttgaag	1020
gacagttctc tctcctggct gaatgccagt tggttccgtg ggctgggaaa cctccgagt	1080
ctggacctga gtgagaactt cctctacaaa tgcattacta aaaccaaggc cttccagggc	1140
ctaacacagc tgcgcaagct taacctgtcc ttcaattacc aaaagagggt gtcctttgcc	1200
cacctgtctc tggccccctc cttcgggagc ctggtcgccc tgaaggagct ggacatgcac	1260
ggcatcttct tccgctcact cgatgagacc acgctccggc cactggcccc cctgccccatg	1320
ctccagactc tgcgtctgca gatgaacttc atcaaccagg cccagctcgg catcttcagg	1380
gccttccttg gcctgcgcta cgtggacctg tcggacaacc gcatcagcgg agcttcggag	1440
ctgacagcca ccatggggga ggcagatgga ggggagaagg tctggctgca gcctggggac	1500
cttgctccgg cccagtgga cactcccagc tctgaagact tcaggcccaa ctgcagcacc	1560
ctcaacttca ccttggatct gtcacggaac aacctggtga ccgtgcagcc ggagatgttt	1620
gcccagctct cgcacctgca gtgcctgcgc ctgagccaca actgcatctc gcaggcagtc	1680
aatggctccc agttcctgcc gctgaccggt ctgcagggtc tagacctgtc ccgcaataag	1740
ctggacctct accacgagca ctcatcacg gagctaccgc gactggaggc cctggacctc	1800
agctacaaca gccagccctt tggcatgcag ggcgtgggcc acaacttcag cttcgtggct	1860
cacctgcgca ccctgcgcca cctcagcctg gccacaaca acatccacag ccaagtgtcc	1920
cagcagctct gcagtacgtc gctgcggggc ctggacttca gcggcaatgc actgggcat	1980
atgtggggcg agggagacct ctatctgcac ttcttccaag gcctgagcgg ttgatctgg	2040

ctggacttgt cccagaaccg cctgcacacc ctccctgcccc aaaccctgcg caacctcccc 2100  
 aagagcctac aggtgctgcg tctccgtgac aattacctgg ccttcttttaa gtggtggagc 2160  
 ctccacttcc tgcccaaact ggaagtcctc gacctggcag gaaaccggct gaaggccctg 2220  
 accaatggca gcctgcctgc tggcaccggt ctccggaggc tggatgtcag ctgcaacagc 2280  
 atcagcttcg tggcccccggt cttctttttcc aaggccaagg agctgcgaga gctcaacctt 2340  
 agcgccaacg ccctcaagac agtggaccac tcctggtttg ggcccctggc gagtgccctg 2400  
 caaatactag atgtaagcgc caaccctctg cactgcgctt gtggggcggc ctttatggac 2460  
 ttctctgctg aggtgcaggc tgccgtgccc ggtctgcccc gccgggtgaa gtgtggcagt 2520  
 ccggggccagc tccagggcct cagcatcttt gcacaggacc tgcgcctctg cctggatgag 2580  
 gccctctcct gggactgttt cgccctctcg ctgctggctg tggctctggg cctgggtgtg 2640  
 cccatgctgc atcacctctg tggctgggac ctctggtact gcttccacct gtgcctggcc 2700  
 tggcttccct ggcgggggcg gcaaagtggg cgagatgagg atgccctgcc ctacgatgcc 2760  
 ttctgtggtc tcgacaaaac gcagagcgca gtggcagact ggggtgtacaa cgagcttcgg 2820  
 gggcagctgg aggagtgcgg tgggcgctgg gcactccgcc tgtgcctgga ggaacgcgac 2880  
 tggctgcctg gcaaaaccct ctttgagaac ctgtgggcct cggtctatgg cagccgcaag 2940  
 acgctgtttg tgctggccca cacggaccgg gtcagtggtc tcttgcgcgc cagcttcctg 3000  
 ctggcccagc agcgctgct ggaggaccgc aaggacgtcg tggtgctggt gatcctgagc 3060  
 cctgacggcc gccgctcccg ctacgtgcgg ctgcgccagc gcctctgccg ccagagtgtc 3120  
 ctccctctggc cccaccagcc cagtggtcag cgcagcttct gggcccagct gggcatggcc 3180  
 ctgaccaggg acaaccacca cttctataac cggaacttct gccagggacc cacggccgaa 3240  
 tagccgtgag ccggaatcct gcacgggtgcc acctccacac tcacctcacc tctgcctgcc 3300  
 tggctctgacc ctcccctgct cgccctccctc accccacacc tgacacagag ca 3352

<210> 36

<211> 2460

<212> DNA

<213> Homo sapiens

<400> 36

atgggtttct gccgcagcgc cctgcaccgg ctgtctctcc tgggtgcaggc catcatgctg 60  
 gccatgaccc tggccctggg taccttgctt gccttcctac cctgtgagct ccagccccac 120  
 ggcttggtga actgcaactg gctgttcctg aagtctgtgc ccacttctc catggcagca 180  
 ccccgctggca atgtcaccag cttttccttg tcctccaacc gcatccacca cctccatgat 240

tctgactttg cccacctgcc cagcctgcgg catctcaacc tcaagtggaa ctgcccgcg	300
gttggcctca gcccacatgca cttcccctgc cacatgacca tcgagcccag caccttcttg	360
gctgtgcca ccctggaaga gctaaacctg agctacaaca acatcatgac tgtgcctgcg	420
ctgcccacaaat cctcatatc cctgtccctc agccatacca acatcctgat gctagactct	480
gccagcctcg ccggcctgca tgccctgcgc ttcctattca tggacggcaa ctgttattac	540
aagaaccct gcaggcaggc actggagggtg gcccgggtg ccctccttg cctgggcaac	600
ctcaccacc tgctactcaa gtacaacaac ctactgtgg tgccccgcaa cctgccttcc	660
agcctggagt atctgctgtt gtcctacaac cgcctcgtca aactggcgcc tgaggacctg	720
gccaatctga ccgccctgcg tgtgctcgat gtgggcggaa attgccgcg ctgcgaccac	780
gtccccaacc cctgcatgga gtgccctcgt cacttcccc agctacatcc cgataccttc	840
agccacctga gccgtcttga aggctgggtg ttgaaggaca gttctctctc ctggctgaat	900
gccagttggt tccgtgggt gggaaacctc cgagtgtgg acctgagtga gaacttcctc	960
tacaaatgca tcactaaaac caaggccttc cagggcctaa cacagctgcg caagcttaac	1020
ctgtccttca attaccaaaa gaggggtgtc tttgccacc tgtctctggc cccttccttc	1080
gggagcctgg tcgccctgaa ggagctggac atgcacggca tcttcttccg ctactcgat	1140
gagaccacgc tccggccact ggcccgcctg cccatgctcc agactctgcg tctgcagatg	1200
aacttcatca accaggccca gctcggcatc ttcagggcct tccctggcct gcgctacgtg	1260
gacctgtcgg acaaccgcat cagcggagct tcggagctga cagccaccat gggggaggca	1320
gatggagggg agaaggctctg gctgcagcct ggggaccttg ctccggcccc agtggacact	1380
cccagctctg aagacttcag gcccaactgc agcaccctca acttcacctt ggatctgtca	1440
cggaacaacc tgggtgaccgt gcagccggag atgtttgccc agctctcgca cctgcagtgc	1500
ctgcgcctga gccacaactg catctcgag gcagtcaatg gctcccagtt cctgccgctg	1560
accggtctgc aggtgctaga cctgtcccgc aataagctgg acctctacca cgagcactca	1620
ttcacggagc taccgcgact ggaggccctg gacctcagct acaacagcca gccctttggc	1680
atgcagggcg tgggccacaa cttcagcttc gtggctcacc tgcgcacct gcgccacctc	1740
agcctggccc acaacaacat ccacagccaa gtgtcccagc agctctgcag tacgtcgctg	1800
cgggccctgg acttcagcgg caatgcactg ggccatatgt gggccgagg agacctctat	1860
ctgcacttct tccaaggcct gagcggtttg atctggctgg acttgtccca gaaccgcctg	1920
cacaccctcc tgcccacaa cctgcgcaac ctcccacaga gcctacaggt gctgcgtctc	1980
cgtgacaatt acctggcctt ctttaagtgg tggagcctcc acttctgcc caaactggaa	2040

gtcctcgacc tggcaggaaa ccggctgaag gccctgacca atggcagcct gcctgctggc 2100  
 acccggtccc ggaggctgga tgtcagctgc aacagcatca gcttcgtggc ccccggttc 2160  
 ttttccaagg ccaaggagct gcgagagctc aaccttagcg ccaacgccct caagacagtg 2220  
 gaccactcct ggtttggggc cctggcgagt gccctgcaaa tactagatgt aagcgccaac 2280  
 cctctgcact gcgcctgtgg ggcggccttt atggacttcc tgctggaggt gcaggctgcc 2340  
 gtgcccggtc tgcccagccg ggtgaagtgt ggcagtccgg gccagctcca gggcctcagc 2400  
 atctttgcac aggacctgcg cctctgcctg gatgaggccc tctcctggga ctgtttcgcc 2460

<210> 37

<211> 26

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 37

accttgctg ccttcctacc ctgtga

26

<210> 38

<211> 21

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 38

gtccgtgtgg gccagcacia a

21

<210> 39

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 39

tccatgacgt ttttgatgtt

20

<210> 40

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 40  
tccataacgt ttttgatggt 20

<210> 41  
<211> 20  
<212> DNA  
<213> Artificial sequence  
  
<220>  
<223> Synthetic oligonucleotide

<400> 41  
tccatcacgt ttttgatggt 20

<210> 42  
<211> 20  
<212> DNA  
<213> Artificial sequence  
  
<220>  
<223> Synthetic oligonucleotide

<400> 42  
tccattacgt ttttgatggt 20

<210> 43  
<211> 20  
<212> DNA  
<213> Artificial sequence  
  
<220>  
<223> Synthetic oligonucleotide

<400> 43  
tccatggcgt ttttgatggt 20

<210> 44  
<211> 20  
<212> DNA  
<213> Artificial sequence  
  
<220>  
<223> Synthetic oligonucleotide

<400> 44  
tccatgccgt ttttgatggt 20

<210> 45  
<211> 20  
<212> DNA  
<213> Artificial sequence  
  
<220>



<223> Synthetic oligonucleotide

<400> 45

tccatgtcgt ttttgatggt

20

<210> 46

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 46

tccatgatgt ttttgatggt

20

<210> 47

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 47

tccatgaagt ttttgatggt

20

<210> 48

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 48

tccatgaggt ttttgatggt

20

<210> 49

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 49

tccatgacat ttttgatggt

20

<210> 50

<211> 20

<212> DNA

<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 50  
tccatgacct ttttgatggt 20

<210> 51  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 51  
tccatgactt ttttgatggt 20

<210> 52  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 52  
tccatgacgc ttttgatggt 20

<210> 53  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 53  
tccatgacga ttttgatggt 20

<210> 54  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 54  
tccatgacgg ttttgatggt 20

<210> 55  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 55  
tccatgacgt ctttgatggt 20

<210> 56  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 56  
tccatgacgt atttgatggt 20

<210> 57  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 57  
tccatgacgt gtttgatggt 20

<210> 58  
<211> 24  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 58  
tcgtcgtttt gtcgttttgt cggt 24

<210> 59  
<211> 24  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 59  
tgctgctttt gtgcttttgt gctt 24

<210> 60  
<211> 20  
<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 60

tccatgacgt tcctgatgct

20

<210> 61

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 61

tccatgagct tcctgatgct

20

<210> 62

<211> 16

<212> PRT

<213> Artificial sequence

<220>

<223> Consensus oligopeptide

<220>

<221> MISC\_FEATURE

<222> (4)..(5)

<223> Any amino acid

<220>

<221> MISC\_FEATURE

<222> (7)..(12)

<223> Any amino acid

<220>

<221> MISC\_FEATURE

<222> (14)..(15)

<223> Any amino acid

<400> 62

Gly Asn Cys Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Cys

1

5

10

15

<210> 63

<211> 16

<212> PRT

<213> Homo sapiens

<400> 63

Gly Asn Cys Arg Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys  
 1 5 10 15

<210> 64  
 <211> 16  
 <212> PRT  
 <213> Mus musculus

<400> 64

Gly Asn Cys Arg Arg Cys Asp His Ala Pro Asn Pro Cys Met Ile Cys  
 1 5 10 15

<210> 65  
 <211> 31  
 <212> PRT  
 <213> Artificial sequence

<220>  
 <223> Consensus oligopeptide

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(8)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(22)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(30)  
 <223> Any amino acid

<400> 65

Arg Xaa Xaa Xaa Xaa Xaa Xaa Xaa Arg Xaa Asp Xaa Tyr Xaa Xaa Xaa  
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Arg Ser Xaa Xaa Xaa Xaa Xaa Xaa Tyr  
                   20                                  25                                  30

<210> 66  
 <211> 31  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(8)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(22)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(30)  
 <223> Any amino acid

<400> 66

Gln Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Xaa Asp Xaa Tyr Xaa Xaa Xaa  
 1                                  5                                  10                                  15

Xaa Xaa Xaa Xaa Xaa Xaa Arg Leu Xaa Xaa Xaa Xaa Xaa Xaa Tyr  
                   20                                  25                                  30

<210> 67  
 <211> 31  
 <212> PRT  
 <213> Mus musculus

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(8)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(22)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(30)  
 <223> Any amino acid

<400> 67

Gln Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Xaa Asp Xaa Tyr Xaa Xaa Xaa  
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Gln Leu Xaa Xaa Xaa Xaa Xaa Tyr  
 20 25 30

<210> 68  
 <211> 31  
 <212> PRT  
 <213> Homo sapiens

<400> 68

Gln Val Leu Asp Leu Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His  
 1 5 10 15

Ser Phe Thr Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr  
 20 25 30

<210> 69  
 <211> 31  
 <212> PRT  
 <213> Mus musculus

<400> 69

Gln Val Leu Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys



1

5

10

15

Ser Phe Ser Glu Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr  
20 25 30

&lt;210&gt; 70

&lt;211&gt; 20

&lt;212&gt; DNA

&lt;213&gt; Artificial sequence

&lt;220&gt;

&lt;223&gt; Synthetic oligonucleotide

&lt;400&gt; 70

tccaggactt ctctcaggtt

20